



IEC 61375-1

Edition 4.0 2026-03

# INTERNATIONAL STANDARD

---

**Electronic railway equipment - Train communication network (TCN) -  
Part 1: General architecture**

## CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references .....	8
3 Terms, definitions, abbreviated terms, acronyms, and conventions.....	8
3.1 Terms and definitions.....	8
3.2 Abbreviations and acronyms .....	16
3.3 Conventions.....	17
3.3.1 Base of numeric values .....	17
3.3.2 Naming conventions .....	17
3.3.3 State diagram conventions .....	17
4 Basic architecture.....	17
4.1 General.....	17
4.2 Technology and components .....	18
4.2.1 Technology classes .....	18
4.2.2 Component types.....	18
4.3 Hierarchical structure.....	18
4.3.1 Network levels .....	18
4.3.2 Train backbone level .....	19
4.3.3 Consist network level.....	19
4.3.4 Interface between train backbone and consist network .....	20
4.3.5 End devices connected to train backbone .....	21
4.4 Network configurations .....	21
4.5 Train to ground connection (option) .....	22
5 Train backbone.....	23
5.1 General.....	23
5.2 Train backbone topology.....	23
5.2.1 General .....	23
5.2.2 Train backbone based on bus technology .....	23
5.2.3 Train backbone based on switched technology .....	24
5.2.4 Train Backbone based on wireless technology.....	25
5.3 Train compositions.....	27
5.4 Train backbone node numbering .....	27
5.5 Train directions.....	28
5.5.1 Vehicle .....	28
5.5.2 Consist .....	28
5.5.3 Closed train .....	29
5.5.4 Train.....	29
5.6 Train inauguration.....	31
5.6.1 Objectives .....	31
5.6.2 Node sequence and orientation discovery.....	31
5.6.3 Train network directory .....	31
5.6.4 Train directory .....	31
5.6.5 Train inauguration control.....	34
5.6.6 Node states .....	35
5.6.7 Node roles.....	38

5.6.8	Performance.....	38
5.6.9	Independent consist orientation check (Option) .....	38
6	Consist network.....	39
6.1	General.....	39
6.2	Scope of standardization.....	39
6.3	Consist network topology .....	40
6.3.1	Consist network based on bus technology (MVB, CCN) .....	40
6.3.2	Consist network based on switched technology (ECN).....	41
6.3.3	Consist network based on wireless technology (WLCN).....	43
6.3.4	Sub-networks .....	43
6.3.5	Heterogeneous consist network .....	44
6.4	Gateway .....	44
6.4.1	General .....	44
6.4.2	Functional description.....	45
6.4.3	Application layer gateway .....	45
6.4.4	Gateway implemented by a router.....	45
6.4.5	Gateway implemented by a bridge .....	46
7	On-board data communication .....	46
7.1	General.....	46
7.2	Communication patterns .....	46
7.2.1	Purpose .....	46
7.2.2	Definitions .....	47
7.2.3	Push pattern .....	47
7.2.4	Pull pattern.....	48
7.2.5	Subscription pattern.....	50
7.3	Addressing.....	50
7.3.1	General .....	50
7.3.2	Network layer addressing .....	50
7.3.3	Application layer addressing .....	52
7.4	Availability of data communication .....	53
7.5	Data classes .....	53
7.5.1	General .....	53
7.5.2	Service parameters .....	53
7.5.3	TCN data class definition.....	54
7.6	Communication profile .....	55
7.7	Application profile .....	56
8	Cybersecurity .....	56
8.1	General.....	56
8.2	System under consideration.....	56
8.3	Lifecycle .....	57
8.3.1	General .....	57
8.3.2	Legacy systems.....	57
8.3.3	Protocol design.....	57
8.4	Guidelines .....	57
Annex A (informative)	High-level train architecture .....	59
A.1	General.....	59
A.2	Architectural realms .....	59
A.3	On-board network structures.....	61

Bibliography.....	63
Figure 1 – Train backbone and consist network .....	18
Figure 2 – Example of consist with 2 consist networks .....	19
Figure 3 – End device connected to the train backbone (example).....	21
Figure 4 – Communication between train and ground (example) .....	22
Figure 5 – Interfaces between consists .....	23
Figure 6 – Train backbone bus topology .....	24
Figure 7 – Train backbone switched topology (aggregated transmission media).....	24
Figure 8 – Train backbone switched topology (segregated transmission media).....	25
Figure 9 – Wireless train backbone mesh topology .....	25
Figure 10 – Wireless train backbone base station topology .....	26
Figure 11 – Wireless train backbone mesh topology for redundancy .....	26
Figure 12 – Wireless train backbone base station topology for redundancy .....	27
Figure 13 – Directions and orientation in a vehicle .....	28
Figure 14 – Directions and orientations in a consist (example).....	29
Figure 15 – Directions and orientations in a closed train .....	29
Figure 16 – Directions and orientations in train (TCN directions).....	30
Figure 17 – Structure of train directory (example) .....	32
Figure 18 – Train inauguration block diagram .....	36
Figure 19 – Train inauguration state chart.....	37
Figure 20 – Independent orientation check with BEACON telegrams.....	38
Figure 21 – Consist network standard interfaces.....	40
Figure 22 – Consist network (bus technology).....	40
Figure 23 – Consist switches .....	41
Figure 24 – Examples of consist network topologies (switched technology) .....	42
Figure 25 – End device connected to two consist switches .....	42
Figure 26 – Wireless consist network.....	43
Figure 27 – Sub-networks in a consist network .....	44
Figure 28 – Implementation example for two vehicle busses .....	44
Figure 29 – Example of heterogeneous train control network architecture .....	45
Figure 30 – Point to point communication pattern (push).....	47
Figure 31 – Point to multi-point communication pattern (push) .....	48
Figure 32 – Point to point communication pattern (pull).....	49
Figure 33 – Point to multi-point communication pattern (pull) .....	49
Figure 34 – Subscription communication pattern.....	50
Figure A.1 – Example of architectural realm structure .....	60
Figure A.2 – Examples for network segregation of on-board physical networks.....	61
Table 1 – Train composition changes.....	27
Table 2 – Train specific parameters (example).....	33
Table 3 – Consist specific parameters (example).....	33
Table 4 – Vehicle specific parameters (example) .....	33

Table 5 – Device specific parameters (example) .....	34
Table 6 – Point to point (Push).....	48
Table 7 – Point to multi-point (Push) .....	48
Table 8 – Point to point (Pull) .....	49
Table 9 – Point to multi-point (Pull).....	50
Table 10 – Service parameters .....	53
Table 11 – Principal data classes.....	55

INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

**Electronic railway equipment - Train communication network (TCN) -  
Part 1: General architecture**

**FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 61375-1 has been prepared by IEC technical committee 9: Electrical equipment and systems for railways. It is an International Standard.

This fourth edition cancels and replaces the third edition published in 2012. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Extension of train backbone topologies: aggregated and segregated topology;
- b) Added independent consist orientation check with segregated train backbone topology;
- c) Introduction of wireless technologies: wireless train backbone and wireless consist network;
- d) Possibility of virtual networks;
- e) Definition of data classes and protocol requirements suitable for the OMTS domain;
- f) New clause about cybersecurity in train communication networks.

The text of this International Standard is based on the following documents:

Draft	Report on voting
9/3252/FDIS	9/3293/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). The main document types developed by IEC are described in greater detail at [www.iec.ch/publications](http://www.iec.ch/publications).

A list of all parts of IEC 61375 series, under the general title *Electronic railway equipment - Train communication network (TCN)*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

## INTRODUCTION

IEC 61375-1 defines the general architecture of the Train Communication Network (TCN) to achieve compatibility between consist networks and train backbones defined by the IEC 61375 series.

The creation of this fourth edition of the standard has been motivated by advances in technology, namely in the fields of Ethernet communication, wireless communication, and cybersecurity, which made it necessary to adapt or to extend some sections of the TCN general architecture. These changes will then further on be reflected in the detailed technical specifications given in subsequent parts of the IEC 61375 series.

The TCN has a hierarchical structure with two levels of networks, a train backbone and a consist network:

- a) for interconnecting vehicles in closed or open trains, this document specifies train backbones with different characteristics.
- b) for connecting standard on-board equipment, this document specifies consist networks with different characteristics.

The general architecture of the TCN, which is defined in this document, does

- c) establish the rules for interconnecting consist networks with train backbones, as
  - 1) identifying the interfaces;
  - 2) defining the principles of how train topology changes can be discovered;
  - 3) defining the basic communication services provided by train backbones to be used by consist networks;
- d) establish basic rules for the train backbone and for the consist network;
- e) establish rules for commonalities in operation, as:
  - 1) patterns for the communication between users;
  - 2) addressing principles;
  - 3) data classes to be supported;
- f) establish rules to support cybersecurity of the TCN.

## **1 Scope**

This part of IEC 61375 applies to the architecture of data communication systems in open trains, i.e. it covers the architecture of a communication system for the data communication between vehicles of the said open trains, the data communication within the vehicles and the data communication from train to the ground.

The applicability of this part of IEC 61375 to the train network technologies allows for interoperability of individual vehicles within open trains in international traffic. The data communication systems inside vehicles are given as recommended solutions to cope with the said TCN. In any case, proof of compatibility between a proposed train backbone and a proposed consist network will have to be brought by the supplier.

This part of IEC 61375 might be additionally applicable to closed trains and multiple unit trains when so agreed between purchaser and supplier.

NOTE 1 For definitions of open trains, multiple unit trains and closed trains, see Clause 3.

NOTE 2 Road vehicles such as buses and trolley buses are not considered in this part of IEC 61375.

## **2 Normative references**

There are no normative references in this document.

## Bibliography

- [1] IEEE 802.1Q, *Local and metropolitan area networks - Bridges and Bridged Networks*
  - [2] UIC CODE 556, *Information transmission in the train (train-bus)*
  - [3] IEC 62580 (all parts), *Electronic railway equipment - On-board multimedia and telematic subsystems for railways*
  - [4] ISO/IEC 8824-1:2021, *Information technology - Abstract Syntax Notation One (ASN.1): specification of basic notation*
  - [5] ISO/IEC 19501:2005, *Information technology - Open Distributed Processing - Unified Modeling Language (UML) Version 1.4.2*
  - [6] IEC 62280, *Railway applications - Communication, signalling and processing systems - Safety related communication in transmission systems*
  - [7] IEC 62443 (all parts), *Security for industrial automation and control systems*
-