

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Surface acoustic wave (SAW) filters of assessed quality –
Part 1: Generic specification**

**Filtres à ondes acoustiques de surface (OAS) sous assurance de la qualité –
Partie 1: Spécification générique**





IEC 60862-1

Edition 3.0 2015-08

Corrected version
2026-03

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Surface acoustic wave (SAW) filters of assessed quality –
Part 1: Generic specification**

**Filtres à ondes acoustiques de surface (OAS) sous assurance de la qualité –
Partie 1: Spécification générique**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 31.140

ISBN 978-2-8322-2863-0

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD	5
1 Scope	7
2 Normative references	7
3 Terms, definitions, units and symbols	9
3.1 Terms and definitions	9
3.1.1 General terms	9
3.1.2 Response characteristics related terms	12
3.1.3 SAW filter related terms	16
3.2 Units and symbols	18
4 Order of precedence of documents	18
5 Preferred values for ratings and characteristics	19
5.1 General	19
5.2 Nominal frequencies	19
5.2.1 Nominal frequency bands for use in RF applications	19
5.2.2 Nominal frequency bands for use in IF applications	19
5.2.3 Nominal frequency values for use in broadcasting IF applications	19
5.3 Relative attenuation values specifying pass bandwidth for IF applications	20
5.4 TTE signal suppression	20
5.5 Operating temperature ranges, in degrees Celsius (°C)	20
5.6 Climatic category	20
5.7 Bump severity	20
5.8 Vibration severity	21
5.9 Shock severity	21
5.10 Fine leak rate	21
6 Marking	22
6.1 Filter marking	22
6.2 Package marking	22
7 Quality assessment procedures	22
7.1 General	22
7.2 Primary stage of manufacture	22
7.3 Structurally similar components	22
7.4 Subcontracting	22
7.5 Incorporated components	23
7.6 Manufacturer's approval	23
7.7 Approval procedures	23
7.7.1 General	23
7.7.2 Capability approval	23
7.7.3 Qualification approval	23
7.8 Procedures for capability approval	23
7.8.1 General	23
7.8.2 Eligibility for capability approval	24
7.8.3 Application for capability approval	24
7.8.4 Granting of capability approval	24
7.8.5 Capability manual	24
7.9 Procedures for qualification approval	24

7.9.1	General	24
7.9.2	Eligibility for qualification approval.....	24
7.9.3	Application for qualification approval	24
7.9.4	Granting of qualification approval	24
7.9.5	Quality conformance inspection	24
7.10	Test procedures	24
7.11	Screening requirements	24
7.12	Rework and repair work	25
7.12.1	Rework	25
7.12.2	Repair work	25
7.13	Certified records of released lots	25
7.14	Validity of release	25
7.15	Release for delivery	25
7.16	Unchecked parameters	25
8	Test and measurement procedures.....	25
8.1	General.....	25
8.2	Test and measurement conditions.....	25
8.2.1	Standard conditions for testing	25
8.2.2	Precision of measurement	26
8.2.3	Precautions	26
8.2.4	Alternative test methods	26
8.3	Visual inspection.....	26
8.3.1	General	26
8.3.2	Visual test A	26
8.3.3	Visual test B	26
8.3.4	Visual test C	27
8.4	Dimensions and gauging procedures	27
8.4.1	Dimensions test A.....	27
8.4.2	Dimensions test B.....	27
8.5	Electrical test procedures.....	27
8.5.1	General	27
8.5.2	Insertion attenuation measurement.....	27
8.5.3	Phase measurement.....	29
8.5.4	Group delay measurement.....	29
8.5.5	Return attenuation measurement.....	30
8.5.6	Unwanted signal measurement.....	32
8.5.7	Intermodulation distortion measurement	34
8.5.8	Measurement of insertion attenuation, phase, and group delay characteristics at specified terminating impedances and at standard atmospheric conditions	35
8.5.9	Measurement of insertion attenuation, phase, and group delay characteristics as a function of temperature.....	35
8.5.10	Measurement of return attenuation at specified terminating impedance and at the standard atmospheric conditions	35
8.5.11	Measurement of unwanted signals at standard atmospheric conditions.....	35
8.5.12	Measurement of intermodulation distortion at standard atmospheric conditions	36
8.5.13	Measurement method for the balanced type filter.....	36
8.5.14	Insulation resistance.....	38

8.5.15	Voltage proof.....	38
8.6	Mechanical and environmental test procedures.....	38
8.6.1	Robustness of terminations (destructive).....	38
8.6.2	Sealing tests (non-destructive).....	38
8.6.3	Soldering (solderability and resistance to soldering heat) (destructive).....	39
8.6.4	Rapid change of temperature: severe shock by liquid immersion (non-destructive).....	40
8.6.5	Rapid change of temperature with prescribed time of transition (non-destructive).....	40
8.6.6	Bump (destructive).....	40
8.6.7	Vibration (destructive).....	40
8.6.8	Shock (destructive).....	41
8.6.9	Free fall (destructive).....	41
8.6.10	Acceleration, steady state (non-destructive).....	41
8.6.11	Low air pressure (non-destructive).....	42
8.6.12	Dry heat (non-destructive).....	42
8.6.13	Damp heat, cyclic (destructive).....	42
8.6.14	Cold (non-destructive).....	42
8.6.15	Climatic sequence (destructive).....	42
8.6.16	Damp heat, steady state (destructive).....	42
8.6.17	Salt mist cyclic (destructive).....	42
8.6.18	Immersion in cleaning solvents (non-destructive).....	43
8.6.19	Flammability test (destructive).....	43
8.6.20	Electrostatic discharge (ESD) sensitivity test (destructive).....	43
8.7	Endurance test procedure.....	43
	Bibliography.....	44
	Figure 1 – Frequency response of a SAW filter.....	18
	Figure 2 – Insertion attenuation, phase, and group delay measurement.....	28
	Figure 3 – Return attenuation measurement.....	31
	Figure 4 – Unwanted signal measurement.....	33
	Figure 5 – Unwanted signals measured on time domain.....	34
	Figure 6 – Intermodulation distortion measurement.....	35
	Figure 7 – Four-port network analyzer measurement for balanced-balanced connection filter.....	37
	Figure 8 – Three-port network analyzer measurement for balanced-unbalanced connection filter.....	37

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**SURFACE ACOUSTIC WAVE (SAW) FILTERS
OF ASSESSED QUALITY –****Part 1: Generic specification**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60862-1 has been prepared by IEC technical committee 49: Piezoelectric, dielectric and electrostatic devices and associated materials for frequency control, selection and detection.

This third edition cancels and replaces the second edition published in 2003. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- the terms and definitions from IEC 60862-2:2002 are included;
- the measurement method for the balanced type filter is described;
- the electrostatic discharge (ESD) sensitivity test procedure is considered.

The text of this standard is based on the following documents:

FDIS	Report on voting
49/1151/FDIS	49/1164/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60862 series, published under the general title *Surface acoustic wave (SAW) filters of assessed quality*, can be found on the IEC web site.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

The content of the corrigendum 1 (2026-03) has been included in this copy.

SURFACE ACOUSTIC WAVE (SAW) FILTERS OF ASSESSED QUALITY –

Part 1: Generic specification

1 Scope

This part of IEC 60862 specifies the methods of test and general requirements for SAW filters of assessed quality using either capability approval or qualification approval procedures.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60027 (all parts), *Letter symbols to be used in electrical technology*

IEC 60050 (all parts), *International Electrotechnical Vocabulary* (available at www.electropedia.org)

IEC 60068-1:2013, *Environmental testing – Part 1: General and guidance*

IEC 60068-2-1, *Environmental testing – Part 2-1: Tests – Test A: Cold*

IEC 60068-2-2, *Environmental testing – Part 2-2: Tests – Test B: Dry heat*

IEC 60068-2-6, *Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)*

IEC 60068-2-7, *Basic environmental testing procedures – Part 2-7: Tests – Test Ga and guidance: Acceleration, steady state*

IEC 60068-2-13, *Basic environmental testing procedures – Part 2-13: Tests – Test M: Low air pressure*

IEC 60068-2-14, *Environmental testing – Part 2-14: Tests – Test N: Change of temperature*

IEC 60068-2-17:1994, *Basic environmental testing procedures – Part 2-17: Tests – Test Q: Sealing*

IEC 60068-2-20, *Environmental testing – Part 2-20: Tests – Test T: Test methods for solderability and resistance to soldering heat of devices with leads*

IEC 60068-2-21, *Environmental testing – Part 2-21: Tests – Test U: Robustness of terminations and integral mounting devices*

IEC 60068-2-27, *Environmental testing – Part 2-27: Tests – Test Ea and guidance: Shock*

IEC 60068-2-30, *Environmental testing – Part 2-30: Tests – Test Db and guidance: Damp heat, cyclic (12 h + 12 h cycle)*

IEC 60068-2-31, *Environmental testing – Part 2-31: Tests – Test Ec: Rough handling shocks, primarily for equipment-type specimens*

IEC 60068-2-45, *Basic environmental testing procedures – Part 2-45: Tests – Test XA and guidance: Immersion in cleaning solvents*

IEC 60068-2-52, *Environmental testing – Part 2-52: Tests – Test Kb: Salt mist, cyclic (sodium chloride solution)*

IEC 60068-2-58, *Environmental testing – Part 2-58: Tests – Test Td: Test methods for solderability, resistance to dissolution of metallization and to soldering heat of surface mounting devices (SMD)*

IEC 60068-2-64, *Environmental testing – Part 2-64: Tests – Test Fh: Vibration, broad-band random and guidance*

IEC 60068-2-78, *Environmental testing – Part 2-78: Tests – Test Cab: Damp heat, steady state*

IEC 60122-1, *Quartz crystal units of assessed quality – Part 1: Generic specification*

IEC 60617, *Graphical symbols for diagrams* (available at <http://std.iec.ch/iec60617>)

IEC 60642, *Piezoelectric ceramic resonators and resonator units for frequency control and selection – Chapter I: Standard values and conditions – Chapter II: Measuring and test conditions*

IEC 60695-11-5, *Fire hazard testing – Part 11-5: Test flames – Needle-flame test method – Apparatus, confirmatory test arrangement and guidance*

IEC 60749-28¹, *Semiconductor devices – Mechanical and climatic test methods – Part 28: Electrostatic discharge (ESD) sensitivity testing direct contact charged device model (DC-CDM)*

IEC 61000-4-2, *Electromagnetic compatibility (EMC) – Part 4-2: Testing and measurement techniques – Electrostatic discharge immunity test*

IEC 61340-3-1, *Electrostatics – Part 3-1: Methods for simulation of electrostatic effects – Human body model (HBM) electrostatic discharge test waveforms*

IEC 61340-3-2, *Electrostatics – Part 3-2: Methods for simulation of electrostatic effects – Machine model (MM) electrostatic discharge test waveforms*

IEC 80000 (all parts), *Quantities and units*

ISO 80000 (all parts), *Quantities and units*

¹ To be published.

Bibliography

IEC 60050-561, *International electrotechnical vocabulary – Part 561: Piezoelectric, dielectric and electrostatic devices and associated materials for frequency control, selection and detection*

IEC 60068-2-10:2005, *Environmental testing – Part 2-10: Tests – Test J and guidance: Mould growth*

IEC 60862-2:2012, *Surface acoustic wave (SAW) filters of assessed quality – Part 2: Guidelines for the use*

IEC 60862-3, *Surface acoustic wave (SAW) filters of assessed quality – Part 3: Standard outlines*
