



IEC 63458-1

Edition 1.0 2026-03

# INTERNATIONAL STANDARD

---

**High pressure water jet machines - Safety -  
Part 1: High pressure water jet units**

## CONTENTS

FOREWORD .....	4
INTRODUCTION .....	6
1 Scope .....	7
2 Normative references .....	8
3 Terms and definitions .....	9
4 Safety requirements and/or measures .....	11
4.1 General .....	11
4.2 Requirements for high pressure water jet unit with intended exit of water under high pressure .....	11
4.2.1 Replacement inserts .....	11
4.2.2 Safety devices to prevent excessive pressure .....	11
4.2.3 Pressure indicator .....	12
4.3 Mechanical requirements .....	13
4.3.1 Common requirements .....	13
4.3.2 High pressure lines .....	13
4.3.3 Requirements for mobile machines .....	13
4.4 Requirements for transport .....	13
4.5 Electrical requirements .....	13
4.6 Requirements for emergency stopping .....	14
4.7 Thermal requirements .....	14
4.8 Noise reduction .....	14
4.8.1 Noise reduction at source by design .....	14
4.8.2 Noise reduction by protective measures .....	15
4.8.3 Noise test code .....	15
4.9 Requirements for program controlled water jet machines .....	15
4.10 Marking the control devices .....	15
5 Verification of the safety requirements and/or measures .....	15
5.1 General .....	15
5.2 Hydrostatic pressure test .....	16
5.2.1 General .....	16
5.2.2 Timing of the test .....	16
5.2.3 Preparation for testing .....	16
5.2.4 Test equipment .....	17
5.2.5 Test liquid .....	17
5.2.6 Test procedure .....	17
5.2.7 Acceptable criteria .....	18
5.2.8 Repairs .....	18
5.2.9 Test records .....	18
5.2.10 Test certificate .....	19
5.2.11 Test report .....	19
5.2.12 Testing of safety devices for preventing excessive pressure .....	19
5.2.13 Pressure indicator .....	19
5.3 Mechanical tests and/or visual inspection .....	20
5.3.1 General .....	20
5.3.2 Testing the stability of the high pressure water jet unit .....	20
5.4 Transport devices .....	20
5.5 Electrical tests .....	20

5.6	Testing of emergency stopping.....	20
5.7	Thermal tests .....	20
5.8	Testing of program controlled high pressure water jet units.....	20
5.9	Verification of markings.....	21
6	Information for use.....	21
6.1	General .....	21
6.2	Marking and warnings .....	24
6.2.1	General.....	24
6.2.2	Marking of the machine unit .....	24
6.2.3	Marking the safety devices.....	25
6.2.4	Marking of pipelines .....	25
6.3	Additional warnings.....	25
Annex A	(informative) Routine tests.....	27
A.1	General .....	27
A.2	Electrical safety.....	27
A.3	Documentation verification.....	27
A.4	Functional test.....	27
Annex B	(informative) List of significant hazards.....	28
B.1	General .....	28
B.2	Hazards from the intended exit of water under high pressure .....	28
B.3	Mechanical hazards .....	28
B.4	Hazards from transportation.....	28
B.5	Electrical hazards .....	28
B.6	Thermal hazards.....	28
B.7	Hazards due to noise .....	28
B.8	Hazards from program controlled high pressure water jet units.....	29
B.9	Hazards from sudden start-up .....	29
Annex C	(informative) Random sample schedule .....	30
C.1	General .....	30
C.2	Selection of quality grade .....	30
C.3	Formation of a test-lot.....	30
C.4	Acceptance and rejection .....	30
C.5	Symbols .....	31
Annex D	(normative) Noise test code.....	32
D.1	General .....	32
D.2	A-weighted emission sound pressure level at workstation determination.....	32
D.3	A-weighted sound power level determination .....	32
D.4	Mounting and operating conditions .....	33
D.5	Measurement uncertainties.....	33
D.6	Information to be recorded.....	34
D.7	Information to be reported .....	34
D.8	Declaration and verification of noise emission values .....	34
Bibliography	.....	35
Figure 1	– Pressure overview .....	12
Figure 2	– Hand-held spraying device with support – Principle .....	21
Figure 3	– Hand-held spraying device – Recoil force and torque generation .....	22
Figure 4	– General warning sign according to ISO 7010-W001 (2011-05).....	23

Figure 5 – Hazard symbol "Warning; Electricity" according to ISO 7010-W012 (2011-05) .....	23
Figure 6 – Attention .....	24
Figure 7 – Example of an additional warning (taken from IEC 60335-2-79 2021, Figure 101) .....	25
Figure 8 – Hazard symbol "Warning; Hot surface" according to ISO 7010-W017 (2011-05) .....	26
Table 1 – Maximum permitted temperatures for accessible surfaces on high pressure water jet units during normal operation .....	14
Table 2 – Longer test periods .....	18
Table C.1 – Quality grade .....	31

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

## High pressure water jet machines - Safety - Part 1: High pressure water jet units

### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 63458-1 has been prepared by subcommittee 61J: Safety of electrical motor-operated cleaning appliances for commercial use, of IEC technical committee 61: Safety of household and similar electrical appliances. It is an International Standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
61J/762/CDV	61J/792/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). The main document types developed by IEC are described in greater detail at [www.iec.ch/publications](http://www.iec.ch/publications).

A list of all parts of the IEC 663458 series, under the general title: *High pressure water jet machines - Safety*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

## INTRODUCTION

This document is a type-C standard as stated in ISO 12100:2010. This document is of relevance, in particular, for the following stakeholder groups representing the market players with regard to machinery safety:

- machine manufacturers (small, medium and large enterprises);
- health and safety bodies (regulators, accident prevention organizations, market surveillance etc.).

Others can be affected by the level of machinery safety achieved with the means of the document by the above-mentioned stakeholder groups:

- machine users/employers (small, medium and large enterprises);
- machine users/employees (e.g. trade unions, organizations for people with special needs);
- service providers, e.g. for maintenance (small, medium and large enterprises).

The above-mentioned stakeholder groups have been given the possibility to participate at the drafting process of this document. The machinery concerned and the extent to which hazards, hazardous situations or hazardous events are covered are indicated in the scope of this document. When requirements of this type-C standard are different from those which are stated in type-A or type-B standards, the requirements of this type-C standard take precedence over the requirements of the other standards for machines that have been designed and built according to the requirements of this type-C standard.

## 1 Scope

This part of IEC 63458 contains safety-related requirements for high pressure water jet units with drives of all kinds (e.g. electric motor, internal combustion engine, air and hydraulic) in which pumps are used to generate pressure. This document deals with all significant hazards, hazardous situations and events arising during assembly, erection, operation and servicing relevant to high pressure water jet units, when they are used as intended and under conditions of misuse which are reasonably foreseeable by the manufacturer. All references to high pressure water jet units within this document include machines for one or more of the following industrial applications:

- cleaning;
- surface preparation;
- material removal;
- readjustment of concrete;
- cutting.

NOTE 1 List of significant hazards is given in informative Annex B.

This document applies to mobile and fixed high pressure water jet units, in which the water pressure is generated by a pressure generator/pump and in which the maximum allowable working pressure is more than the upper limit fixed in the scope of IEC 60335-2-79.

NOTE 2 35 MPa is currently the upper limit for machines covered by IEC 60335-2-79.

This document does not cover:

- high pressure cleaners which are dealt with in IEC 60335-2-54;

NOTE 3 IEC 60335-2-54 applies to steam cleaners for household use. IEC 60335-2-79 applies to high pressure cleaners having a rated pressure not less than 2,5 MPa and not exceeding 35 MPa, as well as steam cleaners and those parts of hot water high pressure cleaners incorporating a steam stage which have a capacity not exceeding 100 l, a rated pressure not exceeding 2,5 MPa and a product of capacity and rated pressure not exceeding 5 MPa.

- additional hazards due to the incorporation of high pressure water jet units into other process-technology machines;
- specific hazards associated with explosive atmospheres, use on ships or ambient temperatures outside the range 5 °C to 40 °C;
- hazard due to the nature of liquids used for jetting, other than that due to pressure;
- hazards associated with the drives or specific hazards due to any heat generation function. However, the hazards due to high temperatures of touchable surfaces are dealt with;
- high pressure water jet units which are manufactured before the date of its publication as IEC standard;
- high pressure water jet hoses which are covered by IEC 63458-2;
- high pressure water jet spraying device which are covered by IEC 63458-3;

Tests according to this document are type tests unless they relate to routine (informative) tests to be carried out during series manufacture.

NOTE 4 Routine tests are described in informative Annex A.

Compliance with IEC 63458-1, IEC 63458-2 and IEC 63458-3 provides the full requirements for high pressure water jet machines.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60204-1:2016, *Safety of machinery - Electrical equipment of machines - Part 1: General requirements*

IEC 60204-1:2016/AMD1:2021

IEC 60335-1:2020, *Household and similar electrical appliances - Safety - Part 1: General requirements*

IEC 60335-2-79, *Household and similar electrical appliances - Safety - Part 2-79: Particular requirements for high pressure cleaners and steam cleaners*

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*

IEC 61310-1:2007, *Safety of machinery - Indication, marking and actuation - Part 1: Requirements for visual, acoustic and tactile signals*

IEC 61310-2:2007, *Safety of machinery - Indication, marking and actuation - Part 2: Requirements for marking*

IEC 62745, *Safety of machinery - Requirements for cableless control systems of machinery*

IEC 63458-2, *High pressure water jet machines - Safety - Part 2: High pressure hoses, hose lines and connectors*

IEC 63458-3, *High pressure water jet machines - Safety - Part 3: High pressure spraying devices*

ISO 3743-1, *Acoustics - Determination of sound power levels and sound energy levels of noise sources using sound pressure - Engineering methods for small movable sources in reverberant fields - Part 1: Comparison method for a hard-walled test room*

ISO 3744:2025, *Acoustics - Determination of sound power levels of noise sources using sound pressure - Engineering methods for an essentially free field over a reflecting plane*

ISO 4871, *Acoustics - Declaration and verification of noise emission values of machinery and equipment*

ISO 7010:2019, *Graphical symbols - Safety colours and safety signs - Registered safety signs*

ISO 11203, *Acoustics - Noise emitted by machinery and equipment - Determination of emission sound pressure levels at a workstation and at other specified positions from the sound power level*

ISO/TR 11688-1:1995, *Acoustics - Recommended practice for the design of low-noise machinery and equipment - Part 1: Planning*

ISO 12100:2010, *Safety of machinery - General principles for design - Risk assessment and risk reduction*

## Bibliography

IEC 60335-2-54, *Household and similar electrical appliances - Safety - Part 2-54: Particular requirements for surface-cleaning appliances for household use employing liquids or steam*

ISO 11201:2010, *Acoustics - Noise emitted by machinery and equipment - Determination of emission sound pressure levels at a work station and at other specified positions in an essentially free field over a reflecting plane with negligible environmental corrections*

ISO/TR 11688-2:1998, *Acoustics - Recommended practice for the design of low-noise machinery and equipment - Part 2: Introduction to the physics of low-noise design*

ISO 2859-1, *Sampling procedures for inspection by attributes - Part 1: Sampling schemes indexed by acceptance quality limit (AQL) for lot-by-lot Inspection*

EN 809:1998+A1:2009, *Pumps and pump units for liquids - Common safety requirements*

EN 809:1998+A1:2009/AC:2010, *Pumps and pump units for liquids - Common safety requirements*

---