



IEC 60086-2-1

Edition 1.0 2026-06

# INTERNATIONAL STANDARD

---

**Primary batteries -  
Part 2-1: Physical and electrical specifications of batteries with aqueous  
electrolyte**

## CONTENTS

|   |    |
|---|----|
| FOREWORD.....   | 5  |
| INTRODUCTION.....   | 7  |
| 1 Scope.....  | 8  |
| 2 Normative references .....  | 8  |
| 3 Terms and definitions .....   | 8  |
| 4 Battery dimensions – Symbols.....   | 10 |
| 5 Dimensional stability.....  | 10 |
| 6 Validity of testing.....  | 10 |
| 7 Constitution of the battery specification tables.....   | 11 |
| 8 Physical and electrical specifications.....   | 13 |
| 8.1 Category 1 batteries .....  | 13 |
| 8.1.1 General .....   | 13 |
| 8.1.2 Category 1 – Specifications: LR1, R1, LR8D425.....  | 14 |
| 8.1.3 Category 1 – Specifications: LR03, TR03, R03 .....  | 15 |
| 8.1.4 Category 1 – Specifications: LR6, TR6, R6P, R6S .....   | 16 |
| 8.1.5 Category 1 – Specifications: LR14, R14P, R14S.....  | 18 |
| 8.1.6 Category 1 – Specifications: LR20, R20P, R20S.....  | 19 |
| 8.2 Category 2 battery – Void .....   | 20 |
| 8.3 Category 3 battery – Specification: LR9.....  | 20 |
| 8.4 Category 4 batteries .....  | 21 |
| 8.4.1 General .....   | 21 |
| 8.4.2 Category 4 – Specifications: PR70, PR41, PR48, PR44, PR1154 .....   | 21 |
| 8.4.3 Fit acceptance gauge for PR batteries .....   | 23 |
| 8.4.4 Category 4 – Specifications: LR41, LR55, LR54, LR43, LR44 .....   | 25 |
| 8.4.5 Category 4 – Specifications: SR62, SR63, SR65, SR64, SR60, SR67,<br>SR66, SR58, SR68, SR59, SR69, SR41, SR57, SR55, SR48, SR54,<br>SR42, SR43, SR44 ..... | 26 |
| 8.5 Category 5 batteries .....  | 28 |
| 8.5.1 Category 5 – Specifications: 4LR44, 4SR44.....  | 28 |
| 8.5.2 Category 5 – Specification: 8LR932.....   | 29 |
| 8.5.3 Category 5 – Specifications: AR40, 5AR40, 6AR40, 5PR175/172,<br>6PR225/155 .....  | 30 |
| 8.6 Category 6 batteries .....  | 31 |
| 8.6.1 Category 6 – Specification: 4LR61.....  | 31 |
| 8.6.2 Category 6 – Void.....  | 32 |
| 8.6.3 Category 6 – Void.....  | 32 |
| 8.6.4 Category 6 – Specifications: 3R12P, 3R12S, 3LR12.....   | 32 |
| 8.6.5 Category 6 – Specifications: AS4, AS6S, AS6P, AS8, AS10, AS12,<br>PS8S, PS8P, PS10.....   | 33 |
| 8.6.6 Category 6 – Specification: 4R25Y .....   | 34 |
| 8.6.7 Category 6 – Specifications: 4R25X, 4LR25X .....  | 35 |
| 8.6.8 Category 6 – Specifications: 4R25-2, 4LR25-2.....   | 36 |
| 8.6.9 Category 6 – Specifications: 6AS4S, 6PS4S, 6PS4P .....  | 37 |
| 8.6.10 Category 6 – Specifications: 6F22, 6LR61, 6LP3146 .....  | 38 |
| 8.6.11 Category 6 – Configurations: Stud for 6F22, 6LR61 6LP3146 .....  | 39 |
| 8.6.12 Category 6 – Specifications: 6AS6P, 6AS6S, 6PS6P, 6PS6S .....  | 40 |

|  |    |
|--|----|
| Annex A (informative) Tabulation of batteries by application .....   | 41 |
| Annex B (informative) Cross-reference index .....  | 46 |
| Annex C (informative) Index reference to subclause .....   | 48 |
| Bibliography.....  | 49 |
|  |    |
| Figure 1 – Dimensional drawing: Category 1 .....   | 13 |
| Figure 2 – Dimensional drawing: LR1, R1, LR8D425.....  | 14 |
| Figure 3 – Dimensional drawing: LR03, TR03, R03 .....  | 15 |
| Figure 4 – Dimensional drawing: LR6, TR6, R6P, R6S.....  | 16 |
| Figure 5 – Dimensional drawing: LR14, R14P, R14S.....  | 18 |
| Figure 6 – Dimensional drawing: LR20, R20P, R20S.....  | 19 |
| Figure 7 – Dimensional drawing: LR9.....   | 20 |
| Figure 8 – Dimensional drawing: Category 4 .....   | 21 |
| Figure 9 – Dimensional drawing: PR70, PR41, PR48, PR44, PR1154 .....   | 21 |
| Figure 10 – Gauge opening for P system batteries.....  | 23 |
| Figure 11 – Suggested gauge layout.....  | 23 |
| Figure 12 – Air hole placement diagram for P system batteries .....  | 24 |
| Figure 13 – Dimensional drawing: LR41, LR55, LR54, LR43, LR44 .....  | 25 |
| Figure 14 – Dimensional drawing: SR62, SR63, SR65, SR64, SR60, SR67, SR66,<br>SR58, SR68, SR59, SR69, SR41, SR57, SR55, SR48, SR54, SR42, SR43, SR44 ..... | 26 |
| Figure 15 – Dimensional drawing: 4LR44, 4SR44 .....  | 28 |
| Figure 16 – Dimensional drawing: 8LR932 .....  | 29 |
| Figure 17 – Dimensional drawing: AR40, 5AR40, 6AR40, 5PR175/172, 6PR225/155 .....  | 30 |
| Figure 18 – Dimensional drawing: 4LR61 .....   | 31 |
| Figure 19 – Dimensional drawing: 3R12P, 3R12S, 3LR12 .....   | 32 |
| Figure 20 – Dimensional drawing: AS4, AS6P/S, AS8, AS10, AS12, PS8P/S, PS10.....   | 33 |
| Figure 21 – Dimensional drawing: 4R25Y .....   | 34 |
| Figure 22 – Dimensional drawing: 4R25X, 4LR25X .....   | 35 |
| Figure 23 – Dimensional drawing: 4R25-2, 4LR25-2 .....   | 36 |
| Figure 24 – Dimensional drawing: 6AS4S, 6PS4S, 6PS4P .....   | 37 |
| Figure 25 – Dimensional drawing: 6F22, 6LR61, 6LP3146 .....  | 38 |
| Figure 26 – Dimensional drawing: Stud.....   | 39 |
| Figure 27 – Dimensional drawing: 6AS6P, 6AS6S, 6PS6P, 6PS6S .....  | 40 |
|  |    |
| Table 1 – Voltage and application test requirements for LR1, R1 and LR8D425 .....  | 14 |
| Table 2 – Voltage and application test requirements for LR03, TR03 and R03 .....   | 15 |
| Table 3 – Voltage and application test requirements for LR6, TR6, R6P and R6S .....  | 17 |
| Table 4 – Voltage and application test requirements for LR14, R14P and R14S.....   | 18 |
| Table 5 – Voltage and application test requirements for LR20, R20P and R20S.....   | 19 |
| Table 6 – Voltage and application test requirements for LR9.....   | 20 |
| Table 7 – Voltage and application test requirements for PR70, PR41, PR48, PR44 and<br>PR1154 .....   | 22 |
| Table 8 – Gauge opening dimension .....  | 23 |

|  |    |
|--|----|
| Table 9 – Voltage and application test requirements for LR41, LR55, LR54, LR43 and LR44.....   | 25 |
| Table 10 – Voltage and application test requirements for SR62, SR63, SR65, SR64, SR60, SR67, SR66, SR58, SR68, SR59, SR69, SR41, SR57, SR55, SR48, SR54, SR42, SR43 and SR44 ..... | 27 |
| Table 11 – Voltage and application test requirements for 4LR44 and 4SR44.....  | 28 |
| Table 12 – Voltage and application test requirements for 8LR932 .....  | 29 |
| Table 13 – Voltage and application test requirements for AR40, 5AR40, 6AR40, 5PR175/172 and 6PR225/155.....  | 30 |
| Table 14 – Voltage and application test requirements for 4LR61 .....   | 31 |
| Table 15 – Voltage and application test requirements for 3R12P, 3R12S and 3LR12 .....  | 32 |
| Table 16 – Voltage and application test requirements for AS4, AS6P/S, AS8, AS10, AS12, PS8P/S and PS10 .....   | 33 |
| Table 17 – Voltage and application test requirements for 4R25Y.....  | 34 |
| Table 18 – Voltage and application test requirements for 4R25X and 4LR25X .....  | 35 |
| Table 19 – Voltage and application test requirements for 4R25-2 and 4LR25-2.....   | 36 |
| Table 20 – Voltage and application test requirements for 6AS4S, 6PS4S and 6PS4P .....  | 37 |
| Table 21 – Voltage and application test requirements for 6F22, 6LR61 and 6LP3146.....  | 38 |
| Table 22 – Voltage and application test requirements for 6AS6P, 6AS6S, 6PS6P and 6PS6S .....   | 40 |
| Table A.1 – Automatic camera .....   | 41 |
| Table A.2 – Digital audio.....   | 41 |
| Table A.3 – Electric equipment .....   | 41 |
| Table A.4 – Electrical fence equipment, parking meters, light houses, beacons, railway signalling and road signalling.....   | 41 |
| Table A.5 – Hearing aid .....  | 42 |
| Table A.6 – Hearing aid standard.....  | 42 |
| Table A.7 – High drain application .....   | 42 |
| Table A.8 – Implant high drain .....   | 42 |
| Table A.9 – Implant low drain.....   | 42 |
| Table A.10 – Implant low drain with wireless.....  | 43 |
| Table A.11 – Personal grooming .....   | 43 |
| Table A.12 – Portable lighting (LED).....  | 43 |
| Table A.13 – Portable stereo .....   | 43 |
| Table A.14 – Radio .....   | 44 |
| Table A.15 – Radio / Clock .....   | 44 |
| Table A.16 – Radio/clock/remote control.....   | 44 |
| Table A.17 – Remote control.....   | 44 |
| Table A.18 – Road warning lamp .....   | 44 |
| Table A.19 – Smoke detector .....  | 45 |
| Table A.20 – Toy (motor) .....   | 45 |
| Table A.21 – Toy (non-motorized).....  | 45 |
| Table A.22 – Wireless streaming.....   | 45 |
| Table B.1 – Category 1 batteries.....  | 46 |
| Table B.2 – Category 4 batteries.....  | 47 |

|                                       |    |
|---------------------------------------|----|
| Table B.3 – Category 5 batteries..... | 47 |
| Table B.4 – Category 6 batteries..... | 47 |
| Table C.1 – Index .....               | 48 |

INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

**Primary batteries -  
Part 2-1: Physical and electrical specifications  
of batteries with aqueous electrolyte**

**FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60086-2-1 has been prepared by IEC technical committee 35: Primary cells and batteries. It is an International Standard.

This first edition cancels and replaces the fourteenth edition of IEC 60086-2 published in 2021. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the physical and electrical specifications of IEC 60086-2:2021 were divided into two new standards based on their electrolyte types. IEC 60086-2-1 provides specifications for standardized primary batteries containing aqueous electrolyte. IEC 60086-2-2 covers specifications for standardized lithium-based primary batteries;
- b) in Clause 3, terms were reordered according to their functions: basic terms, electrochemical systems, electrical characteristics and specifications;

- c) TR03 and TR6 were added in Category 1, Round batteries;
- d) load of digital audio test for LR03, TR03 and R03 was changed from 50 mA to 75 mA and MAD was modified;
- e) personal grooming test of LR6 was added instead of high drain application test;
- f) high drain application test was added for TR6;
- g) radio /clock /remote control test was added for R6S;
- h) CD, digital audio, wireless gaming and accessories test was removed for LR6, R6P and R6S;
- i) 4.5V of common designation was added for 3LR12, 3R12P and 3R12S;
- j) Annex D for common designation of IEC 60086-2:2021 was moved to IEC 60086-1:2026, as Annex H;
- k) Annex E for Compliance checklist of IEC 60086-2:2021 was removed and merged into Annex J of IEC 60086-1:2026.

The text of this International Standard is based on the following documents:

| Draft        | Report on voting |
|--------------|------------------|
| 35/1591/FDIS | 35/1599/RVD      |

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). The main document types developed by IEC are described in greater detail at [www.iec.ch/publications](http://www.iec.ch/publications).

A list of all parts in the IEC 60086 series, under the general title *Primary batteries*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

## INTRODUCTION

The technical content of this part of IEC 60086 provides physical dimensions, discharge test conditions and discharge performance requirements. IEC 60086-2-1 and IEC 60086-2-2 complement the general information and requirements of IEC 60086-1. Safety information of IEC 60086-2-1 is available in IEC 60086-5.

This document was prepared to benefit primary battery users, device designers and battery manufacturers by furnishing the specifics of form, fit and function for individual standardized primary cells and batteries. Over the years, this part of IEC 60086 has been changed to improve its contents and might again be revised in due course in the light of comments made by national committees and experts on the basis of practical experience and changing technology.

## 1 Scope

This part of IEC 60086 is applicable to primary batteries which are based on standardised electrochemical systems using aqueous electrolytes.

It specifies

- the physical dimensions,
- the discharge test conditions and discharge performance requirements.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60086-1:2026, *Primary batteries - Part 1: General*

ISO 1101, *Geometrical product specifications (GPS) - Geometrical tolerancing - Tolerances of form, orientation, location and run-out*

## Bibliography

IEC 60050-482, *International Electrotechnical Vocabulary (IEV) - Part 482: Primary and secondary cells and batteries*

IEC 60086-2-2, *Primary batteries - Part 2-2: Physical and electrical specifications of lithium batteries*

IEC 60086-3, *Primary batteries - Part 3: Watch batteries*

IEC 60086-5, *Primary batteries - Part 5: Safety of batteries with aqueous electrolyte*

---