



TECHNICAL SPECIFICATION

**Electrostatics -
Part 5-4: Protection of electronic devices from electrostatic phenomena -
Compliance verification**

CONTENTS

FOREWORD	7
INTRODUCTION	9
1 Scope	10
2 Normative references	10
3 Terms and definitions	11
4 Personnel safety	12
5 General aspects	12
5.1 Use of this document	12
5.2 General troubleshooting	13
5.3 Defective ESD control items	13
6 Test equipment	13
6.1 Selection, calibration, and verification of test equipment	13
6.2 AC outlet analyzer (or mains socket tester)	13
6.3 Charged plate monitor (CPM)	14
6.4 Clamp electrode	14
6.5 Concentric ring electrode assembly	14
6.6 Contacting electrostatic voltmeter	14
6.7 Electrostatic field meter	14
6.8 Footwear electrode	14
6.9 Hand-held electrode	15
6.10 Insulative support surface	15
6.11 Isolated conductive plate	15
6.12 Personnel grounding system resistance tester	15
6.13 Low resistance meter	15
6.14 Non-contacting electrostatic voltmeter	16
6.15 Resistance measurement apparatus (ohmmeter)	16
6.16 Resistance measurement electrode(s)	16
6.17 Soldering iron tester	16
6.18 Test lead(s)	16
6.19 Two-point probe assembly	17
6.20 User specified electrodes	17
7 Compliance verification of ESD control items	17
7.1 Grounding/equipotential bonding systems	17
7.1.1 General	17
7.1.2 Protective earth (equipment ground)	18
7.1.3 Functional ground	19
7.1.4 Equipotential bonding	19
7.2 Personnel grounding	21
7.2.1 Wrist strap system resistance	21
7.2.2 Groundable static control garment system resistance	23
7.2.3 Footwear/flooring system resistance	26
7.3 ESD protected areas (EPA)	31
7.3.1 Insulators	31
7.3.2 Isolated conductors	34
7.3.3 Working surfaces, storage racks	37
7.3.4 Mobile equipment	39

7.3.5	Wrist strap bonding point	41
7.3.6	Ionization	42
7.3.7	Seating	45
7.3.8	Static control garment	48
7.3.9	Groundable static control garments.....	51
7.4	Packaging.....	54
7.4.1	General.....	54
7.4.2	Test equipment.....	55
7.4.3	Surface resistance using an integrated resistance measuring apparatus.....	55
7.4.4	Surface resistance using a concentric ring electrode assembly	56
7.4.5	Surface resistance using two surface resistance bars (SRBs).....	57
7.4.6	Resistance point-to-point using a two-point probe assembly	58
7.4.7	Resistance point-to-point using resistance measurement electrodes	58
7.4.8	Volume resistance using a resistance measurement electrode.....	59
7.4.9	Volume resistance using an integrated resistance measuring apparatus	60
7.4.10	Troubleshooting.....	61
Annex A (informative)	Compliance verification frequency.....	62
A.1	General	62
Annex B (informative)	Verification of compliance verification test equipment.....	63
B.1	General	63
B.2	Isolated conductive plate verification	63
B.2.1	Objective	63
B.2.2	Test equipment.....	63
B.2.3	Test procedure	63
B.3	Contacting electrostatic voltmeter verification	64
B.3.1	Objective	64
B.3.2	Test equipment.....	64
B.3.3	Procedure	64
B.4	Low resistance meter verification	65
B.4.1	Objective	65
B.4.2	Test equipment.....	65
B.4.3	Test procedure	65
B.5	Electrostatic field meter verification	66
B.5.1	Objective	66
B.5.2	Test equipment.....	66
B.5.3	Test procedure	66
B.6	Non-contacting electrostatic voltmeter verification.....	67
B.6.1	Objective	67
B.6.2	Test equipment.....	67
B.6.3	Test procedure	67
B.7	Resistance measurement apparatus (ohmmeter) verification	68
B.7.1	Objective	68
B.7.2	Test equipment.....	68
B.7.3	Test procedure	69
Annex C (informative)	Other test methods for static control garments	70
C.1	General considerations for other test methods	70
C.2	Precautions to be observed when conducting tests	70
C.3	Tribocharging tests for garments	70
C.3.1	Objectives	70

C.3.2	Test equipment for body voltage measurements.....	71
C.3.3	Test procedure for body voltage measurements	71
C.3.4	Test equipment for measuring charge on garments.....	74
C.3.5	Test procedure for measuring charge on garments	75
C.3.6	Test equipment for measuring electrostatic field or surface voltage on garments.....	76
C.3.7	Test procedure for measuring electrostatic field or surface voltage on garments.....	76
C.3.8	Troubleshooting tribocharging tests	76
C.4	Charge decay time tests for garments.....	77
C.4.1	Objective	77
C.4.2	Test equipment for measuring charge decay time after tribocharging.....	77
C.4.3	Test procedure for measuring charge decay time after tribocharging	77
C.4.4	Test equipment for measuring charge decay time after corona charging	78
C.4.5	Test procedure for measuring charge decay time after corona charging.....	78
C.4.6	Test equipment for measuring charge decay time after connection to a DC high-voltage supply.....	79
C.4.7	Test procedure for measuring charge decay time after connection to a DC high-voltage supply.....	79
C.5	Field suppression tests for garments	80
C.6	Capacitance loading tests for garments.....	80
Annex D (informative)	Person-footwear-flooring system body voltage.....	81
D.1	Basis of test procedure.....	81
D.2	Objective	81
D.3	Test equipment.....	81
D.4	Test procedure.....	81
D.5	Troubleshooting.....	82
Annex E (informative)	Person-footwear-flooring system resistance	83
E.1	Basis of test procedure.....	83
E.2	Objective	83
E.3	Test equipment.....	83
E.4	Test procedure	83
E.5	Troubleshooting.....	84
Annex F (informative)	Electrical soldering/desoldering hand tools.....	85
F.1	Basis of test procedure.....	85
F.2	Objective	85
F.3	Test equipment.....	85
F.4	Test procedure	85
F.4.1	Soldering/desoldering hand tool tip voltage test procedure (hot iron) using a soldering iron tester or AC millivoltmeter.....	85
F.4.2	Soldering/desoldering hand tool resistance to ground (hot iron).....	86
F.4.3	Soldering/desoldering hand tool resistance to ground (cold iron).....	86
F.4.4	Soldering/desoldering hand tool resistance to ground (hot iron) using low resistance meter	87
F.4.5	Troubleshooting.....	87
Annex G (informative)	Hand tools.....	88
G.1	Basis of test procedure.....	88
G.2	Objective	88
G.3	Test equipment.....	88
G.3.1	Resistance measurements	88

G.3.2	Charge decay time measurements	88
G.4	Test procedure for hand tool resistance measurements	88
G.5	Test procedure for hand tool resistance to ground measurements	89
G.6	Test procedure for charge decay time measurements	90
G.7	Troubleshooting	91
Annex H (informative)	Constant (continuous) monitors	92
H.1	Basis of test procedure	92
H.2	Objective	92
H.3	Test equipment	92
H.4	Test procedure	92
H.5	Troubleshooting	92
Annex I (informative)	Gloves and finger cots – In use resistance	93
I.1	Basis of test procedure	93
I.2	Objective	93
I.3	Test equipment	93
I.4	Test procedure	93
I.4.1	Integrated measuring instrument for wrist strap systems with a touch plate and wrist strap	93
I.4.2	Hand-held electrode and resistance measurement apparatus (ohmmeter) via wrist strap	94
I.4.3	Integrated measuring instrument for person-footwear systems with a touch plate and footwear	95
I.4.4	Constant area and force electrode (CAFE) with resistance measurement apparatus (ohmmeter) and wrist strap	96
I.4.5	Troubleshooting	97
Bibliography	98
Figure 1	– Verifying protective earth (equipment ground) using an AC outlet analyzer (or mains socket tester)	18
Figure 2	– Resistance of functional ground to protective earth (equipment ground) using a low resistance meter	19
Figure 3	– Resistance between common connection point and ESD control items	20
Figure 4	– Wrist strap system resistance using an integrated measurement instrument	22
Figure 5	– Wrist strap system resistance using a resistance measurement apparatus (ohmmeter)	23
Figure 6	– Groundable static control garment system resistance using an integrated measurement instrument	25
Figure 7	– Groundable static control garment system resistance using a resistance measurement apparatus (ohmmeter)	26
Figure 8	– Footwear system resistance using an integrated measurement instrument	28
Figure 9	– Footwear system resistance using a resistance measurement apparatus (ohmmeter)	29
Figure 10	– Flooring resistance to ground using a resistance measurement apparatus (ohmmeter)	30
Figure 11	– Electrostatic field at ESDS location using an electrostatic field meter	32
Figure 12	– Surface voltage of an insulator using a non-contacting electrostatic voltmeter	33
Figure 13	– Surface voltage of an insulator using an electrostatic field meter	34

Figure 14 – Surface voltage of an isolated conductor using a contacting electrostatic voltmeter	35
Figure 15 – Surface voltage of an isolated conductor using a non-contacting electrostatic voltmeter	36
Figure 16 – Surface voltage of an isolated conductor using an electrostatic field meter.....	36
Figure 17 – Resistance to ground (working surfaces) using a resistance measurement apparatus (ohmmeter).....	38
Figure 18 – Resistance to ground (storage racks) using a resistance measurement apparatus (ohmmeter).....	39
Figure 19 – Mobile equipment resistance to ground using a resistance measurement apparatus (ohmmeter).....	40
Figure 20 – Wrist strap bonding point resistance to ground using a resistance measurement apparatus (ohmmeter) or a low resistance meter	41
Figure 21 – Benchtop ionizer (top view).....	43
Figure 22 – Benchtop ionizer (side view).....	43
Figure 23 – Overhead ionizer (top view).....	44
Figure 24 – Overhead ionizer (side view).....	44
Figure 25 – Compressed gas ionizer – Gun or nozzle (side view)	45
Figure 26 – Seating resistance to ground using a resistance measurement apparatus (ohmmeter).....	47
Figure 27 – Static control garment resistance point-to-point using resistance measurement electrodes	49
Figure 28 – Static control garment resistance point-to-point using hanging clamp electrodes.....	50
Figure 29 – Groundable static control garment resistance point-to-point using resistance measurement electrodes	52
Figure 30 – Groundable static control garment resistance point-to-point using hanging clamp electrodes	53
Figure 31 – Groundable static control garment resistance to groundable point using a resistance measurement apparatus (ohmmeter)	54
Figure 32 – Packaging surface resistance using an integrated measurement apparatus.....	56
Figure 33 – Packaging surface resistance using a concentric ring electrode assembly.....	57
Figure 34 – Packaging surface resistance using two surface resistance bars (SRBs).....	57
Figure 35 – Packaging resistance point-to-point using a two-point probe assembly	58
Figure 36 – Packaging resistance point-to-point using resistance measurement electrodes.....	59
Figure 37 – Packaging volume resistance using a resistance measurement electrode	60
Figure 38 – Volume resistance using an integrated measurement instrument.....	61
Figure B.1 – Isolated conductive plate verification.....	64
Figure B.2 – Contacting electrostatic voltmeter verification	65
Figure B.3 – Low resistance meter verification.....	66
Figure B.4 – Electrostatic field meter verification	67
Figure B.5 – Non-contacting electrostatic voltmeter verification	68
Figure B.6 – Resistance measurement apparatus (ohmmeter) verification	69
Figure C.1 – Example of a test set-up for measuring body voltage whilst removing a garment.....	72
Figure C.2 – Example of a test set-up for measuring body voltage whilst rubbing the garment under test	73

Figure C.3 – Example of a test set-up for measuring body voltage on a person rising from a seat	74
Figure C.4 – Example of a test set-up for measuring charge on garments.....	75
Figure C.5 – Example of test set-ups for measuring charge decay time on garments as worn and on a bench-top after tribocharging.....	78
Figure C.6 – Example of test set-up for measuring charge decay time after connecting a garment to a DC high-voltage supply	80
Figure E.1 – Person-footwear-flooring system resistance.....	84
Figure F.1 – Soldering iron resistance and tip voltage measurements	86
Figure G.1 – Hand tool resistance measurement.....	89
Figure G.2 – Hand tool resistance to ground measurement	90
Figure G.3 – Hand tool charge decay time measurement	91
Figure I.1 – Wrist strap test wearing a glove using integrated measurement instrument	94
Figure I.2 – Glove test with hand-held electrode and resistance measurement apparatus (ohmmeter) via wrist strap.....	95
Figure I.3 – Test wearing a glove using constant area and force electrode	96

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**Electrostatics -
Part 5-4: Protection of electronic devices from electrostatic phenomena -
Compliance verification**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TS 61340-5-4 has been prepared by IEC technical committee 101: Electrostatics. It is a Technical Specification.

This second edition cancels and replaces the first edition published in 2021. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) significant new revision;
- b) document has been updated and reformatted.

The text of this Technical Specification is based on the following documents:

Draft	Report on voting
101/756/DTS	101/761/RVDTS

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Specification is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 61340 series, published under the general title *Electrostatics*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

INTRODUCTION

Compliance verification is the process of monitoring and measuring all elements of an ESD control program. Regular compliance verification checks and tests are an essential part of this process, ensure that area precautions and equipment remain effective, and that an ESD control program is correctly implemented in compliance with an organization's ESD control program plan.

Qualification testing is typically carried out under controlled conditions, often in a laboratory environment, and using industry recognized standards. Compliance verification testing is carried out under operational conditions using test methods that are appropriate to a user's requirements. Although qualification test methods can be used, compliance verification testing often uses simple equipment and procedures. Accuracy is still important, but of equal importance is the ability to carry out non-destructive testing without interrupting the normal business of the organization.

This document describes equipment and test methods that can be used for compliance verification testing of ESD control items and systems and provides users with troubleshooting guidance regarding the verification procedures for the ESD control items.

1 Scope

This part of IEC 61340 describes compliance verification testing for technical items included in ESD control programs, such as those specified in IEC 61340-5-1.

Test methods are based on those specified in IEC 61340-5-1 and other parts of the IEC 61340 series and are simplified, where appropriate, for the purposes of compliance verification.

This document describes compliance verification procedures intended for use by competent personnel familiar with the operation of test equipment and knowledgeable about the ESD control items being verified.

Organizations can, by reference to this document in their compliance verification plan, adopt the necessary compliance verification procedures described herein without change or addition. Alternatively, compliance verification procedures described in this document can be adapted to match the organization's ESD control program requirements, provided deviations in test equipment and compliance verification procedures are documented in their compliance verification plan.

Product qualification is excluded from the scope of this document.

NOTE 1 For additional information regarding common failure modes of ESD control items, see IEC TR 61340-5-2 [1]¹.

NOTE 2 For additional information regarding the reproducibility of measurement results, see IEC TR 61340-1-1 [2].

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61010-1, *Safety requirements for electrical equipment for measurement, control, and laboratory use - Part 1: General requirements*

IEC 61010-2-030, *Safety requirements for electrical equipment for measurement, control, and laboratory use - Part 2-030: Particular requirements for equipment having testing or measuring circuits*

IEC 61340-2-3, *Electrostatics - Part 2-3: Methods of test for determining the resistance and resistivity of solid materials used to avoid electrostatic charge accumulation*

IEC 61340-4-7, *Electrostatics - Part 4-7: Standard test methods for specific applications - Ionization*

IEC 61340-5-1, *Electrostatics - Part 5-1: Protection of electronic devices from electrostatic phenomena - General requirements*

IEC 62631-3-2, *Dielectric and resistive properties of solid insulating materials - Part 3-2: Determination of resistive properties (DC methods) - Surface resistance and surface resistivity*

ISO 1853, *Conducting and dissipative rubbers, vulcanized or thermoplastic - Measurement of resistivity*

¹ Numbers in square brackets refer to the Bibliography.

Bibliography

- [1] IEC TR 61340-5-2, *Electrostatics - Part 5-2: Protection of electronic devices from electrostatic phenomena - User guide*
- [2] IEC TR 61340-1-1, *Electrostatics - Part 1-1: Electrostatic phenomena - Measurement errors, uncertainties and expression of results*
- [3] IEC TS 61340-5-6, *Electrostatics - Part 5-6: Protection of electronic devices from electrostatic phenomena - Process assessment techniques*
- [4] IEC TR 61340-1, *Electrostatics - Part 1: Electrostatic phenomena - Principles and measurements*
- [5] ANSI/ESD S6.1, *ESD Association Standard for the Protection of Electrostatic Discharge Susceptible Items - Grounding*
- [6] IEC 61340-4-6, *Electrostatics - Part 4-6: Standard test methods for specific applications - Wrist straps*
- [7] IEC 61340-4-9, *Electrostatics - Part 4-9: Standard test methods for specific applications - Garments - Resistive characterization*
- [8] IEC 61340-4-5, *Electrostatics - Part 4-5: Standard test methods for specific applications - Methods for characterizing the electrostatic protection of footwear and flooring in combination with a person*
- [9] IEC 61340-4-1, *Electrostatics - Part 4-1: Standard test methods for specific applications - Electrical resistance of floor coverings and installed floors*
- [10] IEC 61340-5-3, *Electrostatics - Part 5-3: Protection of electronic devices from electrostatic phenomena - Properties and requirements classification for packaging intended for electrostatic discharge sensitive devices*
- [11] IEC TS 61340-4-2:2013, *Electrostatics - Part 4-2: Standard test methods for specific applications - Electrostatic properties of garments*
- [12] IEC TR 61340-2-2:2000, *Electrostatics - Part 2-2: Measurement methods - Measurement of chargeability*
- [13] IEC 61340-2-1, *Electrostatics - Part 2-1: Measurement methods - Ability of materials and products to dissipate static electric charge*
- [14] ANSI/ESD S13.1, *ESD Association Standard for the Protection of Electrostatic Discharge Susceptible Items - Electrical Soldering/Desoldering Hand Tools*
- [15] ESD TR1.0-01, *ESD Association Technical Report - Survey of Constant Monitors for Wrist Straps*
- [16] ANSI/ESD STM15.1, *ESD Association Standard Test Method for the Protection of Electrostatic Discharge Susceptible Items - Methods for the Resistance Measurement of Gloves and Finger Cots*