



IEC 61298-3

Edition 3.0 2026-06

INTERNATIONAL STANDARD

REDLINE VERSION

**Process measurement and control devices - General methods and procedures
for evaluating performance -
Part 3: Tests for the effects of influence quantities**

CONTENTS

FOREWORD	3
INTRODUCTION	5
1 Scope	6
2 Normative references	6
3 Terms and definitions	7
4 General considerations	8
4.1 Criteria	8
4.2 General procedures	9
4.3 General EMC requirements	9
5 Ambient temperature effects	10
5.1 Criteria	10
5.2 Test procedure	10
6 Ambient relative humidity effects	11
7 Vibration	12
7.1 General considerations	12
7.2 Initial resonance search	13
7.3 Endurance conditioning by sweeping	13
7.4 Final resonance search	13
7.5 Final measurements	13
8 Shock, drop and topple	13
9 Mounting position	14
10 Over-range	14
11 Output load effects	15
11.1 General	15
11.2 Electrical output	15
11.3 Pneumatic output	15
12 Power supply	15
12.1 Supply voltage and frequency variations	15
12.2 Transient supply voltage effects	16
12.3 Supply voltage depression	16
12.4 Short-term supply voltage interruptions	17
12.5 Fast transient/burst immunity requirements	18
12.6 Surge immunity requirements	18
12.7 Reverse supply voltage protection (DC devices)	19
12.8 Supply pressure variations	19
12.9 Supply pressure interruptions	19
12.10 Conducted radio frequency requirements	20
13 Superimposed voltages	20
13.1 Line to earth voltages	20
13.2 Line to line voltages (series mode)	20
13.3 Earthing	20
14 Harmonic distortion effects	20
15 Magnetic field effects	21
16 Electromagnetic field immunity test	22
17 Electrostatic discharge	23

18	Effect of open-circuited and short-circuited input	24
19	Effect of open-circuited and short-circuited output	24
20	Effects of process medium conditions	25
20.1	Temperature of process fluid	25
20.2	Flow of process fluid through the device	25
20.3	Static line pressure effect	25
21	Atmospheric pressure effects	26
22	Flow of purge gas through the device	26
23	Accelerated operational life test.....	27
24	Operational long-term drift test (optional)	27
	Bibliography.....	29
	Figure 1 – Arrangement for supply voltage depression or interruption tests.....	17
	Figure 2 – Arrangement for harmonic distortion effects test	21
	Figure 3 – Examples of application of the test field	26
	Figure 3 – Test set-up of the effects of static pressure.....	26
	Figure 4 – Time schedule of input changes and changes of ambient temperature	27
	Table 1 – Ambient temperature test ranges.....	10
	Table 2 – Vibration test levels.....	12
	Table 3 – Power supply classes (IEC 60654-2)	16
	Table 4 – Power supply commutations-interruptions (IEC 60654-2).....	17
	Table 5 – Burst characteristics (IEC 61326-1).....	18
	Table 6 – Surge characteristics (IEC 61326-1).....	19
	Table 7 – Conducted RF characteristics (IEC 61326-1).....	20

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**Process measurement and control devices -
General methods and procedures for evaluating performance -
Part 3: Tests for the effects of influence quantities**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC 61298-3:2008. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

IEC 61298-3 has been prepared by sub-committee 65B: Devices and process analysis, of IEC technical committee 65: Industrial-process measurement, control and automation. It is an International Standard.

This third edition cancels and replaces the second edition published in 2008. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) process measurement transmitters (PMT) have been removed from the scope of this document;
- b) contents of subclauses referring to EMC and electrical safety have been deleted, only leaving reference to the IEC standards.

The text of this International Standard is based on the following documents:

Draft	Report on voting
65B/1314/FDIS	65B/1331/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts of the IEC 61298 series, under the general title *Process measurement and control devices - General methods and procedures for evaluating performance*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

INTRODUCTION

This document is ~~not intended as a substitute for existing standards, but is rather~~ intended as a reference document for any future standard developed within the IEC, or other standards organizations, concerning the evaluation of process instrumentation. ~~Any revision of existing standards should take this standard into account,~~ except the Process Measurement Transmitters (PMT) which are standardized by IEC 62828 series.

This common standardized basis ~~should~~ can be utilized for the preparation of future relevant standards, as follows:

- any test method or procedure, already treated in this document, ~~should~~ will be specified and described in the new standard by referring to the corresponding clause of this document. Consequently, new editions of this document are revised without any change in numbering and scope of each clause;
- any particular method or procedure, not covered by this document, ~~should~~ will be developed and specified in the new standard in accordance with the criteria, as far as they are applicable, stated in this document;
- any conceptual or significant deviation from the content of this document ~~should~~ will be clearly identified and justified if introduced in a new standard.

1 Scope

This part of IEC 61298 specifies general methods and procedures for conducting tests and reporting on the functional and performance characteristics of process ~~measurement and control devices~~ instrumentation except process measurement transmitters (PMT) which are standardized by IEC 62828 series. The tests are applicable to any such devices characterized by their own specific input and output variables, and by the specific relationship (transfer function) between the inputs and outputs and include analogue and digital devices. For devices that require special tests, this document ~~should~~ can be used, together with any product-specific standard specifying special tests.

This document covers tests for the effects of influence quantities.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-300, *International Electrotechnical Vocabulary (IEV) - Part 300: Electrical and electronic measurements and measuring instruments - Part 311: General terms relating to measurements - Part 312: General terms relating to electrical measurements - Part 313: Types of electrical measuring instruments - Part 314: Specific terms according to the type of instrument*, available at <https://www.electropedia.org/>

IEC 60050-351, *International Electrotechnical Vocabulary (IEV) - Part 351: Control technology*, available at <https://www.electropedia.org/>

~~IEC 61298-1:1995, Process measurement and control devices — General methods and procedures for evaluating performance — Part 1: General considerations~~

~~IEC 61298-2:1995, Process measurement and control devices — General methods and procedures for evaluating performance — Part 2: Tests under reference conditions~~

~~IEC 61298-4:1995, Process measurement and control devices — General methods and procedures for evaluating performance — Part 4: Evaluation report content~~

IEC 60068-2-1, *Environmental testing - Part 2-1: Tests - Test A: Cold*

IEC 60068-2-2, *Environmental testing - Part 2-2: Tests - Test B: Dry heat*

IEC 60068-2-6, *Environmental testing - Part 2-6: Tests - Test Fc: Vibration (sinusoidal)*

IEC 60068-2-30, *Environmental testing - Part 2-30: Tests - Test Db: Damp heat, cyclic (12 + 12 h cycle)*

IEC 60068-2-31, *Environmental testing - Part 2-31: Tests - Test Ec: ~~Drop and topple~~ Rough handling shocks, primarily for equipment-type specimens*

~~IEC 60654-1:1993, Operating conditions for, Industrial-process measurement and control equipment - Operating conditions - Part 1: Climatic conditions~~

~~IEC 60654-2:1992, Operating conditions for industrial-process measurement and control equipment - Part 2: Power~~

Bibliography

IEC 60654-4, *Operating conditions for industrial-process measurement and control equipment - Part 4: Corrosive and erosive influences*

IEC 61000-4-2, *Electromagnetic compatibility (EMC) - Part 4-2: Testing and measurement techniques - Electrostatic discharge immunity test*

IEC 61000-4-3, *Electromagnetic compatibility (EMC) - Part 4-3: Testing and measurement techniques - Radiated, radio-frequency, electromagnetic field immunity test*

IEC 61000-4-4, *Electromagnetic compatibility (EMC) - Part 4-4: Testing and measurement techniques - Electrical fast transient/burst immunity test*

IEC 61000-4-5, *Electromagnetic compatibility (EMC) - Part 4-5: Testing and measurement techniques - Surge immunity test*

IEC 61000-4-6, *Electromagnetic compatibility (EMC) - Part 4-6: Testing and measurement techniques - Immunity to conducted disturbances, induced by radio-frequency fields*

IEC 61000-4-8, *Electromagnetic compatibility (EMC) - Part 4-8: Testing and measurement techniques - Power frequency magnetic field immunity test*

IEC 61000-4-11, *Electromagnetic compatibility (EMC) - Part 4-11: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations immunity tests for equipment with input current up to 16 A per phase*

IEC 61010-1, *Safety requirements for electrical equipment for measurement, control, and laboratory use - Part 1: General requirement*

IEC 61326 (all parts), *Electrical equipment for measurement, control and laboratory use - EMC requirements*

~~IEC 61326-2-3:2006, *Electrical equipment for measurement, control and laboratory use - EMC requirements - Part 2-3: Particular requirements - Test configuration, operational conditions and performance criteria for transducers with integrated or remote signal conditioning*~~

IEC 61326-2-5:2006, *Electrical equipment for measurement, control and laboratory use - EMC requirements - Part 2-5: Particular requirements - Test configurations, operational conditions and performance criteria for field devices with field bus interfaces according to IEC 61784-1, CP-3/2*

IEC 61326-3-1:2008, *Electrical equipment for measurement, control and laboratory use - EMC requirements - Part 3-1: Immunity requirements for safety-related systems and for equipment intended to perform safety-related functions (functional safety) - General industrial applications*

IEC 61326-3-2:2008, *Electrical equipment for measurement, control and laboratory use - EMC requirements - Part 3-2: Immunity requirements for safety-related systems and for equipment intended to perform safety-related functions (functional safety) - Industrial applications with specified electromagnetic environment*

IEC 61508 (all parts), *Functional safety of electrical/electronic/programmable electronic safety-related systems*

IEC 61511 (all parts), *Functional safety - Safety instrumented systems for the process industry sector*

IEC 61784-1 (all parts), *Industrial networks - Profiles*

IEC 62061, *Safety of machinery - Functional safety of safety-related control systems*

IEC 62262, *Degrees of protection provided by enclosures for electrical equipment against external mechanical impacts (IK code)*

IEC 62828 (all parts), *Reference conditions and procedures for testing industrial and process measurement transmitters*
