



IEEE

IEC/IEEE 60802

Edition 1.0 2026-06

INTERNATIONAL STANDARD

Time-sensitive networking profile for industrial automation



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2026 IEC, Geneva, Switzerland

Copyright © 2026 IEEE

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing being secured. Requests for permission to reproduce should be addressed to either IEC at the address below or IEC's member National Committee in the country of the requester or from IEEE.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue
New York, NY 10016-5997
United States of America
stds.ipr@ieee.org
www.ieee.org

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About the IEEE

IEEE is the world's largest professional association dedicated to advancing technological innovation and excellence for the benefit of humanity. IEEE and its members inspire a global community through its highly cited publications, conferences, technology standards, and professional and educational activities.

About IEC/IEEE publications

The technical content of IEC/IEEE publications is kept under constant review by the IEC and IEEE. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD	8
INTRODUCTION	10
1 Scope	11
2 Normative references	11
3 Terms, definitions, symbols, abbreviated terms and conventions	15
3.1 General	15
3.2 List of terms, abbreviated terms and definitions given in various standards	15
3.3 Terms and definitions in this document	17
3.4 Abbreviated terms	19
3.5 Conventions	22
3.5.1 Convention for capitalizations	22
3.5.2 Unit conventions	22
3.5.3 Conventions for YANG contents	22
3.5.4 Conventions for YANG selection and Digital Data Sheet	23
4 Overview of TSN in industrial automation	23
4.1 Industrial application operation	23
4.2 Industrial applications	25
4.2.1 General	25
4.2.2 Control loop tasks	27
4.2.3 Start of control loop tasks	28
4.3 IA-stations	28
4.4 Ethernet interface	29
4.5 Mechanisms to meet control loop latency requirements	30
4.6 Translation between middleware and network provisioning	30
4.6.1 Mapping translation table	30
4.6.2 PTP Instances	31
4.7 Industrial traffic types	33
4.7.1 General	33
4.7.2 Traffic type characteristics	33
4.7.3 Traffic type categories	33
4.7.4 Traffic types	35
4.8 Security for TSN-IA	37
4.8.1 General	37
4.8.2 Security configuration model	37
4.8.3 NETCONF/YANG processing	38
4.8.4 NETCONF/YANG access control	39
4.8.5 Identity checking	40
4.8.6 Secure device identity	40
5 Conformance	43
5.1 General	43
5.2 Requirements terminology	43
5.3 Profile conformance statement (PCS)	44
5.4 Conformance classes	44
5.5 IA-station requirements	45
5.5.1 IA-station PHY and MAC requirements for external ports	45
5.5.2 IA-station topology discovery requirements	45

5.5.3	IA-station requirements for time synchronization	46
5.5.4	Management requirements for non-proxied IA-stations.....	47
5.6	IA-station options.....	48
5.6.1	IA-station PHY and MAC options for external ports.....	48
5.6.2	IA-station options for time synchronization.....	49
5.6.3	IA-station options for management.....	49
5.6.4	Proxy target options	49
5.7	Bridge component requirements.....	49
5.7.1	Common Bridge component requirements	49
5.7.2	ccA Bridge component requirements.....	50
5.7.3	ccB Bridge component requirements.....	51
5.8	Bridge component options	51
5.8.1	Common Bridge component options.....	51
5.8.2	ccA Bridge component options	51
5.8.3	ccB Bridge component options	52
5.9	End station component requirements.....	52
5.9.1	Common end station Component requirements	52
5.9.2	ccA end station component requirements	52
5.9.3	ccB end station component requirements	53
5.10	End station component options	53
5.10.1	Common end station component options	53
5.10.2	ccA end station component options.....	53
5.10.3	ccB end station component options.....	54
6	Required functions for an industrial network	55
6.1	General	55
6.2	Synchronization.....	55
6.2.1	General.....	55
6.2.2	PTP Instance requirements.....	55
6.2.3	PTP protocol requirements.....	56
6.2.4	Clock control system requirements for PTP End Instances	57
6.2.5	Error generation limits	57
6.2.6	PTP Instance synchronization status.....	61
6.2.7	Application framework	62
6.2.8	Working Clock domain framework.....	63
6.2.9	Global Time domain framework	63
6.2.10	IA-station model for clocks.....	64
6.2.11	Clock usage for the Ethernet interface	65
6.2.12	Error model	65
6.2.13	gPTP domains and PTP Instances	67
6.3	Security model	67
6.3.1	General.....	67
6.3.2	Security functionality.....	67
6.3.3	IDeVID Profile	71
6.3.4	Security setup based on IDeVID.....	76
6.3.5	Secure configuration based on LDeVID-NETCONF	79
6.4	Management	80
6.4.1	General.....	80
6.4.2	IA-station management model.....	80

6.4.3	Discovery of IA-station internal structure	84
6.4.4	Network engineering model.....	85
6.4.5	Operation.....	88
6.4.6	Engineered time-synchronization spanning tree	95
6.4.7	Diagnostics	96
6.4.8	Data sheet	99
6.4.9	YANG representation of managed objects and nodes	100
6.4.10	YANG Data Model.....	119
6.5	Topology discovery and verification.....	163
6.5.1	Topology discovery and verification requirements.....	163
6.5.2	Topology discovery overview.....	164
6.5.3	Topology verification overview.....	167
6.6	CNC.....	167
6.6.1	General.....	167
6.6.2	Stream destination MAC address range.....	167
Annex A (normative) PCS proforma – Time-sensitive networking profile for industrial automation.....		169
A.1	General	169
A.2	Abbreviated terms and special symbols.....	170
A.2.1	Status symbols	170
A.2.2	General abbreviated terms.....	170
A.3	Instructions for completing the PCS proforma	170
A.3.1	General structure of the PCS proforma.....	170
A.3.2	Additional information.....	171
A.3.3	Exception information.....	171
A.3.4	Conditional status	171
A.4	Common requirements	172
A.4.1	Instructions	172
A.4.2	Implementation identification.....	172
A.4.3	Profile summary.....	172
A.4.4	Implementation summary	172
A.5	IA-station requirements and options.....	173
A.5.1	Instructions	173
A.5.2	IA-station requirements	173
A.5.3	Management Requirements for non-proxied IA-stations	173
A.5.4	IA-station PHY and MAC options for external ports.....	174
A.5.5	IA-station options for time synchronization.....	174
A.5.6	IA-station secure management exchange options	174
A.5.7	Proxy target requirements.....	175
A.6	Bridge component.....	175
A.6.1	Bridge component requirements	175
A.6.2	Instructions	175
A.6.3	Bridge Common bridge component options.....	175
A.6.4	Conformance class A bridge component options	175
A.6.5	Conformance class B bridge component options	176
A.7	End station component.....	176
A.7.1	Instructions	176
A.7.2	Common end station component requirements.....	177
A.7.3	Common end station component options	177

A.7.4	Conformance class A end station component options.....	177
A.7.5	Conformance class B end station component options.....	178
Annex B (informative)	Representative Configuration Domain.....	179
Annex C (informative)	Description of clock control system	180
C.1	Clock control system introduction	180
C.2	Transfer function for control system.....	181
C.3	Frequency response for control system.....	182
C.4	Example	187
Annex D (informative)	Time synchronization annex	189
D.1	Overview	189
D.2	Principles of operation	190
D.2.1	General.....	190
D.2.2	Grandmaster PTP Instance implementation	192
D.2.3	Splitting, joining and aligning time domains	192
D.2.4	PTP link characteristics	193
D.3	Notes on normative requirements	194
D.3.1	Oscillator requirements.....	194
D.3.2	Timestamp Granularity Error	194
D.3.3	Dynamic Timestamp Error.....	195
D.3.4	Grandmaster PTP Instance error generation	195
D.3.5	PTP Relay Instance error generation.....	195
D.3.6	PTP End Instance error generation	197
D.3.7	Explanation for the asymmetric normative requirements for the allowable range of dTE in Table 14, rows 2 and 3.....	198
D.4	Approach to testing normative requirements	199
D.4.1	General.....	199
D.4.2	Testing Grandmaster PTP Instance.....	200
D.4.3	Testing PTP Relay Instance	200
D.4.4	Testing PTP End Instance.....	203
D.4.5	Testing meanLinkDelay Accuracy	204
D.5	Example algorithms	204
D.5.1	General.....	204
D.5.2	Algorithm for tracking NRR drift.....	204
D.5.3	Algorithm to compensate for errors in measured NRR due to clock drift	206
D.5.4	Algorithm for tracking RR Drift.....	209
D.5.5	Algorithm to compensate for errors in measured RR due to clock drift	210
D.5.6	Algorithm to compensate for errors in measured RR due to clock drift at PTP End Instance	212
D.5.7	Mean Link Delay averaging	214
Annex E (normative)	60802 device info TLV definition	217
E.1	60802 device info TLV.....	217
E.1.1	General.....	217
E.1.2	Device flags	217
E.1.3	Proxy type.....	217
Annex F (informative)	MAC and PHY delay	218
F.1	Accumulated delays in industrial automation.....	218
F.1.1	General.....	218
F.1.2	Forwarding delay	218

F.1.3	Time-triggered transmission	218
F.1.4	Synchronization	219
F.1.5	Recommended delays	219
	Bibliography.....	220
Figure 1	– Data flow in a control loop	24
Figure 2	– IA-station interaction with CNC – Transmit path	26
Figure 3	– IA-station interaction with CNC – Receive path	27
Figure 4	– IA-station example	28
Figure 5	– Model for cycles.....	29
Figure 6	– Traffic type translation example.....	31
Figure 7	– PTP instance translation example.....	32
Figure 8	– descriptionDS.userDescription used for PTP instance translation.....	32
Figure 9	– NETCONF/YANG security processing steps.....	38
Figure 10	– IA-station conformance model	44
Figure 11	– Clock model	63
Figure 12	– Example clock usage principles for PTP End Instances.....	64
Figure 13	– Example clock usage principles for Grandmaster PTP Instances.....	65
Figure 14	– Error budget scheme	66
Figure 15	– Generic IEEE 802.1Q YANG Bridge management model.....	81
Figure 16	– Internal LAN connection management model	82
Figure 17	– IA-station example with IETF interfaces.....	82
Figure 18	– VID/FID/MSTID example.....	83
Figure 19	– Structure and interfaces of a CNC.....	86
Figure 20	– IA-station structure example.....	87
Figure 21	– CNC interaction	87
Figure 22	– Operational management model	88
Figure 23	– UNI service model.....	89
Figure 24	– CNC southbound.....	89
Figure 25	– NETCONF usage in a Configuration Domain	90
Figure 26	– Boundary port model	91
Figure 27	– Observer model	97
Figure 28	– Creation of the digital data sheet of an IA-station	100
Figure 29	– Module iecieeee60802-ethernet-interface	127
Figure 30	– Module iecieeee60802-bridge.....	128
Figure 31	– Module iecieeee60802-dot1-sched-bridge	129
Figure 32	– Module iecieeee60802-subscribed-notifications.....	129
Figure 33	– Module iecieeee60802-ia-station	129
Figure 34	– Module iecieeee60802-cnc-config.....	130
Figure 35	– Module iecieeee60802-tt-mapping	130
Figure 36	– Module iecieeee60802-proxy.....	130
Figure 37	– iecieeee60802-proxy-target.....	131
Figure 38	– Usage example of LLDP	164

Figure 39 – Stream destination MAC Address.....	168
Figure C.1 – Reference model for clock control system	180
Figure C.2 – Frequency response for the control system of Figure C.1.....	183
Figure C.3 – Detail of frequency response for the control system of Figure C.1 for dimensionless frequency in the range 0,1 to 10	184
Figure C.4 – Gain peaking (pure fraction) as a function of damping ratio	186
Figure C.5 – Gain peaking in dB as a function of damping ratio	186
Figure C.6 – Example frequency response	188
Figure D.1 – Approach to testing normative requirements for Grandmaster PTP Instance	200
Figure D.2 – Approach to testing normative requirements for PTP Relay Instance - 1	201
Figure D.3 – Approach to testing normative requirements for PTP Relay Instance – 2	202
Figure D.4 – Approach to testing normative requirements for PTP Relay Instance – 3	202
Figure D.5 – Approach to testing normative requirements for PTP End Instance	203
Figure D.6 – RR Drift tracking and error compensation calculations – PTP Relay Instance	211
Figure D.7 – RR Drift tracking and error compensation calculations – PTP End Instance	213
Figure D.8 – Signals and timestamps to measure path delay.....	214
Figure E.1 – 60802 device info TLV.....	217
Table 1 – List of terms	15
Table 2 – Traffic type characteristics	33
Table 3 – IA time-aware stream characteristics.....	34
Table 4 – IA stream characteristics	34
Table 5 – IA traffic engineered non-stream characteristics.....	34
Table 6 – IA non-stream characteristics	34
Table 7 – Industrial automation traffic types summary	35
Table 8 – Example traffic class to traffic type mapping	37
Table 9 – Required values.....	56
Table 10 – Protocol settings	56
Table 11 – Clock control system requirements.....	57
Table 12 – Error generation limits for Grandmaster PTP Instance.....	57
Table 13 – Error generation limits for PTP Relay Instance	58
Table 14 – Error generation limits for PTP End Instance.....	61
Table 15 – Error budget	66
Table 16 – descriptionDS.userDescription of gPTP Domains.....	67
Table 17 – Summary of the YANG modules.....	132
Table A.1 – Implementation identification template.....	172
Table A.2 – Profile summary template	172
Table A.3 – Implementation type	173
Table A.4 – IA-station requirements	173
Table A.5 – Additional requirements for non-proxied IA-stations	173
Table A.6 – IA-station PHY and MAC options	174

Table A.7 – IA-station time synchronization options	174
Table A.8 – IA-station secure management exchange options	174
Table A.9 – Proxy target requirements	175
Table A.10 – Bridge component requirements	175
Table A.11 – Common bridge component options	175
Table A.12 – Conformance class A bridge component options.....	176
Table A.13 – Conformance class B bridge component options.....	176
Table A.14 – Common end station component requirements	177
Table A.15 – Common end station component options.....	177
Table A.16 – Conformance class A end station component options.....	177
Table A.17 – Conformance class B end station component options.....	178
Table D.1 – Time synchronization error budget.....	189
Table D.2 – Protocol configurations & other measures to achieve dTE budget	190
Table D.3 – Main sources of error affecting normative requirements for Grandmaster PTP Instance	195
Table D.4 – Main sources of error affecting normative requirements for PTP Relay Instance	196
Table D.5 – Main sources of error affecting normative requirements for PTP End Instance	197
Table E.1 – Device flags	217
Table F.1 – Recommended PHY delay.....	219

Time-sensitive networking profile for industrial automation

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC document(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation.

IEEE Standards documents are developed within IEEE Societies and subcommittees of IEEE Standards Association (IEEE SA) Board of Governors. IEEE develops its standards through an accredited consensus development process, which brings together volunteers representing varied viewpoints and interests to achieve the final product. IEEE standards are documents developed by volunteers with scientific, academic, and industry-based expertise in technical working groups. Volunteers involved in technical working groups are not necessarily members of IEEE or IEEE SA and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEC collaborates closely with IEEE in accordance with conditions determined by agreement between the two organizations. This Dual Logo International Standard was jointly developed by the IEC and IEEE under the terms of that agreement.

- 2) The formal decisions of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees. The formal decisions of IEEE on technical matters, once consensus within IEEE Societies and Standards Coordinating Committees has been reached, is determined by a balanced ballot of materially interested parties who indicate interest in reviewing the proposed standard. Final approval of the IEEE standards document is given by the IEEE Standards Association (IEEE SA) Standards Board.
- 3) IEC/IEEE Publications have the form of recommendations for international use and are accepted by IEC National Committees/IEEE Societies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC/IEEE Publications is accurate, IEC or IEEE cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications (including IEC/IEEE Publications) transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC/IEEE Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC and IEEE do not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC and IEEE are not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or IEEE or their directors, employees, servants or agents including individual experts and members of technical committees and IEC National Committees, or volunteers of IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE SA) Standards Board, for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC/IEEE Publication or any other IEC or IEEE Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that implementation of this IEC/IEEE Publication may require use of material covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. IEC or IEEE shall not be held responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patent Claims or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

IEC/IEEE 60802 was prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation, in cooperation with IEEE 802.1: Higher Layer LAN Protocols Working Group of IEEE 802: LAN/MAN Standards Committee of the IEEE computer society, under the IEC/IEEE Dual Logo Agreement between IEC and IEEE. It is an International Standard.

This document is published as an IEC/IEEE Dual Logo standard.

This publication contains attached files in the form of YANG files and a Word document.

The text of this International Standard is based on the following IEC documents:

Draft	Report on voting
65C/1406/FDIS	65C/1438/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with the rules given in the ISO/IEC Directives, Part 2, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications/.

The IEC Technical Committee and IEEE Technical Committee have decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

INTRODUCTION

This document defines time-sensitive networking profiles for industrial automation. The profile selects features, options, configurations, defaults, protocols, and procedures of bridges, end stations, and LANs to build industrial automation networks. This document also specifies YANG modules for the digital data sheet and for remote procedure calls.

The profile meets the industrial automation market objective of converging Operations Technology (OT) and Information Technology (IT) networks by defining a common, standardized network infrastructure. This objective is accomplished by taking advantage of the improvements that Time-Sensitive Networking provides to IEEE 802.1 and IEEE 802.3 standard Ethernet networks by providing guaranteed data transport with bounded low latency, low latency variation, zero congestion loss for critical traffic, and high availability.

The profile helps the convergence of industrial communication networks by referring only to international standards to build the lower layers of the communication stack and their management.

Ethernet extended with Time-Sensitive Networking technology provides the features required in the area of industrial communication networks, such as:

- meeting low latency and latency variation requirements concerning data transmission;
- efficient exchange of data records on a frequent time period;
- reliable communications with calculable downtime;
- high availability meeting application requirements;
- efficient mechanisms for bandwidth utilization of exchanges of data records, with zero congestion loss;
- improved clock synchronization mechanisms, including support of multiple gPTP domains.

1 Scope

This document defines time-sensitive networking profiles for industrial automation. The profiles select features, options, configurations, defaults, protocols, and procedures of bridges, end stations, and LANs to build industrial automation networks. This document also specifies YANG modules defining read-only information available online and offline as a digital data sheet. This document also specifies YANG modules for remote procedure calls and actions to address requirements arising from industrial automation networks.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 9594-8:2020, *Information technology - Open systems interconnection - Part 8: The Directory: Public-key and attribute certificate frameworks*, available at: <https://www.iso.org/obp/ui/#iso:std:iso-iec:9594:-8:en> [viewed 2025-10-03]

IEEE Std 1588-2019, *IEEE Standard for a Precision Clock Synchronization Protocol for Networked Measurement and Control Systems*¹

IEEE Std 1588e-2024, *IEEE Standard for a Precision Clock Synchronization Protocol for Networked Measurement and Control Systems Amendment 5: MIB and YANG Data Models*

IEEE Std 802-2024, *IEEE Standard for Local and Metropolitan Area Networks: Overview and Architecture*

IEEE Std 802.1AB-2016, *IEEE Standard for Local and metropolitan area networks - Station and Media Access Control Connectivity Discovery*

IEEE Std 802.1ABcu-2021, *IEEE Standard for Local and metropolitan networks - Station and Media Access Control Connectivity Discovery Amendment 1: YANG Data Model*

IEEE Std 802.1AR-2018, *IEEE Standard for Local and Metropolitan Area Networks - Secure Device Identity*

IEEE Std 802.1AS-2020, *IEEE Standard for Local and Metropolitan Area Networks - Timing and Synchronization for Time-Sensitive Applications*

IEEE Std 802.1ASdm-2024, *IEEE Standard for Local and Metropolitan Area Networks - Timing and Synchronization for Time-Sensitive Applications Amendment 3: Hot Standby and Clock Drift Error Reduction*

IEEE Std 802.1ASdn-2024, *IEEE Standard for Local and Metropolitan Area Networks - Timing and Synchronization for Time-Sensitive Applications Amendment 2: YANG Data Model*

IEEE Std 802.1ASdr-2024, *IEEE Standard for Local and Metropolitan Area Networks - Timing and Synchronization for Time-Sensitive Applications Amendment 1: Inclusive Terminology*

¹ The IEEE standards or products referred to in Clause 2 are trademarks of The Institute of Electrical and Electronics Engineers, Incorporated

IEEE Std 802.1CB-2017, *IEEE Standard for Local and metropolitan area networks - Frame Replication and Elimination for Reliability*

IEEE Std 802.1CBcv-2021, *IEEE Standard for Local and metropolitan area networks - Frame Replication and Elimination for Reliability - Amendment 1: Information Model, YANG Data Model and Management Information Base Module*

IEEE Std 802.1CBdb-2021, *IEEE Standard for Local and metropolitan area networks - Frame Replication and Elimination for Reliability Amendment 2: Extended Stream Identification Functions*

IEEE Std 802.1Q-2022, *IEEE Standard for Local and Metropolitan Area Networks - Bridges and Bridged Networks*

IEEE Std 802.1Qcw-2023, *IEEE Standard for Local and Metropolitan Area Networks - Bridges and Bridged Networks Amendment 36: YANG Data Models for Scheduled Traffic, Frame Preemption, and Per-Stream Filtering and Policing*

IEEE Std 802.1Qdj-2024, *IEEE Standard for Local and Metropolitan Area Networks - Bridges and Bridged Networks Amendment 38: Configuration Enhancements for Time-Sensitive Networking*

IEEE Std 802.1Qdx-2024, *IEEE Standard for Local and Metropolitan Area Networks - Bridges and Bridged Networks Amendment 39: YANG Data Models for the Credit-Based Shaper*

IEEE Std 802.1Qdy-2025, *IEEE Standard for Local and Metropolitan Area Networks - Bridges and Bridged Networks Amendment 40: YANG for the Multiple Spanning Tree Protocol*

IEEE Std 802.3-2022, *IEEE Standard for Ethernet*

IEEE Std 802.3.2-2025, *IEEE Standard for Ethernet - YANG Data Model Definitions*

IEEE Std 802.3cx-2023, *IEEE Standard for Ethernet Amendment 6: Media Access Control (MAC) Service Interface and Management Parameters to Support Improved Precision Time Protocol (PTP) Timestamping Accuracy*

IEEE Std 802.3de-2022, *IEEE Standard for Ethernet Amendment 5: Enhancements to the MAC Merge and Time Synchronization Service Interface for Point-to-Point 10 Mb/s Single Pair Ethernet*

IETF RFC 2131, Droms, R., *Dynamic Host Configuration Protocol*, March 1997, available at <https://www.rfc-editor.org/info/rfc2131> [viewed 2025-10-03]

IETF RFC 2986, Nystrom, M. and Kaliski, B., *PKCS #10: Certification Request Syntax Specification Version 1.7*, November 2000, available at <https://www.rfc-editor.org/info/rfc2986> [viewed 2025-10-03]

IETF RFC 3986, Berners-Lee, T., Fielding, R., and Masinter, L., *Uniform Resource Identifier (URI): Generic Syntax*, January 2005, available at <https://www.rfc-editor.org/info/rfc3986> [viewed 2025-10-03]

IETF RFC 4836, Beili, E., *Definitions of Managed Objects for IEEE 802.3 Medium Attachment Units (MAUs)*, April 2007, available at <https://www.rfc-editor.org/info/rfc4836> [viewed 2025-10-03]

IETF RFC 5246, Dierks, T. and Rescorla, E., *The Transport Layer Security (TLS) Protocol*, August 2008, available at <https://www.rfc-editor.org/info/rfc5246> [viewed 2025-10-03]

IETF RFC 5277, Chisholm, S. and Trevino, H., *NETCONF Event Notifications*, July 2008, available at <https://www.rfc-editor.org/info/rfc5277> [viewed 2025-10-03]

IETF RFC 5280, Turner, D., Santesson, S., Farrell, S., Boeyen, S., Housley, R., and Polk, W., *Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile*, May 2008, available at <https://www.rfc-editor.org/info/rfc5280> [viewed 2025-10-03]

IETF RFC 5289, Rescorla, E., *TLS Elliptic Curve Cipher Suites with SHA-256/384 and AES Galois Counter Mode (GCM)*, August 2008, available at <https://www.rfc-editor.org/info/rfc5289> [viewed 2025-10-03]

IETF RFC 5480, Cooper, S., Brown, D., Yiu, K., Housley, R., and Polk, T., *Elliptic Curve Cryptography Subject Public Key Information*, March 2009, available at <https://www.rfc-editor.org/info/rfc5480> [viewed 2025-10-03]

IETF RFC 6022, Scott, M. and Bjorklund, M., *YANG Module for NETCONF Monitoring*, October 2010, available at <https://www.rfc-editor.org/info/rfc6022> [viewed 2025-10-03]

IETF RFC 6024, Reddy, R. and Wallace, C., *Trust Anchor Management Requirements*, October 2010, available at <https://www.rfc-editor.org/info/rfc6024> [viewed 2025-10-03]

IETF RFC 6125, Saint-Andre, P. and Hodges, J., *Representation and Verification of Domain-Based Application Service Identity within Internet Public Key Infrastructure Using X.509 (PKIX) Certificates in the Context of Transport Layer Security (TLS)*, March 2011, available at <https://www.rfc-editor.org/info/rfc6125> [viewed 2025-10-03]

IETF RFC 6241, Enns, R., Bjorklund, M., Schoenwaelder, J. and Bierman, A., *Network Configuration Protocol (NETCONF)*, June 2011, available at <https://www.rfc-editor.org/info/rfc6241> [viewed 2025-10-03]

IETF RFC 7317, Bierman, A. and Bjorklund, M., *A YANG Data Model for System Management*, August 2014, available at <https://www.rfc-editor.org/info/rfc7317> [viewed 2025-10-03]

IETF RFC 7589, Badra, M., Luchuk, A. and Schoenwaelder, J., *Using the NETCONF Protocol over Transport Layer Security (TLS) with Mutual X.509 Authentication*, June 2015, available at <https://www.rfc-editor.org/info/rfc7589> [viewed 2025-10-03]

IETF RFC 7950, Bjorklund, M., *The YANG 1.1 Data Modeling Language*, August 2016, available at <https://www.rfc-editor.org/info/rfc7950> [viewed 2025-10-03]

IETF RFC 8069, Thomas, A., *URN Namespace for IEEE*, February 2017, available at <https://www.rfc-editor.org/info/rfc8069> [viewed 2025-10-03]

IETF RFC 8141, Saint-Andre, P., and Klensin, J., *Uniform Resource Names (URNs)*, April 2017, available at <https://www.rfc-editor.org/info/rfc8141> [viewed 2025-10-03]

IETF RFC 8341, Bierman, A. and Bjorklund, M., *Network Configuration Access Control Model*, March 2018, available at <https://www.rfc-editor.org/info/rfc8341> [viewed 2025-10-03]

IETF RFC 8342, Bjorklund, M., Schoenwaelder, J., Shafer, P., Watsen, K. and Wilton, R., *Network Management Datastore Architecture (NMDA)*, March 2018, available at <https://www.rfc-editor.org/info/rfc8342> [viewed 2025-10-03]

IETF RFC 8343, Bjorklund, M., *YANG Data Model for Interface Management*, March 2018, available at <https://www.rfc-editor.org/info/rfc8343> [viewed 2025-10-03]

IETF RFC 8348, Bierman, A., Bjorklund, M., Dong, J., and Romascanu, D., *A YANG Data Model for Hardware Management*, March 2018, available at <https://www.rfc-editor.org/info/rfc8348> [viewed 2025-10-03]

IETF RFC 8525, Bierman, A., Bjorklund, M., Schoenwaelder, J., Watsen, K. and Wilton, R., *YANG Library*, March 2019, available at <https://www.rfc-editor.org/info/rfc8525> [viewed 2025-10-03]

IETF RFC 8526, Bierman, A., Bjorklund, M., Schoenwaelder, J., Shafer, P., Watsen, K. and Wilton, R., *NETCONF Extensions to Support the Network Management Datastore Architecture*, March 2019, available at <https://www.rfc-editor.org/info/rfc8526> [viewed 2025-10-03]

IETF RFC 8639, Voit, E., Clemm, A., Gonzalez Prieto, A., Nilsen-Nygaard, E., and Tripathy, A., *Subscription to YANG Notifications*, September 2019, available at <https://www.rfc-editor.org/info/rfc8639> [viewed 2025-10-03]

IETF RFC 8640, Voit, E., Clemm, A., Gonzalez Prieto, A., Nilsen-Nygaard, E. and Tripathy, A., *Dynamic Subscription to YANG Events and Datastores over NETCONF*, September 2019, available at <https://www.rfc-editor.org/info/rfc8640> [viewed 2025-10-03]

IETF RFC 8641, Clemm, A. and Voit, E., *Subscription to YANG Notifications for Datastore Updates*, September 2019, available at <https://www.rfc-editor.org/info/rfc8641> [viewed 2025-10-03]

IETF RFC 9195, Lengyel, B. and Claise, B., *A File Format for YANG Instance Data*, February 2022, available at <https://www.rfc-editor.org/info/rfc9195> [viewed 2025-10-03]

IETF RFC 9196, Lengyel, B., Clemm, A. and Claise, B., *YANG Modules Describing Capabilities for Systems and Datastore Update Notifications*, February 2022, available at <https://www.rfc-editor.org/info/rfc9196> [viewed 2025-10-03]

IETF RFC 9640, Watsen, K., *YANG Data Types and Groupings for Cryptography*, October, available at <https://datatracker.ietf.org/doc/rfc9640/> [viewed 2025-10-03]

IETF RFC 9641, Watsen, K., *A YANG Data Model for a Truststore*, October 2024, available at <https://datatracker.ietf.org/doc/rfc9641/> [viewed 2025-10-03]

IETF RFC 9642, Watsen, K., *A YANG Data Model for a Keystore*, October 2024, available at <https://datatracker.ietf.org/doc/rfc9642/> [viewed 2025-10-03]

IETF RFC „Internet-Draft (I-D)“, Turner, S., and Housley, R., *Updates to Using the NETCONF Protocol over Transport Layer Security (TLS) with Mutual X.509 Authentication* (draft-ietf-netconf-over-tls13), Internet Draft, Work in Progress by NETCONF WG, available at <https://datatracker.ietf.org/doc/draft-ietf-netconf-over-tls13/> [viewed 2025-10-03]

IETF RFC Internet-Draft (I-D)", Watsen, K., *NETCONF Client and Server Models* (draft-ietf-netconf-netconf-client-server), Internet Draft, Work in Progress by NETCONF WG, available at <https://datatracker.ietf.org/doc/html/draft-ietf-netconf-netconf-client-server-31> [viewed 2025-10-03]

ITU-T G.8260, *Definitions and terminology for synchronization in packet networks*

NIST FIPS 180-4, *Secure Hash Standard (SHS)*, August 2015, available at <https://csrc.nist.gov/publications/detail/fips/180/4/final> [viewed 2025-10-03]

NIST FIPS 186-5, *Digital Signature Standard (DSS)*, February 2023, available at <https://csrc.nist.gov/publications/detail/fips/186/5/final> [viewed 2025-10-03]

NIST SP 800-186, *Recommendations for Discrete Logarithm-based Cryptography: Elliptic Curve Domain Parameters*, February 2023, available at <https://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-186.pdf> [viewed 2025-10-03]

Bibliography

IETF RFC 4210, Adams, C., Farrell, S., Kause, T., and Mononen, T., *Internet X.509 Public Key Infrastructure Certificate Management Protocol (CMP)*, September 2005, available at <https://www.rfc-editor.org/info/rfc4210>

IETF RFC 6020, Bjorklund, M., *YANG: A Data Modeling Language for the Network Configuration Protocol (NETCONF)*, October 2010, available at <https://www.rfc-editor.org/info/rfc6020>

IETF RFC 6242, Wasserman, M., *Using the NETCONF Protocol over Secure Shell (SSH)*, June 2011, available at <https://www.rfc-editor.org/info/rfc6242>

IETF RFC 7224, Bjorklund, M., *IANA Interface Type YANG Module*, May 2014, available at <https://www.rfc-editor.org/info/rfc7224>

IETF RFC 7748, Langley, A., Hamburg, M., and Turner, S., *Elliptic Curves for Security*, January 2016, available at <https://www.rfc-editor.org/info/rfc7748> [viewed 2025-10-03]

IETF RFC 7905, Langley, A., Chang, W., Mavrogiannopoulos, N., Strombergson, J., and Josefsson, S., *ChaCha20-Poly1305 Cipher Suites for Transport Layer Security (TLS)*, June 2016, available at <https://www.rfc-editor.org/info/rfc7905> [viewed 2025-10-03]

IETF RFC 8032, Josefsson, S., and Liusvaara, I., *Edwards-Curve Digital Signature Algorithm (EdDSA)*, January 2017, available at <https://www.rfc-editor.org/info/rfc8032> [viewed 2025-10-03]

IETF RFC 8340, Bjorklund, M. and Berger, L., *YANG Tree Diagrams*, March 2018, available at <https://www.rfc-editor.org/info/rfc8340>

IETF RFC 8410, Josefsson, S., and Schaad, J., *Algorithm Identifiers for Ed25519, Ed448, X25519, and X448 for Use in the Internet X.509 Public Key Infrastructure*, August 2018, available at <https://www.rfc-editor.org/info/rfc8410> [viewed 2025-10-03]

IETF RFC 8446, Rescorla, E., *The Transport Layer Security (TLS) Protocol Version 1.3*, August 2018, available at <https://www.rfc-editor.org/info/rfc8446> [viewed 2025-10-03]

IETF RFC 8808, Wu, Q., Lengyel, B., and Niu, Y., *A YANG Data Model for Factory Default Settings*, August 2020, available at <https://www.rfc-editor.org/info/rfc8808>

IETF RFC 8995, Pritikin, M., Richardson, M., Eckert, T., Behringer, M., and Watsen, K., *Bootstrapping Remote Secure Key Infrastructure (BRSKI)*, May 2021, available at <https://www.rfc-editor.org/info/rfc8995>

ITU-T Series G Supplement 65, *Simulations of transport of time over packet networks*, Geneva, October 2018