

INTERNATIONAL STANDARD

Low-voltage docking connectors for removable energy storage units

CONTENTS

FOREWORD	4
INTRODUCTION	6
1 Scope	7
2 Normative references	7
3 Terms and definitions	9
4 General	10
4.1 General requirements	10
4.2 General notes on tests	10
4.3 Type of accessories	10
4.4 General construction	11
4.5 Visual examination tests	12
4.6 Cable to be used	12
4.7 Voltage and current for test purposes	12
5 Standard ratings	12
6 Classification of accessories	13
7 Marking	15
7.1 Information to be marked	15
7.2 Symbols	15
7.3 Marking of rewirable accessories	16
7.4 Pre-wired accessories	16
7.5 Instructions	16
7.6 Marking shall be easily legible	16
8 Dimensions	16
9 Protection against electric shock	17
10 Provision for earthing	18
11 Terminals and terminations	18
12 Interlocks	19
13 Resistance to ageing of rubber and thermoplastic material	19
14 Construction	19
15 Construction of accessories	20
16 Degrees of protection	20
17 Insulation resistance and dielectric strength	20
18 Mechanical endurance	20
19 Temperature rise	21
20 Mechanical strength	21
21 Screws, current-carrying parts and connections	21
22 Creepage distances, clearances and distances through sealing compound	21
23 Resistance to heat, to fire and to tracking	21
24 Conditional short-circuit current withstand test	21
25 Electromagnetic compatibility	21
26 Dynamic mechanical severities	22
26.1 Minimum degree of dynamic mechanical severities	22
26.2 Vibration test	22

26.3	Shock test.....	22
27	Thermal endurance.....	23
27.1	General requirements.....	23
27.2	Temperature burden	23
27.3	Damp heat	23
27.4	Contact resistance.....	24
28	Climatic endurance for contacts	24
28.1	General requirements for contacts.....	24
28.2	Thermal change for contacts.....	24
28.3	Dry heat for contacts.....	24
28.4	Corrosion resistance for contacts	25
28.5	Damp heat for contacts	25
29	Salt stress endurance	25
29.1	General requirements for accessories.....	25
29.2	Salt stress resistance.....	25
30	Operation with misalignments	26
30.1	Misalignment at normal operation.....	26
30.2	Misalignment after unmating	29
30.3	Misalignment by terminated wires.....	29
30.4	Mating process effected by misalignment	30
31	Environmental conditions.....	31
	STANDARD SHEET 1-I – Electrically-powered two-wheeler (e-PTW) docking connector – General	33
	STANDARD SHEET 1-III – DOCKING CONNECTOR TYPE A	34
	STANDARD SHEET 1-II – DOCKING CONNECTOR TYPE B	35
	STANDARD SHEET 1-IV – DOCKING CONNECTORS, TYPE A – TYPE B – Overview of the interface.....	36
	STANDARD SHEET 2-I – Light electric vehicle (LEV) docking connector – GENERAL.....	37
	STANDARD SHEET 2-II – DOCKING CONNECTOR TYPE A	38
	STANDARD SHEET 2-III – DOCKING CONNECTOR TYPE B	39
	STANDARD SHEET 3-I – Battery System for Modularity (BASMO) – GENERAL	40
	STANDARD SHEET 3-II – DOCKING CONNECTOR TYPE A – Top connection	41
	STANDARD SHEET 3-II – DOCKING CONNECTOR TYPE A – Top connection	42
	STANDARD SHEET 3-II – DOCKING CONNECTOR TYPE A – Bottom connection.....	43
	STANDARD SHEET 3-III – DOCKING CONNECTOR TYPE B – Top connection	44
	STANDARD SHEET 3-III – DOCKING CONNECTOR TYPE B – Wall connector / bottom connection	45
	STANDARD SHEET 4-I – Busbar connection system – GENERAL.....	46
	STANDARD SHEET 4-II	47
	STANDARD SHEET 4-II – Dimensions.....	48
	STANDARD SHEET 5-I – Electrically-powered two-wheeler (e-PTW) docking connector – GENERAL.....	49
	STANDARD SHEET 5-II – Electrically-powered two-wheeler (e-PTW) docking connector – DOCKING CONNECTOR TYPE A.....	50
	STANDARD SHEET 5-III – Electrically-powered two-wheeler (e-PTW) docking connector – DOCKING CONNECTOR TYPE B.....	51

STANDARD SHEET 5-IV – Electrically-powered two-wheeler (e-PTW) docking connector – Configuration DOCKING CONNECTOR TYPE A and B	52
STANDARD SHEET 6-I – GENERAL	53
STANDARD SHEET 6-II – DOCKING CONNECTOR TYPE A	54
STANDARD SHEET 6-III – DOCKING CONNECTOR TYPE B	55
STANDARD SHEET 6-IV – Overview of the basic interface – Configuration DOCKING CONNECTOR TYPE A AND B	56
STANDARD SHEET 6-V – Service condition (mated) – DOCKING CONNECTOR TYPE A AND B	57
Annex A (normative) Electrical endurance test cycle	58
Annex B (informative) Examples of accessories on the market	59
B.1 General	59
B.2 Accessory example 1	59
B.3 Accessory example 2	63
Bibliography	66
Figure 1 – Diagram showing the use of the accessories	11
Figure 2 – Short-circuit scheme for line contacts	19
Figure 3 – Orthogonal misalignment – front view	27
Figure 4 – Angular misalignment – side view	27
Figure 5 – Angular misalignment – top view	27
Figure A.1 – Test cycle for electrical endurance	58
Figure B.1 – Layout of accessory example 1	60
Figure B.2 – Accessory example 1 Type A	61
Figure B.3 – Accessory example 1 Type B	62
Figure B.4 – Accessory example 2 Type A	64
Figure B.5 – Accessory example 2 Type B	65
Table 1 – General design and usage of accessories	11
Table 2 – Preferred rated currents	12
Table 3 – Dimensions of misalignments	27
Table 4 – Combinations of misalignments	28
Table 5 – Misalignment due to wire size	30
Table 6 – Environmental performance classes	31
Table 7 – Severities for environmental performance classes	32
Table B.1 – Parameters for accessory example 1	59
Table B.2 – Parameters for accessory example 2	63

INTERNATIONAL ELECTROTECHNICAL COMMISSION

Low-voltage docking connectors for removable energy storage units

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 63066 has been prepared by subcommittee 23H: Plugs, socket-outlets and couplers for industrial and similar applications, and for electric vehicles, of IEC technical committee 23: Electrical accessories. It is an International Standard.

This first edition cancels and replaces the first edition of IEC TS 63066 published in 2017. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) introduction of standard sheets;
- b) alignment with IEC 60309-1:2021;
- c) technical improvements, e.g. short circuit tests according the I^2t - methodology.

The text of this International Standard is based on the following documents:

Draft	Report on voting
23H/592/FDIS	23H/615/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

In this document, the following print types are used:

- requirements proper: in roman type;
- *test specifications: in italic type;*
- explanatory matter: in smaller roman type.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

This document is to be used in conjunction with IEC 60309-1:2021.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

INTRODUCTION

Pluggable energy storage technology has a perspective of a large demand in certain areas.

With the advent of electric vehicles, which are expected to become one of the most significant types of electric users of electric energy, together with the heating and cooling of buildings, the demand of electric energy from renewable sources rather than from fossil fuels will rapidly increase.

Due to the intrinsic discontinuity of the renewable sources (wind, solar light), energy storage units for renewable energy are becoming a possible solution to cover peak power demands, when in an increasingly decentralized electric power network infrastructure.

Guidance is needed to ensure safe and reliable operation, interoperability, environmental protection and efficiency of energy storage technology, once made available in a connectorized, thus pluggable, form.

This document is intended to meet the industry needs of standardized docking connector interfaces as a means to promote the development of this promising technology and the popularization of pluggable energy storage units.

Compared to other accessories, for the connectors required by this technology several specific aspects are considered:

- the connector mating process cannot have haptic support by the operator to find the correct position between the two parts of the connector;
- the connector mating process can have a mechanical feed which precludes the finding of the correct position between the two parts of the connector.

To overcome these issues, the design of the accessories can consist partly of moveable parts to compensate a mechanical feed and constructional tolerances.

1 Scope

This document applies to docking connectors (hereinafter referred to as accessories) incorporated in or fixed to electrical equipment, intended to connect energy storage units, either removable or swappable, or both, to a dedicated electric power conversion unit, to an energy consuming unit or to another energy storage unit.

These accessories are intended for DC and can include either a protective earth contact or optional auxiliary contacts for signalling and data transmission, or both. These accessories have a rated current of up to 2 000 A and rated operating voltages not exceeding 1 500 V DC.

This document also applies to accessories intended to be used at extra-low voltage.

The list of preferred ratings is not intended to exclude other ratings.

These accessories are not suitable for mating or unmating under load. These accessories are intended to be installed by instructed persons (IEC 60050-195:2021, 195-04-02) or skilled persons (IEC 60050-195:2021, 195-04-01) only.

This document applies to accessories for use under environmental conditions as described in Clause 31.

These accessories are intended to be connected to current carrying parts in copper or copper alloy only, plated or not plated.

In locations where special conditions prevail, additional requirements can apply.

NOTE For conditions other than operation, additional requirements can be applicable, for instance, IEC 62133 (all parts) and UN Recommendations on the Transport of Dangerous Goods (2002), section 38.338.3.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

Clause 2 of IEC 60309-1:2021 applies, except as follows:

Additional normative references:

IEC 60068-2-2, *Environmental testing - Part 2-2: Tests - Test B: Dry heat*

IEC 60068-2-14, *Environmental testing - Part 2-14: Tests - Test N: Change of temperature*

IEC 60068-2-30, *Environmental testing - Part 2-30: Tests - Test Db: Damp heat, cyclic (12 h + 12 h cycle)*

IEC 60068-2-38, *Environmental testing - Part 2-38: Tests - Test Z/AD: Composite temperature/humidity cyclic test*

IEC 60068-2-52, *Environmental testing - Part 2-52: Tests - Test Kb: Salt mist, cyclic (sodium chloride solution)*

IEC 60068-2-60, *Environmental testing - Part 2-60: Tests - Test Ke: Flowing mixed gas corrosion test*

IEC 60227-3, *Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V - Part 3: Non-sheathed cables for fixed wiring*

IEC 60309-1:2021, *Plugs, fixed or portable socket-outlets and appliance inlets for industrial purposes - Part 1: General requirements*

IEC 60352 (all parts), *Solderless connections*

IEC 60364-5-54:2011, *Low-voltage electrical installations - Part 5-54: Selection and erection of electrical equipment - Earthing arrangements and protective conductors*

IEC 60364-5-54:2011/AMD1:2021

IEC 60417, *Graphical symbols for use on equipment*, available at <http://www.graphical-symbols.info/equipment>

IEC 60512-2-2, *Connectors for electronic equipment – Tests and measurements – Part 2-2: Electrical continuity and contact resistance tests – Test 2b: Contact resistance – Specified test current method*

IEC 61140:2016, *Protection against electric shock - Common aspects for installation and equipment*

IEC 61373:2010, *Railway applications - Rolling stock equipment - Shock and vibration tests*

IEC 62619:2022, *Secondary cells and batteries containing alkaline or other non-acid electrolytes – Safety requirements for secondary lithium cells and batteries, for use in industrial applications*

IEC 62840-2:2025, *Electric vehicle battery swap system – Part 2: Safety requirements*

IEC PAS 62840-3:2021, *Electric vehicle battery swap system - Part 3: Particular safety and interoperability requirements for battery swap systems operating with removable RESS/battery systems*

ISO/IEC TR 29106:2007, *Information technology - Generic cabling - Introduction to the MICE environmental classification*

ISO/IEC TR 29106:2007/AMD1:2012

ISO/IEC TR 29106:2007/AMD2:2019

ISO 16750-3:2023, *Road vehicles - Environmental conditions and testing for electrical and electronic equipment - Part 3: Mechanical loads*

EN 13601:2021, *Copper and copper alloys - Copper rod, bar and wire for general electrical purposes*

DIN 43671:1975-12, *Stromschienen aus Kupfer; Bemessung für Dauerstrom*, only available in German

Bibliography

IEC 60050-195:2021, *International Electrotechnical Vocabulary (IEV) - Part 195: Earthing and protection against electric shock*

IEC 60884-1:2022, *Plugs and socket-outlets for household and similar purposes - Part 1: General requirements*

IEC 61851-23, *Electric vehicle conductive charging system – Part 23: DC electric vehicle supply equipment*

IEC 62133 (all parts), *Secondary cells and batteries containing alkaline or other non-acid electrolytes - Safety requirements for portable sealed secondary cells, and for batteries made from them, for use in portable applications*

IEC 62196-3:2026, *Plugs, socket-outlets, vehicle connectors and vehicle inlets - Conductive charging of electric vehicles - Part 3: Dimensional compatibility requirements for DC and AC/DC pin and contact-tube vehicle couplers*

ISO 2768 (all parts), *General tolerances*

ISO 14405-1:2025, *Geometrical product specifications (GPS) - Dimensional tolerancing - Part 1: Linear sizes*

UN Recommendations on the Transport of Dangerous Goods. *Manual of Tests and Criteria* (Fourth revised ed.), New York and Geneva: United Nations, 2002, ISBN 92-1-139087-7, ST/SG/AC.10/11/Rev.4
