

INTERNATIONAL STANDARD

EXTENDED VERSION

This full version of IEC 62271-201:2026 includes the content of the references made to IEC 62271-1:2017+AMD1:2021

**High-voltage switchgear and controlgear -
Part 201: AC solid-insulation enclosed switchgear and controlgear for rated
voltages above 1 kV and up to and including 52 kV**

INTERNATIONAL ELECTROTECHNICAL COMMISSION

IEC 62271-1
Edition 2.0 2017-07

HIGH-VOLTAGE SWITCHGEAR AND CONTROLGEAR –

Part 1: Common specifications for alternating current switchgear and controlgear

INTERPRETATION SHEET 1

This interpretation sheet has been prepared by IEC technical committee 17: High-voltage switchgear and controlgear.

The text of this interpretation sheet is based on the following documents:

DISH	Report on voting
17/1090/DISH	17/1095/RVDISH

Full information on the voting for the approval of this interpretation sheet can be found in the report on voting indicated in the above table.

Interpretation of 4.2.2 of IEC 62271-1:2017 regarding the altitude correction factor

Subclause 4.2.2 of IEC 62271-1:2017 contains two references for calculation of the required insulation withstand level at altitudes higher than 1 000 m, IEC 60071-2:1996 and IEC TR 62271-306. The two references are in conflict, as the altitude correction factor according to IEC 60071-2:1996 starts at sea level and that of IEC TR 62271-306 starts at an altitude of 1 000 m. This results in different altitude correction factors.

As already stated in 5.3 of IEC 62271-1:2017, the rated insulation levels refer to normal service conditions. Altitudes up to 1 000 m above sea level are covered and need no altitude correction.

For altitudes higher than 1 000 m the equation provided in 4.5.1.1 b) of IEC TR 62271-306:2012 and in H.3.4 of IEC 60071-2:2018 shall be used, i.e.

$$k_{\text{alt}} = e^{m \left(\frac{H-1000}{8150} \right)}$$

where

k_{alt} is the altitude correction factor;

H is the altitude in m above sea level;

m is an exponent.

Conservative values for the exponent m are provided in Table 4 of IEC TR 62271-306:2012.
For further details about the exponent m , see H.4 of IEC 60071-2:2018.

CONTENTS

FOREWORD	11
INTRODUCTION to IEC 62271-1:2017+AMD1:2021	14
INTRODUCTION to IEC 62271-201:2026	15
1 Scope	16
2 Normative references	16
3 Terms and definitions	19
3.1 General terms and definitions	19
3.2 Assemblies of switchgear and controlgear	24
3.3 Parts of assemblies	24
3.4 Switching devices	24
3.5 Parts of switchgear and controlgear	25
3.6 Operational characteristics of switchgear and controlgear	32
3.7 Characteristic quantities	38
3.8 Index of definitions	39
4 Normal and special service conditions	42
4.1 Normal service conditions	42
4.1.1 General	42
4.1.2 Indoor switchgear and controlgear	42
4.1.3 Outdoor switchgear and controlgear	43
4.2 Special service conditions	43
4.2.1 General	43
4.2.2 Altitude	44
4.2.3 Exposure to pollution	44
4.2.4 Temperature and humidity	44
4.2.5 Exposure to abnormal vibrations, shock or tilting	44
4.2.6 Wind speed	45
4.2.7 Other parameters	45
5 Ratings	45
5.1 General	45
5.2 Rated voltage (U_r)	46
5.2.1 General	46
5.2.2 Range I for rated voltages of 245 kV and below	46
5.2.3 Range II for rated voltages above 245 kV	46
5.3 Rated insulation level (U_d , U_p , U_s)	46
5.4 Rated frequency (f_r)	50
5.5 Rated continuous current (I_r)	50
5.6 Rated short-time withstand current (I_k)	50
5.6.101 Rated short-time withstand current (I_k)	51
5.6.102 Rated short-time phase to earth withstand current (I_{ke})	51
5.7 Rated peak withstand current (I_p)	51
5.7.101 Rated peak withstand current (I_p)	52
5.7.102 Rated peak phase-to-earth withstand current (I_{pe})	52
5.8 Rated duration of short-circuit (t_k)	52
5.8.101 Rated duration of short-circuit (t_k)	52
5.8.102 Rated duration of phase-to-earth short-circuit (t_{ke})	52
5.9 Rated supply voltage of auxiliary and control circuits (U_a)	53

5.9.1	General	53
5.9.2	Rated supply voltage (U_a)	53
5.10	Rated supply frequency of auxiliary and control circuits	53
5.11	Rated pressure of compressed gas supply for controlled pressure systems	54
5.101	Classification of earthing function through main switching device.....	54
5.102	Rated cable test voltages (U_{ct} (AC), U_{ct} (DC))	54
5.102.1	General	54
5.102.2	Rated power-frequency cable test voltage U_{ct} (AC)	54
5.102.3	Rated DC cable test voltage U_{ct} (DC) with rated duration t_{ct} (DC)	54
5.103	Ratings of the internal arc classification (IAC)	54
5.103.1	General	54
5.103.2	Types of accessibility	55
5.103.3	Classified sides	55
5.103.4	Rated arc fault currents (I_A , I_{Ae})	55
5.103.5	Rated arc fault duration (t_A , t_{Ae})	55
6	Design and construction	56
6.1	Requirements for liquids in switchgear and controlgear	56
6.2	Requirements for gases in switchgear and controlgear	56
6.3	Earthing of switchgear and controlgear	56
6.3.101	Earthing of the high-voltage conductive parts	56
6.3.102	Earthing of enclosure(s)	57
6.3.103	Earthing of withdrawable and removable parts	57
6.3.104	Earthing circuit	57
6.4	Auxiliary and control equipment and circuits	58
6.4.1	General	58
6.4.2	Protection against electric shock	59
6.4.3	Components installed in enclosures	59
6.5	Dependent power operation	62
6.6	Stored energy operation.....	62
6.6.1	General	62
6.6.2	Energy storage in gas receivers or hydraulic accumulators	62
6.6.3	Energy storage in springs (or weights)	62
6.6.4	Manual charging	62
6.6.5	Motor charging	63
6.6.6	Energy storage in capacitors	63
6.7	Independent unlatched operation (independent manual or power operation)	63
6.8	Manually operated actuators	63
6.9	Operation of releases.....	64
6.9.1	General	64
6.9.2	Shunt closing release	64
6.9.3	Shunt opening release	64
6.9.4	Capacitor operation of shunt releases.....	64
6.9.5	Under-voltage release	64
6.10	Pressure/level indication	64
6.10.1	Gas pressure	64
6.10.2	Liquid level	65
6.11	Nameplates	65
6.11.1	General	65
6.11.2	Application.....	65

6.12	Locking devices	68
6.13	Position indication.....	69
6.14	Degrees of protection provided by enclosures.....	69
6.14.1	General	69
6.14.2	Protection of persons against access to hazardous parts and protection of the equipment against ingress of solid foreign objects (IP coding)	69
6.14.3	Protection against ingress of water (IP coding)	69
6.14.4	Protection against mechanical impact under normal service conditions (IK coding).....	69
6.15	Creepage distances for outdoor insulators	70
6.16	Gas and vacuum tightness	70
6.16.1	General	70
6.16.2	Controlled pressure systems for gas	70
6.16.3	Closed pressure systems for gas	70
6.16.4	Sealed pressure systems.....	71
6.17	Tightness for liquid systems.....	71
6.17.1	General	71
6.17.2	Leakage rates.....	71
6.18	Fire hazard (flammability)	71
6.19	Electromagnetic compatibility (EMC).....	71
6.20	X-ray emission.....	72
6.21	Corrosion.....	72
6.22	Filling levels for insulation, switching and/or operation	72
6.101	General requirements for assemblies	72
6.102	Solid insulating enclosure	73
6.102.1	General	73
6.102.2	Covers and doors	73
6.102.3	Partition or shutter being part of the enclosure	74
6.102.4	Inspection windows	75
6.102.5	Ventilating openings, vent outlets	75
6.102.6	Protection category of the solid insulating enclosure against electric shock.....	75
6.102.7	Requirements for protection categories	75
6.103	High-voltage compartments	76
6.103.1	General	76
6.103.2	Fluid-filled compartments (gas or liquid)	77
6.103.3	Partitions and shutters.....	78
6.104	Removable parts.....	79
6.105	Provisions for dielectric tests on cables	80
6.106	Internal arc fault.....	80
7	Type tests	80
7.1	General.....	80
7.1.1	Basics	80
7.1.2	Information for identification of test objects.....	82
7.1.3	Information to be included in type-test reports	82
7.2	Dielectric tests	83
7.2.1	General	83
7.2.2	Ambient air conditions during tests	83
7.2.3	Wet test procedure	83

7.2.4	Arrangement of the equipment.....	83
7.2.5	Criteria to pass the test	84
7.2.6	Application of the test voltage and test conditions.....	85
7.2.7	Tests of switchgear and controlgear of $U_r \leq 245$ kV	89
7.2.8	Tests of switchgear and controlgear of $U_r > 245$ kV	91
7.2.9	Artificial pollution tests for outdoor insulators.....	91
7.2.10	Partial discharge tests	91
7.2.11	Dielectric tests on auxiliary and control circuits.....	91
7.2.12	Voltage test as condition check	92
7.2.101	Dielectric tests on cable testing circuits	92
7.3	Radio interference voltage (RIV) test	92
7.4	Resistance measurement.....	92
7.4.1	Measurement of the resistance of auxiliary contacts class 1 and class 2	92
7.4.2	Measurement of the resistance of auxiliary contacts class 3	93
7.4.3	Electrical continuity of earthed metallic parts test	93
7.4.4	Resistance measurement of contacts and connections in the main circuit as a condition check.....	93
7.4.101	Requirement for protection category PB2.....	94
7.5	Continuous current tests	94
7.5.1	Condition of the test object	94
7.5.2	Arrangement of the equipment.....	94
7.5.3	Test current and duration.....	95
7.5.4	Temperature measurement during test	96
7.5.5	Resistance of the main circuit.....	98
7.5.6	Criteria to pass test	98
7.5.101	Test report.....	102
7.6	Short-time withstand current and peak withstand current tests	102
7.6.1	General	102
7.6.2	Arrangement of the equipment and of the test circuit	104
7.6.3	Test current and duration.....	104
7.6.4	Conditions of the test object after test.....	105
7.7	Verification of the protection	106
7.7.1	Verification of the IP coding.....	106
7.7.2	Verification of the IK coding.....	106
7.8	Tightness tests	107
7.8.1	General	107
7.8.2	Controlled pressure systems for gas.....	108
7.8.3	Closed pressure systems for gas	108
7.8.4	Sealed pressure systems.....	109
7.8.5	Liquid tightness tests.....	109
7.9	Electromagnetic compatibility tests (EMC)	110
7.9.1	Emission tests	110
7.9.2	Immunity tests on auxiliary and control circuits	112
7.9.3	Additional EMC tests on auxiliary and control circuits	115
7.10	Additional tests on auxiliary and control circuits	115
7.10.1	General	115
7.10.2	Functional tests	115
7.10.3	Verification of the operational characteristics of auxiliary contacts	115
7.10.4	Environmental tests	116

7.10.5	Dielectric test	117
7.11	X-radiation test for vacuum interrupters	118
7.11.1	General requirements	118
7.11.2	Test voltage and measurement procedure	119
7.11.3	Acceptance criteria	119
7.101	Verification of making and breaking capacities	120
7.101.1	General	120
7.101.2	Test requirements for main switching devices	120
7.101.3	Test requirements for earthing function	121
7.102	Mechanical operation tests	121
7.102.1	Switching devices and removable parts	121
7.102.2	Mechanical and electromechanical interlocks and locking devices	121
7.103	Pressure withstand test for gas-filled compartments	123
7.103.1	Pressure withstand test for gas-filled compartments with pressure relief devices	123
7.103.2	Pressure withstand test for gas-filled compartments without pressure relief devices	124
7.104	Tests to verify the protection of persons against dangerous electrical effects	124
7.104.1	General	124
7.104.2	Dielectric tests	125
7.104.3	Measurements of leakage currents	125
7.105	Internal arc test	126
7.105.1	General	126
7.105.2	Test conditions	126
7.105.3	Arrangement of the equipment	127
7.105.4	Test procedure	127
7.105.5	Criteria to pass the test	128
7.105.6	Test report	128
7.105.7	Extension of validity of test results	129
7.106	Thermal stability test	129
7.107	Humidity test	130
8	Routine tests	130
8.1	General	130
8.2	Dielectric test on the main circuit	131
8.3	Tests on auxiliary and control circuits	131
8.3.1	Inspection of auxiliary and control circuits, and verification of conformity to the circuit diagrams and wiring diagrams	131
8.3.2	Functional tests	132
8.3.3	Verification of protection against electrical shock	132
8.3.4	Dielectric tests	132
8.4	Measurement of the resistance of the main circuit	132
8.5	Tightness test	133
8.5.1	General	133
8.5.2	Controlled pressure systems for gas	133
8.5.3	Closed pressure systems for gas	133
8.5.4	Sealed pressure systems	133
8.5.5	Liquid tightness tests	133
8.6	Design and visual checks	134
8.101	Partial discharge measurement	134

8.102	Mechanical operation tests	134
8.103	Pressure tests of gas-filled compartments.....	134
8.104	Tests after erection on site.....	134
8.105	Measurement of fluid condition after filling on site.....	135
9	Guide to the selection of switchgear and controlgear (informative)	135
9.1	General.....	135
9.2	Selection of rated values.....	135
9.3	Cable-interface considerations.....	136
9.4	Continuous or temporary overload due to changed service conditions.....	136
9.5	Environmental aspects.....	136
9.5.1	Service conditions	136
9.5.2	Clearances affected by service conditions	136
9.5.3	High humidity.....	137
9.5.4	Solar radiation	137
9.101	Selection of design and construction.....	137
9.101.1	General	137
9.101.2	Architecture and accessibility to high-voltage compartments.....	137
9.101.3	Service continuity of the switchgear and controlgear	138
9.102	Ratings related to earthing circuits.....	141
9.103	Internal arc fault.....	141
9.103.1	General	141
9.103.2	Causes and preventive measures	141
9.103.3	Supplementary protective measures	142
9.103.4	Considerations for the selection and installation	143
9.103.5	Internal arc test	144
9.103.6	IAC classification	144
9.104	Summary of technical requirements, ratings and optional tests	145
10	Information to be given with enquiries, tenders and orders (informative).....	147
10.1	General.....	147
10.2	Information with enquiries and orders	148
10.3	Information with tenders.....	149
11	Transport, storage, installation, operating instructions and maintenance	149
11.1	General.....	149
11.2	Conditions during transport, storage and installation	150
11.3	Installation	150
11.3.1	General	150
11.3.2	Unpacking and lifting	150
11.3.3	Assembly.....	150
11.3.4	Mounting	150
11.3.5	Connections	150
11.3.6	Information about gas and gas mixtures for controlled and closed pressure systems	151
11.3.7	Final installation inspection.....	151
11.3.8	Basic input data by the user	152
11.3.9	Basic input data by the manufacturer	152
11.4	Operating instructions	152
11.5	Maintenance	153
11.5.1	General	153
11.5.2	Information about fluids and gas to be included in maintenance manual	153

11.5.3	Recommendations for the manufacturer.....	153
11.5.4	Recommendations for the user	155
11.5.5	Failure report.....	155
12	Safety.....	156
12.1	General.....	156
12.2	Precautions by manufacturers.....	157
12.3	Precautions by users	157
12.101	Procedures	158
12.102	Internal arc aspects	158
13	Influence of the product on the environment	158
Annex A	(normative) Identification of test objects.....	159
A.1	General.....	159
A.2	Data.....	159
A.3	Drawings	159
Annex B	(informative) Determination of the equivalent RMS value of a short-time current during a short-circuit of a given duration	161
Annex C	(normative) Method for the weatherproofing test for outdoor switchgear and controlgear	162
Annex D	(informative) References for auxiliary and control circuit components	165
Annex E	(normative) Tolerances on test quantities during tests	167
Annex F	(informative) Information and technical requirements to be given with enquiries, tenders and orders	170
F.1	General.....	170
F.2	Normal and special service conditions (refer to Clause 4)	170
F.3	Ratings (refer to Clause 5).....	171
F.4	Design and construction (refer to Clause 6)	171
F.5	System information	172
F.6	Documentation for enquiries and tenders	172
Annex G	(informative) List of symbols.....	173
Annex H	(informative) Electromagnetic compatibility on site	174
Annex I	(informative) List of notes concerning certain countries	175
Annex J	(informative) Extension of validity of type tests.....	176
J.1	General.....	176
J.2	Dielectric tests	176
J.3	Short-time withstand current tests.....	176
J.4	Continuous current test.....	176
J.5	Electromagnetic immunity test on auxiliary and control circuits	177
J.6	Environmental tests on auxiliary and control circuits	177
Annex K	(informative) Exposure to pollution.....	178
K.1	General.....	178
K.2	Pollution levels	178
K.3	Minimum requirements for switchgear	178
Annex A	(normative) Internal arc fault – Method to verify the internal arc classification (IAC).....	180
A.1	Room simulation	180
A.2	Indicators (for assessing the thermal effects of the gases).....	182
A.2.1	General	182
A.2.2	Arrangement of indicators.....	182

A.3	Tolerances for geometrical dimensions of test arrangements	183
A.4	Test parameters.....	183
A.4.1	General	183
A.4.2	Voltage	183
A.4.3	Current	183
A.4.4	Frequency	184
A.5	Test procedure.....	184
A.5.1	Supply circuit.....	184
A.5.2	Arc initiation	185
Annex B (normative)	Partial discharge measurement	194
B.1	General.....	194
B.2	Application	194
B.3	Test circuits and measuring instruments	195
B.4	Test procedure.....	195
Annex C (informative)	Regional deviations.....	200
Annex D (normative)	Humidity test.....	201
D.1	General.....	201
D.2	Test procedure and test conditions	201
D.2.1	Test cycle and its duration	201
D.2.2	Generation of fog.....	202
D.2.3	High air temperature period	202
D.2.4	Test chamber	202
D.2.5	Test object.....	202
D.2.6	Test voltage and voltage supply.....	203
D.2.7	Total test duration.....	203
D.3	Test criteria and evaluation.....	203
D.3.1	Criterion during the test	203
D.3.2	Criterion after the test.....	203
D.3.3	Evaluation of the test.....	203
Annex E (informative)	Protection categories	205
E.1	Protection category PA	205
E.2	Protection categories PB.....	206
Annex F (informative)	List of symbols and abbreviations used in IEC 62271-201	207
Annex G (normative)	Flowchart categorisation procedure LSC for a given functional unit FU1 with connection compartment	208
Annex H (informative)	Pressure coordination chart for gas-filled compartments	209
Bibliography.....		210
Figure 1 – Examples of classes of contacts		61
Figure 2 – Diagram of connections of a three-pole switching device.....		86
Figure 3 – Diagram of a test circuit for the radio interference voltage test		111
Figure 4 – Test location of radiation survey instrument		119
Figure 1 – LSC1.....		140
Figure 2 – LSC2.....		140
Figure 3 – LSC2.....		140
Figure 4 – LSC2.....		140
Figure 5 – LSC2A		140

Figure 6 – LSC2B	140
Figure 7 – LSC2B	141
Figure 8 – No LSC assigned	141
Figure 9 – No LSC assigned	141
Figure B.1 – Determination of short-time current.....	161
Figure C.1 – Arrangement for weatherproofing test.....	163
Figure C.2 – Nozzle for weatherproofing test	164
Figure A.1 – Mounting frame for vertical indicators	187
Figure A.2 – Horizontal indicator	187
Figure A.3 – Position of the indicators.....	188
Figure A.4 – Room simulation and indicator positioning for accessibility A, classified rear side, ceiling above 2 000 mm, functional unit of any height.....	189
Figure A.5 – Ceiling height stated from the floor or false floor level where the switchgear is actually placed	191
Figure A.6 – Indicator positioning in case of protrusion at < 2 000 mm height, at classified side	192
Figure A.7 – Indicator positioning in case a bottom exhaust duct belonging to the assembly is defined as a walkable integrated part of the false floor	192
Figure A.8 – Room simulation and indicator positioning for accessibility type A, non-accessible rear side, ceiling at 2 000 mm, so functional unit ≤ 1 800 mm high	193
Figure B.1 – Partial discharge test circuit (three-phase arrangement)	198
Figure B.2 – Partial discharge test circuit (system without earthed neutral).....	199
Figure D.1 – Test cycle	204
Figure D.2 – Test chamber	204
Figure E.1 – Possible designs for protection category PA	205
Figure E.2 – Possible designs for protection category PB	206
Figure G.1 – Flowchart categorisation procedure LSC for a given functional unit FU1 with connection compartment.....	208
Figure H.1 – Example of pressure coordination chart.....	209
Table 1 – Rated insulation levels for rated voltages of range I, series I.....	47
Table 2 – Rated insulation levels for rated voltages of range I, series II (based on current practice in some countries, including US).....	48
Table 3 – Rated insulation levels for rated voltages of range II	49
Table 4 – Additional rated insulation levels for range II, based on current practice in some countries, including US.....	50
Table 5 – Peak factors for rated peak withstand current.....	52
Table 6 – Direct current voltage	53
Table 7 – Alternating current voltage	53
Table 8 – Auxiliary contact classes	61
Table 9 – Nameplate information	66
Table 10 – Test conditions in general case	85
Table 11 – Power-frequency test conditions.....	88
Table 12 – Impulse test conditions.....	88
Table 13 – Test conditions for the alternative method	89

Table 14 – Limits of temperature and temperature rise for various parts, materials and dielectrics of high-voltage switchgear and controlgear	99
Table 15 – Permissible leakage rates for gas systems	108
Table 16 – Application of voltages at the fast transient/burst test	113
Table 17 – Application of voltage at the damped oscillatory wave test	114
Table 18 – Assessment criteria for transient disturbance immunity	114
Table 2 – Locations, causes and examples of measures to decrease the probability of internal arc faults	142
Table 3 – Single-phase-to-earth arc fault current depending on the network neutral earthing	145
Table 4 – Summary of technical requirements, ratings and optional tests for assemblies	146
Table D.1 – List of reference documents for auxiliary and control circuit components (1 of 2)	165
Table E.1 – Tolerances on test quantities for type test	168
Table K.1 – Environmental examples by site pollution severity (SPS) class	179
Table K.2 – Minimum nominal specific creepage distance by pollution level	179
Table A.1 – Parameters for internal arc test according to compartment construction	186
Table B.1 – Test circuits and procedures	197

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**High-voltage switchgear and controlgear -
Part 201: AC solid-insulation enclosed switchgear
and controlgear for rated voltages above 1 kV
and up to and including 52 kV**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

This extended version (EXV) of the official IEC Standard provides the user with the full content of the Standard.

IEC 62271-201:2026 EXV includes the content of IEC 62271-201:2026 and the references made to IEC 62271-1:2017+AMD1:2021.

The specific content of IEC 62271-201:2026 is displayed on a blue background.

IEC 62271-201 has been prepared by subcommittee 17C: Assemblies, of IEC technical committee 17: High-voltage switchgear and controlgear. It is an International Standard.

This third edition cancels and replaces the second edition published in 2014. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) aligned with the third edition of IEC 62271-200 published in 2021 and its Amendment 1 published in 2024, for structure, definitions, classifications, ratings and testing procedures, where appropriate;
- b) clause numbering aligned with IEC 62271-1:2017, including the adoption of the subclause names of Clause 3;
- c) in Clause 3 specific terms and definitions are added for "in service", "normal operating condition" and "normal use";
- d) earthing circuit is more precisely described, including ratings and test requirements;
- e) number of mechanical tests on interlocks is reduced for type testing;
- f) forces to apply during type testing are better prescribed (refer to 7.102);
- g) resistance measuring on main circuit is only needed before continuous current tests (as reference for routine tests) and not anymore needed after this continuous current test. Rationale for this deletion is that this measured resistance does not mean anything; as the temperature rise test was just finished, a new temperature rise test will not give new information;
- h) IEC 62271-100:2021 has been taken into account in 7.101.2;
- i) IEC 62271-107:2019 and IEC IEEE 62271-37-013:2021 are also considered in 7.101.2;
- j) LSC category is more precisely described, including an explaining flowchart (Annex G);
- k) examples not covered by the IAC test are transferred from Clause 6 to 9.103;
- l) the term "assembly" is defined in Clause 3 and used as synonym for "solid-insulation enclosed switchgear and controlgear" in this document;
- m) "metallic" is replaced by "metal" where applicable;
- n) a 1 s rule was introduced for Criterion 4 during IAC tests regarding hot gases versus glowing particles as cause of ignition;
- o) internal arc tests for switchgear with protrusions are more precisely described in Annex A;
- p) partitions accessible in normal use are now PA, PB1 or PB2 instead of PI which has been removed (refer to 6.103.3)

The text of this International Standard is based on the following documents:

Draft	Report on voting
17C/980/FDIS	17C/995/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

This document should be read in conjunction with IEC 62271-1:2017 and its Amendment 1:2021, to which it refers and which is applicable, unless otherwise specified. In order to simplify the indication of corresponding requirements, the same numbering of clauses and subclauses is used as in IEC 62271-1. Amendments to these clauses and subclauses are given under the same numbering, whilst additional subclauses are numbered from 101.

The reader's attention is drawn to the fact that Annex C lists all of the "in-some-country" clauses on differing practices of a less permanent nature relating to the subject of this document.

A list of all parts in the IEC 62271 series, published under the general title *High-voltage switchgear and controlgear*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

INTRODUCTION to IEC 62271-1:2017+AMD1:2021

In the preparation of this FDIS draft for the general revision of IEC 62271-1:2007 and IEC 62271-1:2007/AMD1:2011, the maintenance team was motivated by the following principles:

- Application of horizontal standards – such application is mandatory for product standards, (reference IEC Guide 108 [5]). A typical example is the application of IEC 60071 (all parts) dealing with insulation coordination.
- Application of the "principle of verifiability" – as defined in the Directives, Part 2, 5.5 (2016) "...Only those requirements which can be verified shall be included."
- Organizing information in the proper clause, e.g. terms and definitions in Clause 3, rated values in Clause 5. For example, the values of rated continuous current are specified in Clause 5 but the conditions of test and acceptance criteria (e.g. temperature rise limits) are moved to Clause 7.
- Normal service conditions in Clause 4 are unambiguous statements of conditions under which the switchgear and controlgear is expected to operate. For example: "Solar radiation does not exceed a level of 1 000 W/m²" rather than "Solar radiation up to a level of 1 000 W/m² should be considered".
- Ratings in Clause 5 have been limited to reflect the common specifications of the switchgear and controlgear that are specified by the user and are necessary for operation on the user's network. See the last paragraph of 5.1 for addition clarification.
- Statements or informative NOTES that reflect design guides (not requirements) or application (not standard requirements) are either removed or moved to Clause 9.
For example, the following former NOTE contains both a design guide and an application issue, neither of which belongs to normal service conditions:
"Under certain levels of solar radiation, appropriate measures, for example roofing, forced ventilation, test simulating solar gain, etc., may be necessary, or derating may be used, in order not to exceed the specified temperature rises and pressure rise limits".
- Specifications for design and construction in Clause 6 have been limited to requirements that can be verified by test or inspection.
- References to tests and procedures that relate to transportation, installation, commissioning and maintenance have been moved to Clause 11.
- Improve wording to minimize the possibility of miss-interpretation or conflicting interpretations of the specifications, methods or criteria.
- Elimination of hanging paragraphs and actual or potential circular references. Reference to ISO/IEC Directives, Part 2, 22.3.3 (2016).

As a result of the application of these principles or objectives, the FDIS draft includes more revisions that might otherwise be expected.

INTRODUCTION to IEC 62271-201:2026

High-voltage (IEC 60050-601:1985 [1],¹ 601-01-27) switchgear refers to rated voltages above 1 kV. However, medium-voltage is commonly used for distribution systems with rated voltages above 1 kV and generally applied up to and including 52 kV; refer to IEC 60050-601:1985 [1], 601-01-28.

Although primarily dedicated to three-phase systems, this document can also be applied to single-phase and two-phase systems.

Switchgear and controlgear assemblies having a metal enclosure are covered by IEC 62271-200 [2].

Gas-filled medium-voltage designs use to have design pressures below 500 kPa, as mentioned for example in the introduction of EN 50187 [3].

¹ Numbers in square brackets refer to the Bibliography.

1 Scope

This part of IEC 62271 is applicable to prefabricated solid-insulation enclosed switchgear and controlgear assemblies designed for:

- alternating current;
- rated voltages above 1 kV and up to and including 52 kV;
- service frequencies up to and including 60 Hz;
- indoor installation;
- areas limited to authorized personnel.

The assembly can include either air-insulated or fluid-filled compartments, or both.

For components installed in a solid-insulation enclosed switchgear and controlgear, this document supplements or even replaces in some cases, the requirements as stated by the individual product standards.

The list of components which can be inside the solid-insulation enclosed switchgear and controlgear is not limited to the ones explicitly cited in this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60038:2009, *IEC standard voltages*

IEC 60050-131:2002, *International Electrotechnical Vocabulary (IEV) – Part 131: Circuit theory*

IEC 60050-151, *International Electrotechnical Vocabulary (IEV) - Part 151: Electrical and magnetic devices*

IEC 60050-192:2015, *International Electrotechnical Vocabulary (IEV) – Part 192: Dependability*

IEC 60050-351, *International Electrotechnical Vocabulary (IEV) – Part 351: Control technology*

IEC 60050-441, *International Electrotechnical Vocabulary (IEV) - Part 441: Switchgear, controlgear and fuses*

IEC 60050-551, *International Electrotechnical Vocabulary (IEV) – Part 551: Power electronics*

IEC 60050-581:2008, *International Electrotechnical Vocabulary (IEV) – Part 581: Electromechanical components for electronic equipment*

IEC 60050-601, *International Electrotechnical Vocabulary (IEV) – Chapter 601: Generation, transmission and distribution of electricity – General*

IEC 60050-605, *International Electrotechnical Vocabulary (IEV) – Chapter 605: Generation, transmission and distribution of electricity – Substations*

IEC 60050-614:2016, *International Electrotechnical Vocabulary (IEV) – Part 614: Generation, transmission and distribution of electricity – Operation*

IEC 60050-811, *International Electrotechnical Vocabulary (IEV) – Part 811: Electric traction*

IEC 60050-826:2004, *International Electrotechnical Vocabulary (IEV) – Part 826: Electrical installations*

IEC 60060-1:2025, *High-voltage test techniques - Part 1: General terminology and test requirements*

IEC 60068-2-1:2007, *Environmental testing – Part 2-1: Tests – Test A: Cold*

IEC 60068-2-2:2007, *Environmental testing – Part 2-2: Tests – Test B: Dry heat*

IEC 60068-2-30:2005, *Environmental testing – Part 2-30: Tests – Test Db: Damp heat, cyclic (12 h + 12 h cycle)*

IEC 60071-1:2006, *Insulation co-ordination – Part 1: Definitions, principles and rules*
IEC 60071-1:2006/AMD1:2010

IEC 60071-2:1996, *Insulation co-ordination – Part 2: Application guide*

IEC 60085:2007, *Electrical insulation – Thermal evaluation and designation*

IEC 60255-21-1:1988, *Electrical relays – Part 21: Vibration, shock, bump and seismic tests on measuring relays and protection equipment – Section One: Vibration tests (sinusoidal)*

IEC 60270, *High-voltage test techniques - Partial discharge measurements*

IEC 60296, *Fluids for electrotechnical applications – Unused mineral insulating oils for transformers and switchgear*

IEC 60376, *Specification of technical grade sulphur hexafluoride (SF₆) for use in electrical equipment*

IEC 60480, *Guidelines for the checking and treatment of sulphur hexafluoride (SF₆) taken from electrical equipment and specification for its re-use*

IEC 60507, *Artificial pollution tests on high-voltage ceramic and glass insulators to be used on a.c. systems*

IEC 60512-2-2, *Connectors for electronic equipment – Tests and measurements – Part 2-2: Electrical continuity and contact resistance tests – Test 2b: Contact resistance – Specified test current method*

IEC 60529:1989, *Degrees of protection provided by enclosures (IP Code)*
IEC 60529:1989/AMD1:1999
IEC 60529:1989/AMD2:2013

IEC TS 60815-1:2008, *Selection and dimensioning of high-voltage insulators intended for use in polluted conditions – Part 1: Definitions, information and general principles*

IEC TS 60815-2:2008, *Selection and dimensioning of high-voltage insulators intended for use in polluted conditions – Part 2: Ceramic and glass insulators for a.c. systems*

IEC TS 60815-3:2008, *Selection and dimensioning of high-voltage insulators intended for use in polluted conditions – Part 3: Polymer insulators for a.c. systems*

IEC 61000-4-4, *Electromagnetic compatibility (EMC) – Part 4-4: Testing and measurement techniques – Electrical fast transient/burst immunity test*

IEC 61000-4-11, *Electromagnetic compatibility (EMC) – Part 4-11: Testing and measurement techniques – Voltage dips, short interruptions and voltage variations immunity tests*

IEC 61000-4-17:2009, *Electromagnetic compatibility (EMC) – Part 4-17: Testing and measurement techniques – Ripple on d.c. input power port immunity test*

IEC 61000-4-18, *Electromagnetic compatibility (EMC) – Part 4-18: Testing and measurement techniques – Damped oscillatory wave immunity test*

IEC 61000-4-29, *Electromagnetic compatibility (EMC) – Part 4-29: Testing and measurement techniques – Voltage dips, short interruptions and voltage variations on d.c. input power port immunity tests*

IEC 61000-6-2, *Electromagnetic compatibility (EMC) – Part 6-2: Generic standards – Immunity for industrial environments*

IEC 61000-6-5, *Electromagnetic compatibility (EMC) – Part 6-5: Generic standards – Immunity for equipment used in power station and substation environment*

IEC 61180, *High-voltage test techniques for low-voltage equipment – Definitions, test and procedure requirements, test equipment*

IEC 61810-7:2006, *Electromechanical elementary relays – Part 7: Test and measurement procedures*

IEC 62262:2002, *Degrees of protection provided by enclosures for electrical equipment against external mechanical impacts (IK code)*

IEC 62271-1:2017, *High-voltage switchgear and controlgear - Part 1: Common specifications for alternating current switchgear and controlgear*
IEC 62271-1:2017/AMD1:2021

IEC 62271-4, *High-voltage switchgear and controlgear – Part 4: Handling procedures for sulphur hexafluoride (SF₆) and its mixtures*

IEC 62271-100:2021, *High-voltage switchgear and controlgear – Part 100: Alternating-current circuit-breakers*
IEC 62271-100:2021/AMD1:2024

IEC 62271-102:2018, *High-voltage switchgear and controlgear – Part 102: Alternating current disconnectors and earthing switches*
IEC 62271-102:2018/AMD1:2022

IEC 62271-103:2021, *High-voltage switchgear and controlgear - Part 103: Alternating current switches for rated voltages above 1 kV up to and including 52 kV*

IEC 62271-105:2021, *High-voltage switchgear and controlgear - Part 105: Alternating current switch-fuse combinations for rated voltages above 1 kV up to and including 52 kV*

IEC 62271-106:2021, *High-voltage switchgear and controlgear - Part 106: Alternating current contactors, contactor-based controllers and motor-starters*

IEC 62271-107:2019, *High-voltage switchgear and controlgear - Part 107: Alternating current fused circuit-switchers for rated voltages above 1 kV up to and including 52 kV*

CISPR 11:2015, *Industrial, scientific and medical equipment – Radio-frequency disturbance characteristics – Limits and methods of measurement*

CISPR TR 18-2, *Radio interference characteristics of overhead power lines and high-voltage equipment – Part 2: Methods of measurement and procedure for determining limits*

IEC/IEEE 62271-37-013:2021, *High-voltage switchgear and controlgear - Part 37-013: Alternating current generator circuit-breakers*

ISO 4126-2, *Safety devices for protection against excessive pressure - Part 2: Bursting disc safety devices*

Bibliography

- [1] IEC 60447, *Basic and safety principles for man-machine interface, marking and identification – Actuating principles*
- [2] IEC TR 60943:1998, *Guidance concerning the permissible temperature rise for parts of electrical equipment, in particular for terminals*
IEC TR 60943:1998/AMD1:2008
- [3] IEC Guide 117, *Electrotechnical equipment – Temperatures of touchable hot surfaces*
- [4] IEC TR 62271-306, *High-voltage switchgear and controlgear – Part 306: Guide to IEC 62271-100, IEC 62271-1 and other IEC standards related to alternating current circuit-breakers*
- [5] IEC Guide 108, *Guidelines for ensuring the coherency of IEC publications – Application of horizontal standards*
- [6] IEC 60721-2-4, *Classification of environmental conditions – Part 2-4: Environmental conditions appearing in nature – Solar radiation and temperature*
- [7] IEEE 693, *IEEE Recommended practice for seismic design of substations*
- [8] IEC 60721-2-2, *Classification of environmental conditions – Part 2-2: Environmental conditions appearing in nature – Precipitation and wind*
- [9] IEC 60721-3-3, *Classification of environmental conditions – Part 3-3: Classification of groups of environmental parameters and their severities – Stationary use at weatherprotected locations*
- [10] IEC 60721-3-4, *Classification of environmental conditions – Part 3-4: Classification of groups of environmental parameters and their severities – Stationary use at non-weatherprotected locations*
- [11] IEC 60664-1, *Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests*
- [12] IEC TS 62271-304, *High voltage switchgear and controlgear – Part 304: Design classes for indoor enclosed switchgear and controlgear for rated voltages above 1 kV up to and including 52 kV to be used in severe climatic conditions*
- [13] IEC TR 62271-300, *High-voltage switchgear and controlgear – Part 300: Seismic qualification of alternating current circuit-breakers*
- [14] IEC 62271-207, *High-voltage switchgear and controlgear – Part 207: Seismic qualification for gas-insulated assemblies for rated voltages above 52 kV*
- [15] IEC TS 62271-210, *High-voltage switchgear and controlgear – Part 210: Seismic qualification for metal enclosed and solid-insulation enclosed switchgear and controlgear assemblies for rated voltages above 1 kV and up to and including 52 kV*
- [16] IEEE 693, *IEEE Recommended practice for seismic design of substations*
- [17] IEEE C37.81, *IEEE Guide for seismic qualification of class 1E Metal-Enclosed Power Switchgear Assemblies*

- [18] IEC 60721-1, *Classification of environmental conditions – Part 1: Environmental parameters and their severities*
- [19] IEC 60721-2 (all parts), *Classification of environmental conditions – Part 2: Environmental conditions appearing in nature*
- [20] IEC 60721-3 (all parts), *Classification of environmental conditions – Part 3: Classification of groups of environmental parameters and their severities*
- [21] IEEE C37.04, *IEEE Standard Rating Structure for AC High-Voltage Circuit Breakers*
- [22] IEC 61936-1:2010, *Power installations exceeding 1 kV a.c. – Part 1: Common rules*
IEC 61936-1:2010/AMD1:2014
- [23] IEC 61850 (all parts), *Communication networks and systems for power utility automation*
- [24] IEC 62271-3:2015, *High-voltage switchgear and controlgear – Part 3: Digital interfaces based on IEC 61850*
- [25] IEC 60073, *Basic and safety principles for man-machine interface, marking and identification – Coding principles for indicators and actuators*
- [26] IEC 60417, *Graphical symbols for use on equipment* (available at <http://www.graphical-symbols.info/equipment>)
- [27] IEC 60617, *Graphical symbols for diagrams* (available at <http://std.iec.ch/iec60617>)
- [28] CIGRE Technical Brochure 430, *SF₆ Tightness Guide*
- [29] IEC 60695-1 (all parts), *Fire hazard testing – Part 1: Guidance for assessing the fire hazard of electrotechnical products*
- [30] IEC 60695-7 (all parts), *Fire hazard testing – Part 7: Toxicity of fire effluent*
- [31] IEC 60068-2-17:1994, *Basic environmental testing procedures – Part 2-17: Tests – Test Q: Sealing*
- [32] CISPR 16-1 (all parts), *Specification for radio disturbance and immunity measuring apparatus and methods – Part 1: Radio disturbance and immunity measuring apparatus*
- [33] IEC 60909-0, *Short-circuit currents in three-phase a.c. systems – Part 0: Calculation of currents*
- [34] IEC TR 60909-1, *Short-circuit currents in three-phase a.c. systems – Part 1: Factors for the calculations of short-circuit currents according to IEC 60909-0*
- [35] IEEE C37.122.5, *IEEE Guide for Moisture Measurement and Control in SF₆ Gas-Insulated Equipment*
- [36] IEC 60227 (all parts), *Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V*
- [37] IEC 60228, *Conductors of insulated cables*

- [38] IEC 60245 (all parts), *Rubber insulated cables – Rated voltages up to and including 450/750 V*
- [39] IEC 60445, *Basic and safety principles for man-machine interface, marking and identification – Identification of equipment terminals, conductor terminations and conductors*
- [40] IEC 60947-7-1, *Low-voltage switchgear and controlgear – Part 7-1: Ancillary equipment – Terminal blocks for copper conductors*
- [41] IEC 60947-7-2, *Low-voltage switchgear and controlgear – Part 7-2: Ancillary equipment – Protective conductor terminal blocks for copper conductors*
- [42] IEC 61810 (all parts), *Electromechanical elementary relays*
- [43] IEC 61810-1, *Electromechanical elementary relays – Part 1: General and safety requirements*
- [44] IEC 61810-2, *Electromechanical elementary relays – Part 2: Reliability*
- [45] IEC 60947-4-1, *Low-voltage switchgear and controlgear – Part 4-1: Contactors and motor-starters – Electromechanical contactors and motor-starters*
- [46] IEC 60947-2, *Low-voltage switchgear and controlgear – Part 2: Circuit-breakers*
- [47] IEC 60947-4-2, *Low-voltage switchgear and controlgear – Part 4-2: Contactors and motor-starters – AC semiconductor motor controllers and starters*
- [48] IEC 60947-3, *Low-voltage switchgear and controlgear – Part 3: Switches, disconnectors, switch-disconnectors and fuse-combination units*
- [49] IEC 60947-5-1, *Low-voltage switchgear and controlgear – Part 5-1: Control circuit devices and switching elements – Electromechanical control circuit devices*
- [50] IEC 60730-2-13, *Automatic electrical controls for household and similar use – Part 2-13: Particular requirements for humidity sensing controls*
- [51] IEC 60669-1, *Switches for household and similar fixed-electrical installations – Part 1: General requirements*
- [52] IEC 60730-2-9, *Automatic electrical controls – Part 2-9: Particular requirements for temperature sensing control*
- [53] IEC 61020-1, *Electromechanical switches for use in electrical and electronic equipment – Part 1: Generic specification*
- [54] IEC 60269-1, *Low-voltage fuses – Part 1: General requirements*
- [55] IEC 60269-2, *Low-voltage fuses – Part 2: Supplementary requirements for fuses for use by authorized persons (fuses mainly for industrial application) – Examples of standardized systems of fuses A to K*
- [56] IEC 60034-1, *Rotating electrical machines – Part 1: Rating and performance*
- [57] IEC 60051-1, *Direct acting indicating analogue electrical measuring instruments and their accessories – Part 1: Definitions and general requirements common to all parts*

- [58] IEC 60051-2, *Direct acting indicating analogue electrical measuring instruments and their accessories – Part 2: Special requirements for ammeters and voltmeters*
- [59] IEC 60051-4, *Direct acting indicating analogue electrical measuring instruments and their accessories – Part 4: Special requirements for frequency meters*
- [60] IEC 60051-5, *Direct acting indicating analogue electrical measuring instruments and their accessories – Part 5: Special requirements for phase meters, power factor meters and synchrosopes*
- [61] IEC 60309-1, *Plugs, socket-outlets and couplers for industrial purposes – Part 1: General requirements*
- [62] IEC 60309-2, *Plugs, socket-outlets and couplers for industrial purposes – Part 2: Dimensional interchangeability requirements for pin and contact-tube accessories*
- [63] IEC TR 60083, *Plugs and socket-outlets for domestic and similar general use standardized in member countries of IEC*
- [64] IEC 60130 (all parts), *Connectors for frequencies below 3 MHz*
- [65] IEC 62326-1, *Printed boards – Part 1: Generic specification*
- [66] IEC 60393-1, *Potentiometers for use in electronic equipment – Part 1: Generic specification*
- [67] IEC 60115-4 (all parts), *Fixed resistors for use in electronic equipment – Part 4: Sectional specification: Fixed power resistors*
- [68] IEC 60081, *Double-capped fluorescent lamps – Performance specifications*
- [69] IEC 60064, *Tungsten filament lamps for domestic and similar general lighting purposes – Performance requirements*
- [70] IEC TR 62063, *High-voltage switchgear and controlgear – The use of electronic and associated technologies in auxiliary equipment of switchgear and controlgear*
- [71] IEC TR 60816:1984, *Guide on methods of measurement of short duration transients on low-voltage power and signal lines*
- [72] IEC TR 62271-307, *High-voltage switchgear and controlgear – Part 307: Guidance for the extension of validity of type tests of AC metal and solid-insulation enclosed switchgear and controlgear for rated voltages above 1 kV and up to and including 52 kV*
- [73] IEEE C37.100.1, *IEEE Standard of Common Requirements for High Voltage Power Switchgear Rated Above 1000 V*
- [74] IEC 60059, *IEC standard current ratings*
- [75] IEC 60068-2 (all parts), *Environmental testing – Part 2: Tests*
- [1] IEC 60050-601:1985, *International Electrotechnical Vocabulary (IEV) - Part 601: Generation, transmission and distribution of electricity - General*

- [2] IEC 62271-200:2021, *High-voltage switchgear and controlgear - Part 200: AC metal-enclosed switchgear and controlgear for rated voltages above 1 kV and up to and including 52 kV*
IEC 62271-200:2021/AMD1:2024
- [3] EN 50187, *Gas-filled compartments for AC assembly for rated voltages above 1 kV and up to and including 52 kV*
- [4] IEC TS 62271-304:2019, *High-voltage assembly - Part 304: Classification of indoor enclosed assembly for rated voltages above 1 kV up to and including 52 kV related to the use in special service conditions with respect to condensation and pollution*
- [5] IEEE 400.2, *IEEE Guide for Field Testing of Shielded Power Cable Systems Using Very Low Frequency (VLF) (less than 1 Hz)*
- [6] IEEE C37.20.7:2017, *IEEE Guide for Testing Switchgear Rated Up to 52 kV for Internal Arcing Faults*
- [7] IEC 60059:1999, *IEC standard current ratings*
IEC 60059:1999/AMD1:2009
- [8] IEC 62271-4, *High-voltage switchgear and controlgear - Part 4: Handling procedures for gases for insulation and/or switching.*
- [9] IEC 60724:2000, *Short-circuit temperature limits of electric cables with rated voltages of 1 kV ($U_m = 1,2$ kV) and 3 kV ($U_m = 3,6$ kV)*
IEC 60724:2000/AMD1:2008
- [10] [10] IEC 62271-213, *High-voltage switchgear and controlgear - Part 213: Voltage detecting and indicating system*
- [11] IEC 62271-215, *High-voltage switchgear and controlgear - Part 215: Phase comparator used with VDIS*
- [12] IEC 60243-1:2013, *Electrical strength of insulating materials - Test methods - Part 1: Tests at power frequencies*
- [13] IEC TR 62271-307, *High voltage switchgear and controlgear - Part 307: Guidance for the extension of validity of type tests of AC metal and solid-insulation enclosed switchgear and controlgear for rated voltages above 1 kV and up to and including 52 kV*
- [14] IEC 61936-1:2021, *Power installations exceeding 1 kV AC and 1,5 kV DC - Part 1: AC*
- [15] IEC 60909-0:2016, *Short-circuit currents in three-phase AC systems - Part 0: Calculation of currents*
- [16] ISO/IEC Guide 51:2014, *Safety aspects - Guidelines for their inclusion in standards*
- [17] Cigré Technical Brochure 686, *Mitigating the Effects of Arcs in M.V. Switchgear*, ISBN 978-2-85873-389-7
- [18] IEC 60507:2013, *Artificial pollution tests on high-voltage ceramic and glass insulators to be used on a.c. systems*

- [19] IEC 60050-195:2021, *International Electrotechnical Vocabulary (IEV) - Part 195: Earthing and protection against electric shock*
 - [20] IEC 60050 (all parts), *International Electrotechnical Vocabulary (IEV)* (available at www.electropedia.org)
-