

TECHNICAL REPORT

CONSOLIDATED VERSION

**Electromagnetic compatibility (EMC) -
Part 1-9: General - Evaluation of uncertainty for the measurement of harmonic
current emissions**

CONTENTS

FOREWORD	3
INTRODUCTION	5
1 Scope	6
2 Normative references	6
3 Terms and definitions	6
4 Uncertainty evaluation for harmonic emissions tests in IEC 61000-3-2 and IEC 61000-3-12	7
4.1 Methodology	7
4.2 Measurement model	7
4.3 Uncertainty components for worst-case scenario	9
4.3.1 Method	9
4.3.2 Current measurement equipment	9
4.3.3 Input impedance of the current measurement equipment	9
4.3.4 Test voltage RMS value	10
4.3.5 Harmonic distortion of the test voltage	10
4.3.6 Loading effect of the voltmeter	11
4.4 Uncertainty budget for Class A harmonic 5	11
5 Uncertainty budget for typical measurement data	12
5.1 General	12
5.2 Current measurement equipment	12
5.3 Input impedance of the measurement equipment	13
5.4 Test voltage RMS value	14
5.5 Harmonic distortion of the test voltage	14
5.6 Loading effect of the voltmeter	14
6 Measurement uncertainty supporting conformity decisions	15
Annex A (informative) Worst-case uncertainty budgets for various EUT classes of tests and selected harmonics	16
Annex B (informative) Worst case uncertainty budgets for equipment with input current > 16 A and ≤ 75 A per phase	23
Bibliography	27
Figure 1 – Measurement circuit for single-phase equipment	8
Table 1 – Worst-case uncertainty budget for Class A, Harmonic 5	11
Table A.1 – Worst-case uncertainty budget for Class A, Harmonic 5	16
Table A.2 – Worst-case uncertainty budget for Class A, Harmonic 6	17
Table A.3 – Worst-case uncertainty budget for Class A, Harmonic 15	17
Table A.4 – Worst-case uncertainty budget for Class A, Harmonic 40	18
Table A.5 – Worst-case uncertainty budget for Class C, Harmonic 3	18
Table A.6 – Worst-case uncertainty budget for Class C, Harmonic 5	19
Table A.7 – Worst-case uncertainty budget for Class C, Harmonic 11	20
Table A.8 – Worst-case uncertainty budget for Class D, Harmonic 3	21
Table A.9 – Worst-case uncertainty budget for Class D, Harmonic 11	22
Table B.1 – Worst case uncertainty budget for equipment other than balanced three-phase equipment, harmonic 5, $R_{sce} = 33$	23

Table B.2 – Worst case uncertainty budget for equipment other than balanced three-phase equipment, harmonic 5, $R_{Sce} = 350$	24
Table B.3 – Worst case uncertainty budget for equipment other than balanced three-phase equipment, harmonic 6, $R_{Sce} = 33$	24
Table B.4 – Worst case uncertainty budget for equipment other than balanced three-phase equipment, harmonic 13, $R_{Sce} = 33$	25
Table B.5 – Worst case uncertainty budget for balanced three-phase equipment, harmonic 5, $R_{Sce} = 33$	25
Table B.6 – Worst case uncertainty budget for balanced three-phase equipment under specified conditions, harmonic 33, $R_{Sce} = 33$	26

INTERNATIONAL ELECTROTECHNICAL COMMISSION

Electromagnetic compatibility (EMC) - Part 1-9: General - Evaluation of uncertainty for the measurement of harmonic current emissions

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch> [and/or] www.iso.org/patents. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC TR 61000-1-9 edition 1.1 contains the first edition (2024-03) [documents 77A/1194/DTR and 77A/1204/RVDTR] and its amendment 1 (2026-07) [documents 77A/1281/DTR and 77A/1287/RVDTR].

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

IEC TR 61000-1-9 has been prepared by subcommittee 77A: EMC - Low frequency phenomena, of IEC technical committee 77: Electromagnetic compatibility. It is a Technical Report.

The text of this Technical Report is based on the following documents:

Draft	Report on voting
77A/1194/DTR	77A/1204/RVDTR

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Report is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 61000 series, published under the general title *Electromagnetic compatibility (EMC)*, can be found on the IEC website.

This document contains attached files in the form of a spreadsheet. These files are intended to be used as a complement and do not form an integral part of the document.

The committee has decided that the contents of this document and its amendment will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

INTRODUCTION

IEC 61000 is published in separate parts, according to the following structure:

Part 1: General

General considerations (introduction, fundamental principles)

Definitions, terminology

Part 2: Environment

Description levels

Classification of the environment

Compatibility levels

Part 3: Limits

Emission limits

Immunity limits (in so far as they do not fall under the responsibility of the product committees)

Part 4: Testing and measurement techniques

Measurement techniques

Testing techniques

Part 5: Installation and mitigation guidelines

Installation guidelines

Mitigation methods and devices

Part 6: Generic standards

Part 9: Miscellaneous

Each part is further subdivided into several parts, published either as international standards or as technical specifications or technical reports, some of which have already been published as sections. Others will be published with the part number followed by a dash and a second number identifying the subdivision (example: IEC 61000-6-1).

The purpose of this document is to help testing laboratories that operate in accordance with ISO/IEC 17025 to evaluate measurement uncertainty of harmonic current emission tests for IEC 61000-3-2 and IEC 61000-3-12.

The document contains practical formulae that enable uncertainty calculations in accordance with ISO/IEC Guide 98-3 (GUM).

The tables in this document provide examples relating to a worst-case scenario when the measurement equipment introduces maximum permissible errors, as specified in IEC 61000-4-7 and IEC 61000-3-2 and the combination of fundamental and harmonic currents drawn by the equipment under test (EUT) is least favourable.

Furthermore the detailed formulae, linking the uncertainty contribution with the corresponding source of uncertainty, allow the user of the document to calculate measurement uncertainties based on their own measurement data. Typically, these uncertainties would be significantly lower than the worst-case uncertainties.

1 Scope

This document provides examples for the evaluation of measurement uncertainty of harmonic emission tests performed using IEC 61000-3-2 and IEC 61000-3-12, and their application to the relevant conformity decisions. It also contains practical formulae to enable calculations in accordance with ISO/IEC Guide 98-3 (GUM).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61000-3-2:2018, *Electromagnetic compatibility (EMC) – Part 3-2: Limits – Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)*
IEC 61000-3-2:2018/AMD1:2020

IEC 61000-3-12:2011, *Electromagnetic compatibility (EMC) - Part 3-12: Limits - Limits for harmonic currents produced by equipment connected to public low-voltage systems with input current >16 A and ≤ 75 A per phase*
IEC 61000-3-12:2011/AMD1:2021

IEC 61000-4-7:2002, *Electromagnetic compatibility (EMC) – Part 4-7: Testing and measurement techniques – General guide on harmonics and interharmonics measurements and instrumentation, for power supply systems and equipment connected thereto*
IEC 61000-4-7:2002/AMD1:2008

IEC GUIDE 115:2023, *Application of uncertainty of measurement to conformity assessment activities in the electrotechnical sector*

ISO/IEC 17025:2017, *General requirements for the competence of testing and calibration laboratories*

ISO/IEC GUIDE 98-3, *Uncertainty of measurement – Part 3: Guide to the expression of uncertainty in measurement (GUM:1995)*

ISO/IEC GUIDE 99, *International vocabulary of metrology – Basic and general concepts and associated terms (VIM)*

JCGM 106:2012, *Evaluation of measurement data – The role of measurement uncertainty in conformity assessment*

Bibliography

ISO/IEC GUIDE 99:2007, *International vocabulary of metrology – Basic and general concepts and associated terms (VIM)*

ISO/IEC GUIDE 98-4:2012, *Uncertainty of measurement – Part 4: Role of measurement uncertainty in conformity assessment*
