



IEC TS 60079-32-1

Edition 1.1 2017-03
CONSOLIDATED VERSION

TECHNICAL SPECIFICATION



**Explosive atmospheres –
Part 32-1: Electrostatic hazards, guidance**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 29.260.20

ISBN 978-2-8322-4121-9

Warning! Make sure that you obtained this publication from an authorized distributor.



IEC TS 60079-32-1

Edition 1.1 2017-03
CONSOLIDATED VERSION

REDLINE VERSION



**Explosive atmospheres –
Part 32-1: Electrostatic hazards, guidance**



CONTENTS

FOREWORD.....	11
INTRODUCTION.....	13
1 Scope.....	14
2 Normative references	14
3 Terms and definitions	17
4 Nomenclature	20
5 General	21
6 Static electricity in solid materials.....	22
6.1 General considerations	22
6.2 The use of conductive or dissipative materials in place of insulating ones	24
6.2.1 General considerations	24
6.2.2 Dissipative solid materials	24
6.2.3 Earthing of conductive and dissipative items.....	25
6.3 Precautions required when using insulating solid materials	26
6.3.1 General	26
6.3.2 Restrictions on the size of chargeable insulating surfaces	27
6.3.3 Earthed metal meshes	28
6.3.4 Insulating coatings on earthed conductive surfaces	28
6.3.5 Conductive or dissipative coatings on insulating materials	29
6.3.6 Static dissipative agents	30
6.3.7 Humidification.....	30
6.3.8 Ionisation / Charge Neutralisation.....	30
6.3.9 Methods to determine the incendivity of discharges	31
6.4 Conveyor belts and transmission belts	32
6.4.1 General	32
6.4.2 Conveyor belts	32
6.4.3 Transmission belts.....	33
7 Static electricity in liquids	34
7.1 General considerations	34
7.1.1 Occurrence of flammable atmospheres	34
7.1.2 Ignition sensitivity and limitations to the scope of advice.....	35
7.1.3 Charging mechanisms	36
7.1.4 Charge accumulation and conductivity classifications	36
7.1.5 Incendive discharges produced during liquid handling operations	37
7.2 Summary of precautions against ignition hazards during liquid handling operations.....	38
7.2.1 Earthing and avoidance of isolated conductors	38
7.2.2 Restricting charge generation	38
7.2.3 Avoidance of a flammable atmosphere	39
7.2.4 Promoting charge dissipation.....	39
7.3 Tanks and Containers	39
7.3.1 General	39
7.3.2 Conductive tanks and containers	40
7.3.3 Tanks and containers made entirely of dissipative material.....	53
7.3.4 Tanks and containers with insulating surfaces	53

7.3.5	Use of liners in containers	57
7.4	High viscosity liquids.....	58
7.5	High charging equipment	58
7.5.1	Filters, water separators and strainers	58
7.5.2	Pumps and other equipment	59
7.6	Gauging and sampling in tanks	60
7.6.1	General	60
7.6.2	Precautions during gauging and sampling.....	60
7.7	Pipes and hose assemblies for liquids.....	61
7.7.1	General	61
7.7.2	Pipes	61
7.7.3	Hoses and hose assemblies	64
7.8	Special filling procedures	70
7.8.1	Aircraft fuelling	70
7.8.2	Road tanker deliveries	71
7.8.3	Retail filling stations	72
7.8.4	Mobile or temporary liquid handling equipment	76
7.9	Plant processes (blending, stirring, mixing, crystallisation and stirred reactors)	76
7.9.1	General	76
7.9.2	Earthing.....	76
7.9.3	In-line blending	76
7.9.4	Blending in vessels or tanks	77
7.9.5	Jet mixing	77
7.9.6	High speed mixing	78
7.10	Spraying liquids and tank cleaning	78
7.10.1	General	78
7.10.2	Tank cleaning with low or medium pressure water jets (up to about 12 bar).....	78
7.10.3	Tank cleaning with low conductivity liquids	79
7.10.4	Tank cleaning with high pressure water or solvent jets (above 12 bar).....	79
7.10.5	Steam cleaning tanks	79
7.10.6	Water deluge systems	80
7.11	Glass systems	80
7.11.1	General	80
7.11.2	Precautions to be taken for low conductivity liquids	80
8	Static electricity in gases	81
8.1	General.....	81
8.2	Grit blasting	81
8.3	Fire extinguishers	82
8.4	Inerting	82
8.5	Steam cleaning	82
8.6	Accidental leakage of compressed gas	82
8.7	Spraying of flammable paints and powders	83
8.7.1	General	83
8.7.2	Earthing.....	83
8.7.3	Plastic spray cabinets	83
8.8	Vacuum cleaners, fixed and mobile	83

8.8.1	General	83
8.8.2	Fixed systems.....	83
8.8.3	Portable systems	84
8.8.4	Vacuum trucks.....	84
9	Static electricity in powders	84
9.1	General.....	84
9.2	Discharges, occurrence and incendivity	85
9.3	Procedural measures	86
9.3.1	General	86
9.3.2	Humidification.....	86
9.3.3	Hoses for pneumatic transfer	86
9.3.4	Ionisation.....	86
9.4	Bulk materials in the absence of flammable gases and vapours	87
9.4.1	General	87
9.4.2	Equipment and objects made of conductive or dissipative materials.....	87
9.4.3	Equipment and objects made of insulating materials	87
9.4.4	Dust separators	88
9.4.5	Silos and Containers.....	88
9.5	Additional requirements for bulk material in the presence of flammable gases and vapours.....	94
9.5.1	General	94
9.5.2	Measures for resistivity greater equal 100 MΩ m	94
9.5.3	Measures for resistivity less than 100 MΩ m	94
9.5.4	Filling of bulk material into a container	95
9.6	Flexible intermediate bulk containers (FIBC).....	96
9.6.1	General	96
9.6.2	Additional precautions when using FIBC	98
10	Static electricity when handling explosives and electro-explosive devices.....	99
10.1	Explosives manufacture, handling and storage.....	99
10.1.1	General	99
10.1.2	First degree protection.....	99
10.1.3	Intermediate protection	99
10.1.4	Second degree protection	99
10.2	Handling of electro-explosive devices	100
10.2.1	General	100
10.2.2	Earthing.....	100
10.2.3	Precautions during storage and issue	101
10.2.4	Precautions during preparation for use	101
11	Static electricity on people.....	101
11.1	General considerations	101
11.2	Static dissipative floors	102
11.3	Dissipative and conductive footwear	102
11.4	Supplementary devices for earthing of people	103
11.5	Clothing	103
11.6	Gloves	105
11.7	Other Items.....	105
12	Electrostatic shock	105
12.1	Introduction.....	105

12.2	Discharges relevant to electrostatic shocks.....	106
12.3	Sources of electrostatic shock.....	106
12.4	Precautions to avoid electrostatic shocks.....	107
12.4.1	Sources of electrostatic shocks.....	107
12.4.2	Reported shocks from equipment or processes.....	107
12.4.3	Shocks as a result of people being charged.....	107
12.5	Precautions in special cases.....	108
12.5.1	Pneumatic conveying.....	108
12.5.2	Vacuum cleaners.....	108
12.5.3	Reels of charged film or sheet.....	108
12.5.4	Fire extinguishers.....	109
13	Earthing and bonding.....	109
13.1	General.....	109
13.2	Criteria for the dissipation of static electricity from a conductor.....	110
13.2.1	Basic considerations.....	110
13.2.2	Practical criteria.....	110
13.3	Earthing requirements in practical systems.....	112
13.3.1	All-metal systems.....	112
13.3.2	Metal plant with insulating parts.....	113
13.3.3	Insulating materials.....	114
13.3.4	Conductive and dissipative materials.....	115
13.3.5	Earthing via intrinsic safety circuits.....	115
13.3.6	Earthing of ships.....	115
13.4	The establishment and monitoring of earthing systems.....	115
13.4.1	Design.....	115
13.4.2	Monitoring.....	116
14	Special requirements for equipment according to IEC 60079-0.....	116
14.1	General.....	116
14.2	Electrostatic charges on external non-metallic materials.....	117
14.2.1	Applicability.....	117
14.2.2	Avoidance of a build-up of electrostatic charge on Group I or Group II electrical equipment.....	117
14.2.3	Avoidance of a build-up of electrostatic charge on equipment for Group III.....	120
14.3	Electrostatic charges on external conductive parts.....	120
Annex A (informative)	Fundamentals of static electricity.....	121
A.1	Electrostatic charging.....	121
A.1.1	Introduction.....	121
A.1.2	Contact charging.....	121
A.1.3	Contact charging of liquids.....	121
A.1.4	Charge generation on liquids flowing in pipes.....	122
A.1.5	Charge generation in filters.....	125
A.1.6	Charge generation during stirring and mixing of liquids.....	125
A.1.7	Settling potentials.....	125
A.1.8	Breakup of liquid jets.....	125
A.1.9	Contact charging of powders.....	125
A.1.10	Charging by induction.....	126
A.1.11	Charge transfer by conduction.....	126
A.1.12	Charging by corona discharge.....	126

A.2	Accumulation of electrostatic charge	126
A.2.1	General	126
A.2.2	Charge accumulation on liquids	127
A.2.3	Charge accumulation on powders	128
A.3	Electrostatic discharges	129
A.3.1	Introduction	129
A.3.2	Sparks	129
A.3.3	Corona	130
A.3.4	Brush discharges	130
A.3.5	Propagating brush discharges.....	131
A.3.6	Lightning like discharges	131
A.3.7	Cone discharges.....	132
A.4	Measurements for risk assessment	132
Annex B (informative)	Electrostatic discharges in specific situations	134
B.1	Incendive discharges involving insulating solid materials	134
B.1.1	General	134
B.1.2	Sparks from isolated conductors.....	134
B.1.3	Brush discharges from insulating solid materials.....	134
B.1.4	Propagating brush discharges from insulating solid materials	134
B.2	Incendive discharges produced during liquid handling.....	135
B.2.1	General	135
B.2.2	Calculated maximum safe flow velocities for filling medium-sized vertical axis storage tanks	135
B.3	Incendive discharges produced during powder handling and storage	137
B.3.1	General	137
B.3.2	Discharges from bulk powder.....	137
B.3.3	Discharges from powder clouds	137
B.3.4	Discharges involving insulating containers and people.....	137
B.3.5	The use of liners in powder processes	137
B.3.6	Spark discharges in powder processes	138
B.3.7	Brush discharges in powder processes	138
B.3.8	Corona discharges in powder processes.....	138
B.3.9	Propagating brush discharges in powder processes.....	138
Annex C (informative)	Flammability properties of substances.....	140
C.1	General.....	140
C.2	Effect of oxygen concentration and ambient conditions	140
C.3	Explosive limits for gases and liquids.....	140
C.4	Inerting	140
C.5	Flash point.....	141
C.6	Minimum ignition energies.....	141
C.7	Combustible powders.....	144
C.8	Biofuels.....	144
Annex D (informative)	Classification of hazardous areas.....	145
D.1	Concept of zoning	145
D.2	Classification	145
D.3	Explosion groups	145
D.3.1	General	145
D.3.2	Group I	145
D.3.3	Group II	146

D.3.4	Group III	146
Annex E (informative)	Classification of equipment protection level	147
Annex F (informative)	Flow chart for a systematic electrostatic evaluation	148
Annex G (informative)	Tests	150
G.1	General	150
G.2	Surface resistance	150
G.2.1	General	150
G.2.2	Principle	150
G.2.3	Apparatus	150
G.2.4	Test sample	151
G.2.5	Procedure	152
G.2.6	Acceptance criteria	152
G.2.7	Test report	152
G.3	Surface resistivity	152
G.4	Leakage resistance	153
G.4.1	General	153
G.4.2	Principle	153
G.4.3	Apparatus	153
G.4.4	Test sample	153
G.4.5	Procedure	154
G.4.6	Acceptance criteria	154
G.4.7	Test report	154
G.5	In-use testing of footwear	154
G.5.1	General	154
G.5.2	Principle	154
G.5.3	Apparatus	154
G.5.4	Procedure	155
G.5.5	Acceptance criteria	155
G.5.6	Test report	155
G.6	In-use testing of gloves	155
G.6.1	General	155
G.6.2	Principle	155
G.6.3	Apparatus	156
G.6.4	Procedure	156
G.6.5	Acceptance criteria	156
G.6.6	Test report	156
G.7	Powder resistivity	156
G.7.1	General	156
G.7.2	Principle	156
G.7.3	Apparatus	157
G.7.4	Procedure	157
G.7.5	Acceptance criteria	158
G.7.6	Test report	158
G.8	Liquid conductivity	158
G.8.1	General	158
G.8.2	Principle	158
G.8.3	Apparatus	158
G.8.4	Procedure	159
G.8.5	Acceptance criteria	159

	G.8.6	Test report.....	159
G.9		Capacitance.....	160
	G.9.1	General	160
	G.9.2	Principle	160
	G.9.3	Apparatus	160
	G.9.4	Test sample.....	160
	G.9.5	Procedure for moveable items	160
	G.9.6	Procedure for installed items	161
	G.9.7	Acceptance criteria	161
	G.9.8	Test report.....	161
G.10		Transferred charge	162
	G.10.1	General	162
	G.10.2	Principle	162
	G.10.3	Apparatus	162
	G.10.4	Test sample.....	163
	G.10.5	Procedure.....	163
	G.10.6	Acceptance criteria	164
	G.10.7	Test report.....	164
G.11		Ignition test.....	165
	G.11.1	General	165
	G.11.2	Apparatus	165
	G.11.3	Procedure.....	168
	G.11.4	Acceptance criteria	168
	G.11.5	Test report.....	168
G.12		Measuring of charge decay	169
	G.12.1	General	169
	G.12.2	Principle	169
	G.12.3	Apparatus	169
	G.12.4	Test sample.....	170
	G.12.5	Procedure.....	170
	G.12.6	Acceptance criteria	171
	G.12.7	Test report.....	171
G.13		Breakthrough voltage	171
	G.13.1	General	171
	G.13.2	Principle	171
	G.13.3	Apparatus	171
	G.13.4	Test procedure	172
	G.13.5	Acceptance criteria	172
	G.13.6	Test report.....	172
		Bibliography.....	174
		Figure 1 – Flow diagram: Assessment of bulk material with $\rho \leq 1 \text{ M}\Omega \text{ m}$	90
		Figure 2 – Flow diagram: Assessment of bulk material with $1 \text{ M}\Omega \text{ m} < \rho \leq 10 \text{ G}\Omega \text{ m}$	91
		Figure 3 – Flow diagram: Assessment of bulk material with $\rho > 10 \text{ G}\Omega \text{ m}$	92
		Figure 4 – Difference between earthing and bonding	109
		Figure 5 – Hazardous earthed conductor in contact with a flowing insulator	114
		Figure A.1 – Equivalent electrical circuit for an electrostatically charged conductor.....	127

Figure B.1 – Calculated maximum safe filling velocities for medium sized tanks (see 7.3.2.2.5.2)	136
Figure F.1 – Flowchart for a systematic electrostatic evaluation	149
Figure G.1 – Test sample with applied electrodes	151
Figure G.2 – Measuring cell for powder resistivity	157
Figure G.3 – Measuring cell for liquid conductivity	159
Figure G.4 – Ignition probe	167
Figure G.5 – Perforated plate of ignition probe.....	168
Figure G.6 – Example of an arrangement for measurement of charge decay	170
Figure G.7 – Electrodes for measuring breakthrough voltage of sheets	172
Table 1 – Boundary limits at (23 ± 2) °C and (25 ± 5) % RH for the characterisation of solid materials and examples for the classification of objects	23
Table 2 – Maximum allowed isolated capacitance in Zones with explosive atmosphere.....	26
Table 3 – Restriction on size of insulating solid materials in hazardous areas	28
Table 4 – Maximum acceptable transferred charge	32
Table 5 – Requirements for conveyor belts	33
Table 6 – Requirements for transmission belts.....	34
Table 7 – Conductivities and relaxation times of some liquids	37
Table 8 – Precautions for filling large conductive tanks with low conductivity liquids	42
Table 9 – Filling rate limits for filling medium-sized vertical-axis tanks through schedule 40 pipes.....	48
Table 10 – Velocity and filling rate limits for loading low conductivity liquids into short (N=1), fixed horizontal axis tanks via schedule 40 pipes	49
Table 11 – Vehicles and compartments suitable for high-speed loading for ADR compliant vehicles	50
Table 12 – Influence of the sulphur content on middle distillate vd limits for road tankers	51
Table 13 – Velocity and filling rate limits for road tankers based on schedule 40 pipes; rates for hoses will be similar.....	51
Table 14 – Velocity and filling rate limits for loading rail tankers	52
Table 15 – Classification of end-to-end hose resistances for control of hazards from static electricity and stray current.....	65
Table 16 – ISO 8031 classification of hose grades	67
Table 17 – Hybrid grades of hoses and hose assemblies	68
Table 18 – Hose selection Table for flammable liquid service	69
Table 19 – Use of the different types of FIBC.....	97
Table 20 – Inner liners and FIBC: combinations that are permissible and not permissible in hazardous atmospheres	98
Table 21 – Determination of requirement for electrostatic dissipative protective clothing and other items of personal protective equipment	104
Table 22 – Summary of maximum earthing resistances for the control of static electricity in hazardous areas	111
Table 23 – Alternative restrictions on insulating solid materials and isolated conductive or dissipative parts in hazardous areas for equipment within the scope of IEC 60079-0	119
Table A.1 – Charge build up on powders.....	126
Table A.2 – Values of capacitances for typical conductors	130

Table C.1 – Typical MIE intervals with examples.....	142
Table C.2 – Minimum ignition energy MIE and minimum ignition charge MIQ	143
Table G.1 – Volume concentrations of flammable gas mixtures	166

INTERNATIONAL ELECTROTECHNICAL COMMISSION

EXPLOSIVE ATMOSPHERES –

Part 32-1: Electrostatic hazards, guidance

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC TS 60079-32-1 edition 1.1 contains the first edition (2013-08) [documents 31/1033/DTS and 31/1076/RVC] and its amendment 1 (2017-03) [documents 31/1237/DTS and 31/1253/RVC].

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC/TS 60079-32-1, which is a technical specification, has been prepared by IEC Technical Committee 31: Equipment for explosive atmospheres, and IEC Technical Committee 101: Electrostatics.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 60079 series, under the general title *Explosive atmospheres*, can be found on the IEC website.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

A bilingual version of this publication may be issued at a later date.

INTRODUCTION

This IEC Technical Specification is based on CENELEC TR 50404:2003, *Code of practice for the avoidance of hazards due to static electricity* and a number of other documents:

- from the UK: BS 5958, Parts 1 & 2:1991, *Control of undesirable static electricity*,
- from Germany: TRBS 2153:2009, *Preventing risks of ignition due to electrostatic charges*,
- from Shell International Petroleum: *Static electricity – Technical and safety aspects*,
- from the US: NFPA 77, *Recommended Practice on Static Electricity (2007)*,
- from Japan: JNIOOSH TR42, *Recommendations for Requirements for Avoiding Electrostatic Hazards in Industry (2007)*,
- from ASTM, EUROPIA, IEC, International chamber of shipping, ISO etc.

It gives the best available accepted state of the art guidance for the avoidance of hazards due to static electricity.

This document is mainly written for designers and users of processes and equipment, manufacturers and test houses. It can also be used by suppliers of equipment (e.g. machines) and flooring or apparel when no product family or dedicated product standard exists or where the existing standard does not deal with electrostatic hazards.

A second part, IEC 60079-32-2, *Electrostatic Hazards, Tests*, is under development.

EXPLOSIVE ATMOSPHERES –

Part 32-1: Electrostatic hazards, guidance

1 Scope

This part of IEC 60079 gives guidance about the equipment, product and process properties necessary to avoid ignition and electrostatic shock hazards arising from static electricity as well as the operational requirements needed to ensure safe use of the equipment, product or process. It can be used in a risk assessment of electrostatic hazards or for the preparation of product family or dedicated product standards for electrical or non-electrical machines or equipment.

The hazards associated with static electricity in industrial processes and environments that most commonly give problems are considered. These processes include the handling of solids, liquids, powders, gases, sprays and explosives. In each case, the source and nature of the electrostatic hazard are identified and specific recommendations are given for dealing with them.

The purpose of this document is to provide standard recommendations for the control of static electricity, such as earthing of conductors, reduction of charging and restriction of chargeable areas of insulators. In some cases static electricity plays an integral part of a process, e.g. electrostatic coating, but often it is an unwelcome side effect and it is with the latter that this guidance is concerned. If the standard recommendations given in this document are fulfilled it can be expected that the risk of hazardous electrostatic discharges in an explosive atmosphere is at an acceptably low level.

If the requirements of this document cannot be fulfilled, alternative approaches can be applied under the condition that at least the same level of safety is achieved.

Basic information about the generation of undesirable static electricity in solids, liquids, gases, explosives, and also on people, together with descriptions of how the charges generated cause ignitions or electrostatic shocks, is given in the annexes and in IEC/TR 61340-1.

This Technical Specification is not applicable to the hazards of static electricity relating to lightning or to damage to electronic components.

This Technical Specification is not intended to supersede standards that cover specific products and industrial situations.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60079-0:2011, *Explosive atmospheres – Part 0: Equipment – General requirements*

IEC 60079-10-1, *Explosive atmospheres – Part 10-1: Classification of areas – Explosive gas atmospheres*

IEC TS 60079-32-1:2013+AMD1:2017 CSV – 15 –
© IEC 2017

IEC 60079-10-2, *Explosive atmospheres – Part 10-2: Classification of areas – Combustible dust atmospheres*

IEC 60079-14, *Explosive atmospheres – Part 14: Electrical installations design, selection and erection*

IEC 60079-20-1, *Explosive atmospheres – Part 20-1: Material characteristics for gas and vapour classification – Test methods and data*

IEC 60079-32-2⁴:2015, *Explosive atmospheres – Part 32-2: Electrostatic hazards – Tests*

IEC 60093, *Methods of test for volume resistivity and surface resistivity of solid electrical insulating materials*

IEC 60167, *Methods of test for the determination of the insulation resistance of solid insulating materials*

IEC 61340-2-3, *Electrostatics – Part 2-3: Methods of test for determining the resistance and resistivity of solid planar materials used to avoid electrostatic charge accumulation*

IEC 61340-4-1, *Electrostatics – Part 4-1: Standard test methods for specific applications – Electrical resistance of floor coverings and installed floors*

IEC 61340-4-3, *Electrostatics – Part 4-3: Standard test methods for specific applications – Footwear*

IEC 61340-4-4:2012, *Electrostatics – Part 4-4: Standard test methods for specific applications – Electrostatic classification of flexible intermediate bulk containers (FIBC)*

ISO 284, *Conveyor belts – Electrical conductivity – Specification and test method*

ISO 6297, *Petroleum products – Aviation and distillate fuels – Determination of electrical conductivity*

ISO 8031, *Rubber and plastics hoses and hose assemblies – Determination of electrical resistance*

ISO 9563, *Belt drives; electrical conductivity of antistatic endless synchronous belts; characteristics and test method*

ISO 12100-1, *Safety of machinery – Basic concepts, general principles for design – Part 1: Basic terminology, methodology*

ISO 16392, *Tyres – Electrical resistance – Test method for measuring electrical resistance of tyres on a test rig*

ISO 21178, *Light conveyor belts – Determination of electrical resistances*

ISO 21179, *Light conveyor belts – Determination of the electrostatic field generated by a running light conveyor belt*

ISO 21183-1, *Light conveyor belts – Part 1: Principal characteristics and applications*

⁴ ~~To be published.~~

ASTM D257, *Standard Test Methods for DC Resistance or Conductance of Insulating Materials*

ASTM D2624-07a, *Standard Test Methods for Electrical Conductivity of Aviation and Distillate Fuels*

ASTM D4308-95, *Standard Test Method for Electrical Conductivity of Liquid Hydrocarbons by Precision Meter*

ASTM E582-88, *Standard test method for minimum ignition energy and quenching distance in gaseous mixtures*

ASTM E2019-03, *Standard test method for minimum ignition energy of a dust cloud in air*

ASTM F150, *Standard Test Method for Electrical Resistance of Conductive and Static Dissipative Resilient Flooring*

ASTM F1971, *Standard Test Method for Electrical Resistance of Tires Under Load On the Test Bench*

BS 5958: *Code of practice for control of undesirable static electricity*

Part 1: *General considerations*

Part 2: *Recommendations for particular industrial situations*

BS 7506, *Methods for measurements in electrostatics – Part 2 Test methods*

DIN 51412-1, *Testing of petroleum products; determination of the electrical conductivity, laboratory method*

DIN 51412-2, *Testing of petroleum products; determination of the electrical conductivity; field method*

EN 1081, *Resilient floor coverings – Determination of the electrical resistance*

EN 1149-3, *Protecting clothes – Electrostatic properties – Part 3: Test method for measuring the charge dissipation*

EN 1149-5, *Protective clothing – Electrostatic properties – Part 5: Material performance and design requirements*

EN 1360, *Rubber and plastic hoses and hose assemblies for measured fuel dispensing systems – Specification*

EN 1361, *Rubber hoses and hose assemblies for aviation fuel handling – Specification*

EN 13463-1, *Non-electrical equipment for potentially flammable atmospheres – Part 1: Basic principles and general requirements*

EN 14125, *Underground pipework for petrol filling stations*

EN 14973, *Conveyor belts for use in underground installations – Electrical and flammability safety requirements*

International Safety Guide for Oil Tankers and Terminals (ISGOTT), fifth edition, International chamber of shipping, 2006.

IEC TS 60079-32-1:2013+AMD1:2017 CSV – 17 –
© IEC 2017

JNIOSH TR 42, *Recommendations for Requirements for Avoiding Electrostatic Hazards in Industry*

NFPA 77, *Recommended practice on static electricity*

SAE J1645, *Surface vehicle recommended practice – Fuel systems and Components – Electrostatic Charge Mitigation*



IEC TS 60079-32-1

Edition 1.1 2017-03
CONSOLIDATED VERSION

FINAL VERSION

**Explosive atmospheres –
Part 32-1: Electrostatic hazards, guidance**



CONTENTS

FOREWORD.....	11
INTRODUCTION.....	13
1 Scope.....	14
2 Normative references	14
3 Terms and definitions	17
4 Nomenclature	20
5 General	21
6 Static electricity in solid materials.....	22
6.1 General considerations	22
6.2 The use of conductive or dissipative materials in place of insulating ones	24
6.2.1 General considerations	24
6.2.2 Dissipative solid materials	24
6.2.3 Earthing of conductive and dissipative items.....	25
6.3 Precautions required when using insulating solid materials	26
6.3.1 General	26
6.3.2 Restrictions on the size of chargeable insulating surfaces	27
6.3.3 Earthed metal meshes	28
6.3.4 Insulating coatings on earthed conductive surfaces	28
6.3.5 Conductive or dissipative coatings on insulating materials	29
6.3.6 Static dissipative agents	30
6.3.7 Humidification.....	30
6.3.8 Ionisation / Charge Neutralisation.....	30
6.3.9 Methods to determine the incendivity of discharges	31
6.4 Conveyor belts and transmission belts	32
6.4.1 General	32
6.4.2 Conveyor belts	32
6.4.3 Transmission belts.....	33
7 Static electricity in liquids	34
7.1 General considerations	34
7.1.1 Occurrence of flammable atmospheres	34
7.1.2 Ignition sensitivity and limitations to the scope of advice.....	35
7.1.3 Charging mechanisms	36
7.1.4 Charge accumulation and conductivity classifications	36
7.1.5 Incendive discharges produced during liquid handling operations	37
7.2 Summary of precautions against ignition hazards during liquid handling operations.....	38
7.2.1 Earthing and avoidance of isolated conductors	38
7.2.2 Restricting charge generation	38
7.2.3 Avoidance of a flammable atmosphere	39
7.2.4 Promoting charge dissipation.....	39
7.3 Tanks and Containers	39
7.3.1 General	39
7.3.2 Conductive tanks and containers	40
7.3.3 Tanks and containers made entirely of dissipative material.....	53
7.3.4 Tanks and containers with insulating surfaces	53

7.3.5	Use of liners in containers	57
7.4	High viscosity liquids	58
7.5	High charging equipment	58
7.5.1	Filters, water separators and strainers	58
7.5.2	Pumps and other equipment	59
7.6	Gauging and sampling in tanks	60
7.6.1	General	60
7.6.2	Precautions during gauging and sampling	60
7.7	Pipes and hose assemblies for liquids	61
7.7.1	General	61
7.7.2	Pipes	61
7.7.3	Hoses and hose assemblies	64
7.8	Special filling procedures	70
7.8.1	Aircraft fuelling	70
7.8.2	Road tanker deliveries	71
7.8.3	Retail filling stations	72
7.8.4	Mobile or temporary liquid handling equipment	76
7.9	Plant processes (blending, stirring, mixing, crystallisation and stirred reactors)	76
7.9.1	General	76
7.9.2	Earthing	76
7.9.3	In-line blending	76
7.9.4	Blending in vessels or tanks	77
7.9.5	Jet mixing	77
7.9.6	High speed mixing	78
7.10	Spraying liquids and tank cleaning	78
7.10.1	General	78
7.10.2	Tank cleaning with low or medium pressure water jets (up to about 12 bar)	78
7.10.3	Tank cleaning with low conductivity liquids	79
7.10.4	Tank cleaning with high pressure water or solvent jets (above 12 bar)	79
7.10.5	Steam cleaning tanks	79
7.10.6	Water deluge systems	80
7.11	Glass systems	80
7.11.1	General	80
7.11.2	Precautions to be taken for low conductivity liquids	80
8	Static electricity in gases	81
8.1	General	81
8.2	Grit blasting	81
8.3	Fire extinguishers	82
8.4	Inerting	82
8.5	Steam cleaning	82
8.6	Accidental leakage of compressed gas	82
8.7	Spraying of flammable paints and powders	83
8.7.1	General	83
8.7.2	Earthing	83
8.7.3	Plastic spray cabinets	83
8.8	Vacuum cleaners, fixed and mobile	83

8.8.1	General	83
8.8.2	Fixed systems.....	83
8.8.3	Portable systems	84
8.8.4	Vacuum trucks.....	84
9	Static electricity in powders	84
9.1	General.....	84
9.2	Discharges, occurrence and incendivity	85
9.3	Procedural measures	86
9.3.1	General	86
9.3.2	Humidification.....	86
9.3.3	Hoses for pneumatic transfer	86
9.3.4	Ionisation.....	86
9.4	Bulk materials in the absence of flammable gases and vapours	87
9.4.1	General	87
9.4.2	Equipment and objects made of conductive or dissipative materials.....	87
9.4.3	Equipment and objects made of insulating materials	87
9.4.4	Dust separators	88
9.4.5	Silos and Containers.....	88
9.5	Additional requirements for bulk material in the presence of flammable gases and vapours.....	94
9.5.1	General	94
9.5.2	Measures for resistivity greater equal 100 MΩ m	94
9.5.3	Measures for resistivity less than 100 MΩ m	94
9.5.4	Filling of bulk material into a container	95
9.6	Flexible intermediate bulk containers (FIBC).....	96
9.6.1	General	96
9.6.2	Additional precautions when using FIBC	98
10	Static electricity when handling explosives and electro-explosive devices.....	99
10.1	Explosives manufacture, handling and storage.....	99
10.1.1	General	99
10.1.2	First degree protection.....	99
10.1.3	Intermediate protection	99
10.1.4	Second degree protection	99
10.2	Handling of electro-explosive devices	100
10.2.1	General	100
10.2.2	Earthing.....	100
10.2.3	Precautions during storage and issue	101
10.2.4	Precautions during preparation for use	101
11	Static electricity on people.....	101
11.1	General considerations	101
11.2	Static dissipative floors	102
11.3	Dissipative and conductive footwear	102
11.4	Supplementary devices for earthing of people	103
11.5	Clothing	103
11.6	Gloves	105
11.7	Other Items.....	105
12	Electrostatic shock	105
12.1	Introduction.....	105

12.2	Discharges relevant to electrostatic shocks.....	106
12.3	Sources of electrostatic shock.....	106
12.4	Precautions to avoid electrostatic shocks.....	107
12.4.1	Sources of electrostatic shocks.....	107
12.4.2	Reported shocks from equipment or processes.....	107
12.4.3	Shocks as a result of people being charged.....	107
12.5	Precautions in special cases.....	108
12.5.1	Pneumatic conveying.....	108
12.5.2	Vacuum cleaners.....	108
12.5.3	Reels of charged film or sheet.....	108
12.5.4	Fire extinguishers.....	109
13	Earthing and bonding.....	109
13.1	General.....	109
13.2	Criteria for the dissipation of static electricity from a conductor.....	110
13.2.1	Basic considerations.....	110
13.2.2	Practical criteria.....	110
13.3	Earthing requirements in practical systems.....	112
13.3.1	All-metal systems.....	112
13.3.2	Metal plant with insulating parts.....	113
13.3.3	Insulating materials.....	114
13.3.4	Conductive and dissipative materials.....	115
13.3.5	Earthing via intrinsic safety circuits.....	115
13.3.6	Earthing of ships.....	115
13.4	The establishment and monitoring of earthing systems.....	115
13.4.1	Design.....	115
13.4.2	Monitoring.....	116
14	Special requirements for equipment according to IEC 60079-0.....	116
14.1	General.....	116
14.2	Electrostatic charges on external non-metallic materials.....	117
14.2.1	Applicability.....	117
14.2.2	Avoidance of a build-up of electrostatic charge on Group I or Group II electrical equipment.....	117
14.2.3	Avoidance of a build-up of electrostatic charge on equipment for Group III.....	120
14.3	Electrostatic charges on external conductive parts.....	120
Annex A (informative)	Fundamentals of static electricity.....	121
A.1	Electrostatic charging.....	121
A.1.1	Introduction.....	121
A.1.2	Contact charging.....	121
A.1.3	Contact charging of liquids.....	121
A.1.4	Charge generation on liquids flowing in pipes.....	122
A.1.5	Charge generation in filters.....	125
A.1.6	Charge generation during stirring and mixing of liquids.....	125
A.1.7	Settling potentials.....	125
A.1.8	Breakup of liquid jets.....	125
A.1.9	Contact charging of powders.....	125
A.1.10	Charging by induction.....	126
A.1.11	Charge transfer by conduction.....	126
A.1.12	Charging by corona discharge.....	126

A.2	Accumulation of electrostatic charge	126
A.2.1	General	126
A.2.2	Charge accumulation on liquids	127
A.2.3	Charge accumulation on powders	128
A.3	Electrostatic discharges	129
A.3.1	Introduction	129
A.3.2	Sparks	129
A.3.3	Corona	130
A.3.4	Brush discharges	130
A.3.5	Propagating brush discharges.....	131
A.3.6	Lightning like discharges	131
A.3.7	Cone discharges.....	132
A.4	Measurements for risk assessment	132
Annex B (informative)	Electrostatic discharges in specific situations	134
B.1	Incendive discharges involving insulating solid materials	134
B.1.1	General	134
B.1.2	Sparks from isolated conductors	134
B.1.3	Brush discharges from insulating solid materials.....	134
B.1.4	Propagating brush discharges from insulating solid materials	134
B.2	Incendive discharges produced during liquid handling.....	135
B.2.1	General	135
B.2.2	Calculated maximum safe flow velocities for filling medium-sized vertical axis storage tanks	135
B.3	Incendive discharges produced during powder handling and storage	137
B.3.1	General	137
B.3.2	Discharges from bulk powder.....	137
B.3.3	Discharges from powder clouds	137
B.3.4	Discharges involving insulating containers and people.....	137
B.3.5	The use of liners in powder processes	137
B.3.6	Spark discharges in powder processes	138
B.3.7	Brush discharges in powder processes	138
B.3.8	Corona discharges in powder processes.....	138
B.3.9	Propagating brush discharges in powder processes.....	138
Annex C (informative)	Flammability properties of substances.....	140
C.1	General.....	140
C.2	Effect of oxygen concentration and ambient conditions	140
C.3	Explosive limits for gases and liquids	140
C.4	Inerting	140
C.5	Flash point.....	141
C.6	Minimum ignition energies.....	141
C.7	Combustible powders.....	144
C.8	Biofuels.....	144
Annex D (informative)	Classification of hazardous areas.....	145
D.1	Concept of zoning	145
D.2	Classification	145
D.3	Explosion groups	145
D.3.1	General	145
D.3.2	Group I	145
D.3.3	Group II	146

D.3.4	Group III	146
Annex E (informative)	Classification of equipment protection level	147
Annex F (informative)	Flow chart for a systematic electrostatic evaluation	148
Annex G (informative)	Tests	150
G.1	General	150
G.2	Surface resistance	150
G.2.1	General	150
G.2.2	Principle	150
G.2.3	Apparatus	150
G.2.4	Test sample	151
G.2.5	Procedure	152
G.2.6	Acceptance criteria	152
G.2.7	Test report	152
G.3	Surface resistivity	152
G.4	Leakage resistance	153
G.4.1	General	153
G.4.2	Principle	153
G.4.3	Apparatus	153
G.4.4	Test sample	153
G.4.5	Procedure	154
G.4.6	Acceptance criteria	154
G.4.7	Test report	154
G.5	In-use testing of footwear	154
G.5.1	General	154
G.5.2	Principle	154
G.5.3	Apparatus	154
G.5.4	Procedure	155
G.5.5	Acceptance criteria	155
G.5.6	Test report	155
G.6	In-use testing of gloves	155
G.6.1	General	155
G.6.2	Principle	155
G.6.3	Apparatus	156
G.6.4	Procedure	156
G.6.5	Acceptance criteria	156
G.6.6	Test report	156
G.7	Powder resistivity	156
G.7.1	General	156
G.7.2	Principle	156
G.7.3	Apparatus	157
G.7.4	Procedure	157
G.7.5	Acceptance criteria	158
G.7.6	Test report	158
G.8	Liquid conductivity	158
G.8.1	General	158
G.8.2	Principle	158
G.8.3	Apparatus	158
G.8.4	Procedure	159
G.8.5	Acceptance criteria	159

	G.8.6	Test report.....	159
G.9		Capacitance.....	160
	G.9.1	General	160
	G.9.2	Principle	160
	G.9.3	Apparatus	160
	G.9.4	Test sample.....	160
	G.9.5	Procedure for moveable items	160
	G.9.6	Procedure for installed items	161
	G.9.7	Acceptance criteria	161
	G.9.8	Test report.....	161
G.10		Transferred charge	162
	G.10.1	General	162
	G.10.2	Principle	162
	G.10.3	Apparatus	162
	G.10.4	Test sample.....	163
	G.10.5	Procedure.....	163
	G.10.6	Acceptance criteria	164
	G.10.7	Test report.....	164
G.11		Ignition test.....	165
	G.11.1	General	165
	G.11.2	Apparatus	165
	G.11.3	Procedure.....	168
	G.11.4	Acceptance criteria	168
	G.11.5	Test report.....	168
G.12		Measuring of charge decay	169
	G.12.1	General	169
	G.12.2	Principle	169
	G.12.3	Apparatus	169
	G.12.4	Test sample.....	170
	G.12.5	Procedure.....	170
	G.12.6	Acceptance criteria	171
	G.12.7	Test report.....	171
G.13		Breakthrough voltage	171
	G.13.1	General	171
	G.13.2	Principle	171
	G.13.3	Apparatus	171
	G.13.4	Test procedure	172
	G.13.5	Acceptance criteria	172
	G.13.6	Test report.....	172
		Bibliography.....	174
		Figure 1 – Flow diagram: Assessment of bulk material with $\rho \leq 1 \text{ M}\Omega \text{ m}$	90
		Figure 2 – Flow diagram: Assessment of bulk material with $1 \text{ M}\Omega \text{ m} < \rho \leq 10 \text{ G}\Omega \text{ m}$	91
		Figure 3 – Flow diagram: Assessment of bulk material with $\rho > 10 \text{ G}\Omega \text{ m}$	92
		Figure 4 – Difference between earthing and bonding	109
		Figure 5 – Hazardous earthed conductor in contact with a flowing insulator	114
		Figure A.1 – Equivalent electrical circuit for an electrostatically charged conductor.....	127

Figure B.1 – Calculated maximum safe filling velocities for medium sized tanks (see 7.3.2.2.5.2)	136
Figure F.1 – Flowchart for a systematic electrostatic evaluation	149
Figure G.1 – Test sample with applied electrodes	151
Figure G.2 – Measuring cell for powder resistivity	157
Figure G.3 – Measuring cell for liquid conductivity	159
Figure G.4 – Ignition probe	167
Figure G.5 – Perforated plate of ignition probe.....	168
Figure G.6 – Example of an arrangement for measurement of charge decay	170
Figure G.7 – Electrodes for measuring breakthrough voltage of sheets	172
Table 1 – Boundary limits at (23 ± 2) °C and (25 ± 5) % RH for the characterisation of solid materials and examples for the classification of objects	23
Table 2 – Maximum allowed isolated capacitance in Zones with explosive atmosphere.....	26
Table 3 – Restriction on size of insulating solid materials in hazardous areas	28
Table 4 – Maximum acceptable transferred charge	32
Table 5 – Requirements for conveyor belts	33
Table 6 – Requirements for transmission belts.....	34
Table 7 – Conductivities and relaxation times of some liquids	37
Table 8 – Precautions for filling large conductive tanks with low conductivity liquids	42
Table 9 – Filling rate limits for filling medium-sized vertical-axis tanks through schedule 40 pipes.....	48
Table 10 – Velocity and filling rate limits for loading low conductivity liquids into short (N=1), fixed horizontal axis tanks via schedule 40 pipes	49
Table 11 – Vehicles and compartments suitable for high-speed loading for ADR compliant vehicles	50
Table 12 – Influence of the sulphur content on middle distillate vd limits for road tankers	51
Table 13 – Velocity and filling rate limits for road tankers based on schedule 40 pipes; rates for hoses will be similar.....	51
Table 14 – Velocity and filling rate limits for loading rail tankers	52
Table 15 – Classification of end-to-end hose resistances for control of hazards from static electricity and stray current.....	65
Table 16 – ISO 8031 classification of hose grades	67
Table 17 – Hybrid grades of hoses and hose assemblies	68
Table 18 – Hose selection Table for flammable liquid service	69
Table 19 – Use of the different types of FIBC.....	97
Table 20 – Inner liners and FIBC: combinations that are permissible and not permissible in hazardous atmospheres	98
Table 21 – Determination of requirement for electrostatic dissipative protective clothing and other items of personal protective equipment	104
Table 22 – Summary of maximum earthing resistances for the control of static electricity in hazardous areas	111
Table 23 – Alternative restrictions on insulating solid materials and isolated conductive or dissipative parts in hazardous areas for equipment within the scope of IEC 60079-0	119
Table A.1 – Charge build up on powders.....	126
Table A.2 – Values of capacitances for typical conductors	130

Table C.1 – Typical MIE intervals with examples.....	142
Table C.2 – Minimum ignition energy MIE and minimum ignition charge MIQ	143
Table G.1 – Volume concentrations of flammable gas mixtures	166

INTERNATIONAL ELECTROTECHNICAL COMMISSION

EXPLOSIVE ATMOSPHERES –

Part 32-1: Electrostatic hazards, guidance

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC TS 60079-32-1 edition 1.1 contains the first edition (2013-08) [documents 31/1033/DTS and 31/1076/RVC] and its amendment 1 (2017-03) [documents 31/1237/DTS and 31/1253/RVC].

This Final version does not show where the technical content is modified by amendment 1. A separate Redline version with all changes highlighted is available in this publication.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC/TS 60079-32-1, which is a technical specification, has been prepared by IEC Technical Committee 31: Equipment for explosive atmospheres, and IEC Technical Committee 101: Electrostatics.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 60079 series, under the general title *Explosive atmospheres*, can be found on the IEC website.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

INTRODUCTION

This IEC Technical Specification is based on CENELEC TR 50404:2003, *Code of practice for the avoidance of hazards due to static electricity* and a number of other documents:

- from the UK: BS 5958, Parts 1 & 2:1991, *Control of undesirable static electricity*,
- from Germany: TRBS 2153:2009, *Preventing risks of ignition due to electrostatic charges*,
- from Shell International Petroleum: *Static electricity – Technical and safety aspects*,
- from the US: NFPA 77, *Recommended Practice on Static Electricity (2007)*,
- from Japan: JNIOOSH TR42, *Recommendations for Requirements for Avoiding Electrostatic Hazards in Industry (2007)*,
- from ASTM, EUROPIA, IEC, International chamber of shipping, ISO etc.

It gives the best available accepted state of the art guidance for the avoidance of hazards due to static electricity.

This document is mainly written for designers and users of processes and equipment, manufacturers and test houses. It can also be used by suppliers of equipment (e.g. machines) and flooring or apparel when no product family or dedicated product standard exists or where the existing standard does not deal with electrostatic hazards.

A second part, IEC 60079-32-2, *Electrostatic Hazards, Tests*, is under development.

EXPLOSIVE ATMOSPHERES –

Part 32-1: Electrostatic hazards, guidance

1 Scope

This part of IEC 60079 gives guidance about the equipment, product and process properties necessary to avoid ignition and electrostatic shock hazards arising from static electricity as well as the operational requirements needed to ensure safe use of the equipment, product or process. It can be used in a risk assessment of electrostatic hazards or for the preparation of product family or dedicated product standards for electrical or non-electrical machines or equipment.

The hazards associated with static electricity in industrial processes and environments that most commonly give problems are considered. These processes include the handling of solids, liquids, powders, gases, sprays and explosives. In each case, the source and nature of the electrostatic hazard are identified and specific recommendations are given for dealing with them.

The purpose of this document is to provide standard recommendations for the control of static electricity, such as earthing of conductors, reduction of charging and restriction of chargeable areas of insulators. In some cases static electricity plays an integral part of a process, e.g. electrostatic coating, but often it is an unwelcome side effect and it is with the latter that this guidance is concerned. If the standard recommendations given in this document are fulfilled it can be expected that the risk of hazardous electrostatic discharges in an explosive atmosphere is at an acceptably low level.

If the requirements of this document cannot be fulfilled, alternative approaches can be applied under the condition that at least the same level of safety is achieved.

Basic information about the generation of undesirable static electricity in solids, liquids, gases, explosives, and also on people, together with descriptions of how the charges generated cause ignitions or electrostatic shocks, is given in the annexes and in IEC/TR 61340-1.

This Technical Specification is not applicable to the hazards of static electricity relating to lightning or to damage to electronic components.

This Technical Specification is not intended to supersede standards that cover specific products and industrial situations.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60079-0:2011, *Explosive atmospheres – Part 0: Equipment – General requirements*

IEC 60079-10-1, *Explosive atmospheres – Part 10-1: Classification of areas – Explosive gas atmospheres*

IEC TS 60079-32-1:2013+AMD1:2017 CSV – 15 –
© IEC 2017

IEC 60079-10-2, *Explosive atmospheres – Part 10-2: Classification of areas – Combustible dust atmospheres*

IEC 60079-14, *Explosive atmospheres – Part 14: Electrical installations design, selection and erection*

IEC 60079-20-1, *Explosive atmospheres – Part 20-1: Material characteristics for gas and vapour classification – Test methods and data*

IEC 60079-32-2:2015, *Explosive atmospheres – Part 32-2: Electrostatic hazards – Tests*

IEC 60093, *Methods of test for volume resistivity and surface resistivity of solid electrical insulating materials*

IEC 60167, *Methods of test for the determination of the insulation resistance of solid insulating materials*

IEC 61340-2-3, *Electrostatics – Part 2-3: Methods of test for determining the resistance and resistivity of solid planar materials used to avoid electrostatic charge accumulation*

IEC 61340-4-1, *Electrostatics – Part 4-1: Standard test methods for specific applications – Electrical resistance of floor coverings and installed floors*

IEC 61340-4-3, *Electrostatics – Part 4-3: Standard test methods for specific applications – Footwear*

IEC 61340-4-4:2012, *Electrostatics – Part 4-4: Standard test methods for specific applications – Electrostatic classification of flexible intermediate bulk containers (FIBC)*

ISO 284, *Conveyor belts – Electrical conductivity – Specification and test method*

ISO 6297, *Petroleum products – Aviation and distillate fuels – Determination of electrical conductivity*

ISO 8031, *Rubber and plastics hoses and hose assemblies – Determination of electrical resistance*

ISO 9563, *Belt drives; electrical conductivity of antistatic endless synchronous belts; characteristics and test method*

ISO 12100-1, *Safety of machinery – Basic concepts, general principles for design – Part 1: Basic terminology, methodology*

ISO 16392, *Tyres – Electrical resistance – Test method for measuring electrical resistance of tyres on a test rig*

ISO 21178, *Light conveyor belts – Determination of electrical resistances*

ISO 21179, *Light conveyor belts – Determination of the electrostatic field generated by a running light conveyor belt*

ISO 21183-1, *Light conveyor belts – Part 1: Principal characteristics and applications*

ASTM D257, *Standard Test Methods for DC Resistance or Conductance of Insulating Materials*

ASTM D2624-07a, *Standard Test Methods for Electrical Conductivity of Aviation and Distillate Fuels*

ASTM D4308-95, *Standard Test Method for Electrical Conductivity of Liquid Hydrocarbons by Precision Meter*

ASTM E582-88, *Standard test method for minimum ignition energy and quenching distance in gaseous mixtures*

ASTM E2019-03, *Standard test method for minimum ignition energy of a dust cloud in air*

ASTM F150, *Standard Test Method for Electrical Resistance of Conductive and Static Dissipative Resilient Flooring*

ASTM F1971, *Standard Test Method for Electrical Resistance of Tires Under Load On the Test Bench*

BS 5958: *Code of practice for control of undesirable static electricity*
Part 1: *General considerations*
Part 2: *Recommendations for particular industrial situations*

BS 7506, *Methods for measurements in electrostatics – Part 2 Test methods*

DIN 51412-1, *Testing of petroleum products; determination of the electrical conductivity, laboratory method*

DIN 51412-2, *Testing of petroleum products; determination of the electrical conductivity; field method*

EN 1081, *Resilient floor coverings – Determination of the electrical resistance*

EN 1149-3, *Protecting clothes – Electrostatic properties – Part 3: Test method for measuring the charge dissipation*

EN 1149-5, *Protective clothing – Electrostatic properties – Part 5: Material performance and design requirements*

EN 1360, *Rubber and plastic hoses and hose assemblies for measured fuel dispensing systems – Specification*

EN 1361, *Rubber hoses and hose assemblies for aviation fuel handling – Specification*

EN 13463-1, *Non-electrical equipment for potentially flammable atmospheres – Part 1: Basic principles and general requirements*

EN 14125, *Underground pipework for petrol filling stations*

EN 14973, *Conveyor belts for use in underground installations – Electrical and flammability safety requirements*

International Safety Guide for Oil Tankers and Terminals (ISGOTT), fifth edition, International chamber of shipping, 2006.

JNIOOSH TR 42, *Recommendations for Requirements for Avoiding Electrostatic Hazards in Industry*

IEC TS 60079-32-1:2013+AMD1:2017 CSV – 17 –
© IEC 2017

NFPA 77, *Recommended practice on static electricity*

SAE J1645, *Surface vehicle recommended practice – Fuel systems and Components – Electrostatic Charge Mitigation*